



YIELD MANITOBA / 2016

A PLANNING TOOL FOR MANITOBA FARMERS

Yield Manitoba a planning tool for Manitoba producers	4
You wouldn't have expected it from the weather	. 6
Weather warming trend continues	12
Risk Area Map	18



		able	

Manitoba	19
• Risk Area 1	23
• Risk Area 2	24
• Risk Area 3	26
• Risk Area 4	28
• Risk Area 5	32
• Risk Area 6	34
• Risk Area 7	36
• Risk Area 8	37
• Risk Area 9	38
• Risk Area 10	40
• Risk Area 11	42
• Risk Area 12	44
• Risk Area 14	46
• Risk Area 15	49
• Risk Area 16	51

Agroclimatic Maps

Percent of Normal Accumulated Precipitation
Total Accumulation of Precipitation14
Percent of Normal Accumulated Corn Heat Units15
Total Accumulation of Corn Heat Units15
Percent of Normal Accumulated Growing Degree Days16
Total Accumulation of Growing Degree Days 16

The variety yield tables in this publication were obtained from: www.mmpp.com

Published by Farm Business Communications 1666 Dublin Avenue Winnipeg, MB R3H 0H1 Phone: 204-944-5765 Fax: 204-944-5562 news@fbcpublishing.com www.agcanada.com

National Sales: Jack Meli Phone: 647-823-2300 jack.meli@fbcpublishing.com

Cover photo from Thinkstock.com Supplement to the Manitoba Co-operator, February 18, 2016

Yield Manitoba

a planning tool for Manitoba producers

elcome to the 17th edition of Yield Manitoba, which provides a compilation of actual on-farm yields by variety as reported to the Manitoba Agricultural Services Corporation (MASC) by producers from their respective crop insurance risk areas.

In order for the information to be listed in the table, the variety must have a variety name and been sown by at least three producers on a minimum of 500 acres. This ensures that the sample size is reasonable and protects the confidentiality of individual producer information.

The Yield Manitoba yields are "net yields" derived by adjusting the gross yields reported by producers on their MASC Harvested Production Reports (HPR) by the moisture, dockage and test weight, also reported on the HPR. Additionally, when there are measured yields from MASC appraisals or claims those yields will override reported net yields for Yield Manitoba purposes. Destroyed acres with no appraisal are reported with a yield of zero. Alternate-use acres with no appraisals are not reported. None of the yields in Yield Manitoba are adjusted for grades.

Management and environmental influences have not been standardized in the Yield Manitoba variety yield tables so caution should be exercised when doing cross-variety comparisons, particularly when there are limited acres or years of information. Cross-variety comparisons are most meaningful between varieties grown on large acreage over many years. Additionally, to make the best variety selection for your farm it is recommended that you use the information in Yield Manitoba in combination with other information sources such as Seed Manitoba.

Additional MASC variety information analysis can be conducted on the Internet using MASC's Manitoba Management Plus Program (MMPP) "Variety Yield Data Browser." This public online query tool lets you look at variety information to a finer scale (rural municipality) and for more years (back to 1993). The MMPP Variety Yield Data Browser is available at www.mmpp.com/mmpp.nsf/mmpp_browser_variety.html. In addition the MMPP website has other management information useful for benchmarking, marketing assessment and improved farm management decision-making.



You wouldn't have expected it from the weather

by Allan Dawson, Manitoba Co-operator staff

oo wet, too dry, late frost, too many hailstorms, too much lodging — Manitoba's 2015 weather didn't feel like it would produce a bumper crop.

But it did. Manitoba Agricultural Services Corporation (MASC) data shows yields were above average and new provincial records were set for corn (136 bushels per acre) and soybeans (39 bu./ac.) while canola at 42 bu./ac. was just one bushel shy of the record.

The data collected from farmers enrolled in crop insurance was 99.7 per cent keyed in when this story was written. Final figures could vary slightly, but it won't change the overall result — on average, Manitoba had a bumper crop last year.

The data is in this publication, Yield Manitoba 2016 and on MASC's Management Plus website at www. mmpp.com. The program lets readers break information out. For example a search can reveal which variety had the highest yield and/or most acres in a specific municipality or province-wide.

Hard red spring wheat averaged 51 bushels an acre in 2015, up one bushel from 2014 and 10 per cent above the 10-year average, but was 10 bushels short of the record of 61 in 2013. It would've been higher had there not been so much lodging.

Feed and winter wheat were all above average too, but no records were set.

Manitoba farmers suffered more hailstorms in 2015 than the year before. While some storms hit in June the most devastating were in August when crops were more mature and had less time to recover before harvest. However, 2015 payouts totalled \$31 million compared to \$12 million in 2014.

Pleasantly surprised

Despite a range of adverse conditions during the season — dry in the northwest, too wet in some areas and extensive lodging, yields were still above average.

"Pleasantly surprised," is how Angela Brackenreed, the Canola Council of Canada's Manitoba agronomy specialist, put it.

"I wasn't expecting it at all," she said. "What stands out for me for 2015 was it was a season of spotty showers and really notable, volatile environmental conditions."

Wheat and canola seeding started a couple of weeks earlier than usual, but widespread frost May 30 set many crops back. About one million acres were reseeded due to frost — most of them canola.

Thanks to warm soils, the reseeded canola emerged quickly, Brackenreed said.

Table 1: MANITOBA AVERAGE CROP YIELDS 2015

Crop	2015 Yield bushels/acre	2014 yield	% change	10- year average	% change	New Record in 2015	Previous Record Yield	Year of Previous Record Yield
Red Spring Wheat	51	50	+2	46	+10	No	61	2013
Winter Wheat	65	52	+25	64	+2	No	71	2008
Feed Wheat	67	71	-6	57	+18	No	78	2013
Argentine Canola	42	37	+15	34	+24	No	43	2013
Oats	95	94	+1	86	+11	No	107	2013
Barley	69	63	+9	61	+12	No	83	2013
Flax	23	22	+7	21	+11	No	28	2013
Grain Corn	136	113	+21	108	+26	Yes	133	2013
Soybeans	39	33	+17	33	+18	Yes	38.5	2013
White Pea Beans Ibs/a	1,816	1,540	+18	1,483	+23	No	2,214	2013
Non-Oil Sunflowers lbs/a	1,676	1,611	+4	1,466	+14	No	2,192	2012

Source: Manitoba Agricultural Services Corporation data, necessary calculations

The information above is based on 99.7 per cent of the yield and variety data received from crop insured farmers being keyed in. Final figures could vary slightly. Pedigreed seed and organic acres are not included. MASC doesn't release data if it comes from three or fewer farmers or less than 500 acres.



Average Manitoba corn yields in 2015 hit a new record high of 136 bushels an acre, based on 99.7 per cent of yield data collected by the Manitoba Agricultural Services Corporation being keyed in. PHOTO: ALLAN DAWSON

"Emergence was unlike anything I've generally seen before with 80 to 90 per cent survival," she said, adding fortunately there were few disease or insect problems the rest of the year.

Harvesting a bumper crop despite volatile weather speaks well of improved canola varieties and farmer management, Brackenreed said.

Corn

Manitoba's 2015 average corn yield of 136 bushels an acre beat the 2013 record of 133 and was 26 per cent above the 10-year average.

In late August Dale Alderson of Intel Seeds at Oakville was counting corn kernels and predicting an above-average yield for his customers so long as it didn't freeze early.

"It was a corn year," Alderson said.

As a result he expects corn acres could jump 30 per cent in 2016.

"That could change to be more or less depending where corn prices end up in March," he added. "We could get cancellations, we could get guys ordering more."

Continued on next page





Continued from previous page

Manitoba insured corn acreage fell 11 per cent to 213,314 in 2016, but was 11 per cent higher than the 10-year average.

While Manitoba's corn yield averaged 136 bushels an acre, the Red River Valley's RM of Macdonald had the highest average of any municipality — a whopping 162 bushels an acre from 5,500 acres.

The highest-yielding variety in a municipality was 164

bushels an acre in the RM of Rosser with P7632 AM Pioneer; DKC 30-07 R1B DeKalb had the highest yield province-wide at 151.

Soybeans

When this was being written data showed Manitoba soybeans yielded an average of 39 bushels an acre — half a bushel more than the 2013 record. The final figure could vary slightly.

Continued on page 10

TABLE 2: SUMMARY OF BEST AND WORST 2015 YIELDS FOR SELECTED MANITOBA CROPS

Н		Viold 201E			
	Crop	Yield 2015 bushels per acre	Variety	Rural Municipality	Acres
	RED SPRING WHEAT				2.2 million
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	58 71 66 28	AAC Elie AAC Elie	Macdonald Louise Sigiunes	34,878 686 50,239 945
	WINTER WHEAT				144,804
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	73 89 81 39	CDC Falcon CDC Falcon	Macdonald Rhineland Gilbert Plains	29,764 2,347 2,969 2,190
	FEED WHEAT				335,274
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	69 87 86 48	Prosper Faller/Prosper	Louise Louise Cornwallis	67,533 7,780 / 2,335 10,255 995
	ARGENTINE CANOLA				2.9 million
	Highest average yielding variety province wide Highest average yielding variety in an RM (five ties) Highest average yield by RM	49 55 50	45A76 Pioneer L156H, L261, L140, 5440, 5440, L252 (all Invigor)	Lorne, Macdonald, Minitonas, Minto, Shellmouth, Shellmouth Louise, Swan River	936 2,001 / 1,082 / 4,792 / 1,023 / 2,263 / 1,336 66,148 / 112,798
	Lowest average yield by RM	14		Grahamdale	1,746
	OATS Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	126 166 143 19	CS Camden CS Camden	Montcalm Richot Hillsburg	413,994 9,574 850 2,471 2,015
	BARLEY				353,190
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	97 104 99 32	Xena CDC Austenson	St. Andrews Richot Alexander	1,575 793 535 1,721
	FLAX				109,777
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	30 37 39 13	CDC Glas, Prairie Sapphire CDC Glas	Roland Roland Bifrost	9,686 / 2,162 1,170 1,320 2,523
	GRAIN CORN				213,314
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	151 164 162 69	DKC 30-07 R1B DeKalb P7632 AM Pioneer	Rosser Macdonald Pipestone	3,604 1,005 5,553 3,111
н	SOYBEANS				1.3 million
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	46 55 46 28	NSC 200Y Northstar 24-10RY DeKalb	St. Francois Xavier North Cypress Whitewater	515 831 3,225 17,508
	WHITE PEA BEANS	lbs/acre			35,981
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM NON-OIL SUNFLOWERS	1,959 2,401 2,449 1,586	T9905 T9905	Victoria Victoria Portage la Prairie	20,235 1,165 1,598 18,695
		lbs/acre	loguer DMD Coods 2000		61,573
	Highest average yielding variety province wide Highest average yielding variety in an RM Highest average yield by RM Lowest average yield by RM	1,766 2,380 2,341 466	Jaguar DMR Seeds 2000 6946 Seeds 2000	Victoria Lorne Brokenhead	12,984 717 838 831

Source: Manitoba Agricultural Services Corporation data, necessary calculations.

The information above is based on 99.7 per cent of the yield and variety data received from crop insured farmers being keyed in. Final figures could vary slightly. Pedigreed seed and organic acres are not included. MASC doesn't release data if it comes from three or fewer farmers or less than 500 acres.





Despite a widespread frost May 30 that saw almost a million acres reseeded, most of it canola, plus hail, Manitoba canola yields in 2015 averaged 42 bushels an acre — just shy of a record. The average canola yield in the RMs of Louise in the south and Swan River in the northwest was 50 bushels an acre on almost 179,000 combined acres. PHOTO: ALLAN DAWSON

Continued from page 8

Soybean yields might have been even higher had it not been hot and dry in some areas in late July and early August.

The highest and lowest soybean yields by municipality were North Cypress and Whitewater at 46 and 28 bushels an acre, respectively.

Canola

At 2.98 million insured acres in 2015, canola was again Manitoba's highest-acreage crop. Plantings were up three and six per cent from 2014 and the 10-year average, respectively. While the provincial average was close to a record at 42 bushels an acre, canola averaged an impressive 50 bushels an acre in the the RMs of Louise (66,148 acres) and Swan River (112,798 acres). The Canola Council of Canada's 2025 target averaging 52 bushels an acre Prairie-wide seems less daunting now.

Five municipalities shared the highest average yield — 55 bushels — by a single variety. (See table 2 for a list of the varieties and municipalities.)

Table 3: TOP 10 ACREAGE CROPS IN MANITOBA 2015

D l.	0	0045 A	00444	0/ - 1	40	0/ -1
Rank	Crop	2015 Acres	2014 Acres	% change	10- year average	% change
1	Argentine Canola	2.98 million	2.9 million	+3	2.8 million	+6
2	Red Spring Wheat	2.4 million	2.2 million	+10	2.2 million	+10
3	Soybeans	1.3 million	1.23 million	+6	551,020	+136
4	Oats	413,994	332,371	+25	532,474	-22
5	Barley	353,190	311,079	+14	520,643	-32
6	Feed Wheat	335,273	272,707	+23	45,906	+631
7	Grain Corn	213,314	240,870	-11	192,275	+11-
8	Winter Wheat	144,804	252,586	-43	310,400	-53
9	Dry Edible Beans	117,733	142,955	-18	136,670	-14
10	Flax	109,777	81,130	+35	188,678	-41

Source: Manitoba Agricultural Services Corporation data, necessary calculations

The information above is based on 99.7 per cent of the yield and variety data received from crop insured farmers being keyed in.

Final figures could vary slightly. Pedigreed seed and organic acres are not included. MASC doesn't release data if it comes from three or fewer farmers or less than 500 acres.

Wheats

MASC's red spring wheat category applies to Canada Western Red Spring varieties. At 2.4 million acres, CWRS accounted for the second-highest acreage in 2015, up 10 per cent from 2014 and the 10-year average. Wheat prefers cooler weather than corn, but 2015 saw bumper crops for both.

Extensive lodging was a problem with wheat in some areas, with some farmers reporting their crop going down two or three times.

Feed wheat, which includes Faller and Prosper, two high-yielding American Dark Northern Spring wheats, is gaining popularity. Manitoba farmers insured more than 352,000 acres of feed wheat in 2015 — up 23 per cent from 2014 and six times the 10-year average.

Winter wheat acres of 145,000 were down 43 per cent from 2014 and half the 10-year average.

Feed wheat averaged 67 bushels an acre in 2015, down from 71 in 2014 and the record 78 in 2013.

It was a good year for feed wheat in the RM of Louise where it averaged 86 bushels an acre on more than 10,000 acres.

The data shows Faller and Prosper yields rivalled those of CDC Falcon, Manitoba's second most popular winter wheat, even though it's no longer in the Canada Western Red Winter (CWRW) class because it doesn't meet class requirements.

CDC Falcon averaged 73 bushels an acre in 2015, compared to 69 and 68 for Prosper and Faller, respectively.

In 2015 at almost 80,000 acres Emerson, which is a CWRW variety, was the province's most popular winter wheat, averaging 66 bushels an acre.

Farmers insured almost 30,000 acres of CDC Falcon.

Oats, barley, flax

Oats, Manitoba's fourth-highest-acreage crop in 2015, saw plantings jump 25 per cent to more than 332,000 acres, but that was well below the 10-year average. The 95-bushels-an-acre yield was one bushel higher than 2014's and eight bushels under the record. The highestyielding variety province-wide was CS Camden — 126 bushels an acre from almost 9,600 acres.

Souris and Summit, which ranked first and second in acres, averaged 96 and 108 bushels, respectively.

RM yields varied from 143 to 19 in Ritchot and Hillsburg, respectively.

Barley acres were up in 2015 but lower than the 10-year average. A provincial average yield of 69 bushels an acre exceeded 2014 and the 10-year average but was well below the 2013 record of 83.


The highest-yielding variety across Manitoba was Xena, which averaged 97 bushels on almost 1,600 acres.

At 23 bushels an acre flax yields were above average and not far off the record of 28. But in the RM of Roland flax averaged 39 bushels an acre on 1,300 acres.

White pea beans, non-oil sunflowers

Both crops yielded well above average at 1,540 and 1,611 pounds an acre but fell short of a record.

The RM of Victoria averaged 2,449 pounds of white pea beans an acre, while Lorne averaged 2,341 pounds of non-oil sunflowers.



2015 was a long and warm growing season for Manitoba farmers, but one with several severe weather events

Weather warming trend continues

by Daniel Bezte, Yield Manitoba contributor

lobally, six of the last 10 years have ranked among the top 10 warmest years since 1880 and all 10 hottest years occurred since 1981. The warmest year on record was 2014, but 2015 beat it by a climatological mile.

According to NOAA, 2015 beat out 2014 as the warmest year by 0.16 C, which is the largest jump ever recorded. The second year of a major El Niño event is usually even warmer than the previous year, so 2016 may be the third year in a row that a global yearly heat record is broken. That is something that has never happened in the 136-year dataset.

What concerns me, is that for our region, most of the really warm weather has been confined to our cooler months. Four to seven degrees above average during these months just makes for a nice warm month. The odds will eventually fall on us seeing this type of warmth during the summer, and four to seven degrees above average at that time of the year will create conditions that none of us have ever experienced.

Looking back at 2015, Manitoba's growing degree days accumulation (base 5 C) between May and September was greater than normal at about 96 per cent of about 60 weather stations monitored across the province. In comparison, only 54 per cent of the weather stations reported above-normal conditions in the same duration in 2014. The climate normal is the average of 30 years of observations (1981-2010), and is used to help to flatten or filter out year-to-year fluctuations.

The 2015 growing season began early. Warm temperatures, less-than-average snowpack, and an early spring melt resulted in about 95 per cent of cereal acres seeded in the central region of the province before the second week of May. Significant precipitation occurred on May 14 and 17, resulting in over 75 mm of rain around the central and southwest regions of the province. By the end of May, seeding progress across Manitoba was estimated to be 93 per cent complete.

A light frost that struck some regions on May 30 resulted in some reseeding. Producers started their first hay cut operations mid-June. There were several hailstorms in 2015 affecting Hamiota, Decker, Roseisle, Stephenfield and Miami in June, southwestern Manitoba in July and the Interlake in August.

The first frost was not until Sept. 28, which placed it two to three weeks later than average. Mild fall weather along with above-average October rainfall led to fairly wet soil conditions going into the late-fall freeze-up.

El Niño is expected to remain strong through the Northern Hemisphere winter of 2015-16 and then begin weakening in the early spring, with neutral conditions anticipated by late spring 2016.

This means that producers in Manitoba can expect a higherthan-average chance of a warmer-than-normal winter along with less snow. Warmer temperatures should result in a very low probability of winter wheat kill days, but low snow cover combined with any strong cold snaps that may occur could increase the odds.


While El Niño is expected to become neutral as we move towards summer, there is a lag between warm ocean temperatures and warm atmospheric temperatures. Ocean temperatures are or have just peaked and this extra heat will continue to warm the earth's atmosphere well into 2016. This increases the potential for a hotter-than-average summer.


The accompanying maps show seasonal summaries for precipitation, corn heat units and growing degree days. Also attached is the map of fall soil moisture.


Additional information is located at your local GO team office, www.gov.mb.ca/agriculture, http://cropchatter.com/and Twitter: @MBGovAg.


Continued on page 14


FP GENETICS well forward


















MANITOBA

CANOLA YIELDS BY VARIETY 2011–2015† MANITOBA											
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
L252 (LT)	_	_	_	41	278,751	45	665,723				
5440 (LT)	30	27	45	37	600,175	42	396,276				
L130 (LT)	30	28	45	37	433,305	42	328,026				
L140P (LT)	_	_	_	40	59,187	45	240,791				
1012 RR (RT)	30	30	41	34	210,363	39	199,179				
74-44 BL (RT)	_	26	40	37	45,325	41	137,208				
46H75 (ST)	_	30	43	35	50,655	43	84,032				
L156H (LT)	_	_	44	41	127,571	42	69,657				
L261 (LT)	_	_	_	40	66,102	43	67,494				
1990 (RT)	_	27	45	35	69,249	42	52,400				
PV 530 G (RT)	_	_	47	34	35,273	38	47,055				
2020 CL (ST)	_	_	_	_	_	36	45,258				
L120 (LT)	_	26	42	33	60,561	43	40,877				
45H31 (RT)	_	27	42	34	60,929	43	40,846				
45H29 (RT)	28	29	43	36	75,982	39	40,796				
L154 (LT)	_	32	49	41	73,939	43	34,391				
45H33 (RT)	_	_	_	15	851	43	33,977				
L160S (LT)	_	_	_	36	19,400	40	32,793				
45H76 (ST)	_	29	41	36	2,933	42	28,972				
L159 (LT)	_	25	42	37	55,806	39	28,641				
74-54 RR (RT)	_	_	45	35	48,845	39	26,826				
2012 CL (ST)	24	26	38	28	40,443	34	25,876				
6060 RR (RT)	28	27	40	35	61,979	39	25,825				
VR 9560 CL (ST)	_	28	43	39	36,903	37	19,996				
45H75 CL (ST)	_	_	46	38	9,973	42	19,674				
73-75 RR (RT)	30	28	42	34	81,240	37	18,973				
VT 500 G (RT)	26	25	37	31	46,060	35	15,848				
L150 (LT)	32	27	44	34	62,492	40	15,625				
SY4157 (RT)	_	_	_	_	_	41	12,377				
SY4135 (RT)	_	_	_	38	10,125	40	11,118				

CANOLA YIELDS BY							NITOB
	2011	2012	2013	2014	2014	2015	2015
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acre
/R 9562 GC (RT)	_	_		36	4,964	41	10,04
5525 CL (ST)	24	29	41	32	6,398	39	9,93
1970 (RT)	27	28	43	34	9,484	41	9,93
73-45 RR (RT)	28	26	40	31	19,887	36	9,11
D3155C (RT)	_	_	_	_	_	40	8,32
1020 RR (RT)	_	_	_	_	_	41	7,98
V12-1 (RT)	_	25	40	30	8,772	43	7,42
45S54 RR (RT)	_	26	41	32	17,478	37	6,89
45556 (RT)	_	_	_	_	_	40	6,15
43E03RR (RT)	_	_	_	_	_	39	5,87
PV 533 G (RT)	_	_	_	_	_	39	5,83
46A76 (ST)	16	18	25	26	4,079	28	5,73
6044 RR (RT)	_	_	_	30	8,263	41	5,6
1140 (LT)	_	26	25	34	2,022	45	5,43
6056 CR (RT)	_	_	_	_	_	46	4,8
1918 (RT)	22	22	36	21	8,188	33	4,5
L135C (LT)	_	_	_	_	_	44	4,15
D3153 (RT)	_	27	41	32	22,058	40	4,1
75-65 RR (RT)	_	_	_	_	_	44	3,23
V22-1 (RT)	_	_	_	_	_	39	2,90
2016 CL (ST)	_	32	36	31	6,423	42	2,79
6064 RR (RT)	_	_	_	_	_	46	2,7
CS2000 (RT)	_	_	_	_	_	47	2,60
6074 RR (RT)	_	_	_	_	_	42	2,29
46S53 (RT)	_	26	44	25	1,040	40	2,0
3235 (RT)	_	31	_	35	2,150	44	1,93
6130 RR (RT)	_	15	37	42	1,201	40	1,69
D3154S (RT)	_	33	42	34	4,911	47	1,68
75-45 (RT)	_	23	41	34	3,059	38	1,60
SW WIZZARD	2	30	17	13	1,289	22	1,5
1145 (LT)	30	28	47	44	2,036	41	1,4
V12-2 (RT)	_		_	34	1,552	40	1,38
45S52 (RT)	26	25	36	41	3,546	35	1,2

- † Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
- Weighted Average Yield and Total Acreage include acres not reported in the table.
- For additional characteristic codes, see the key at the end of the Risk Area tables.
- ‡ On system as of January 5, 2016;
- * Assuming 48 lbs./bu.





We are the largest agricultural credit union in Manitoba and no one has more respect for the agriculture industry than we do. The special agricultural products and services we offer lead to exceptional opportunities in all areas of farming.



CALL OR VISIT US TODAY.

333 Main St, Steinbach 204.326.3495 | 1575 Lagimodiere Blvd 204.661.1575 2100 McGillivray Blvd 204.222.2100 | Toll-free 1 800 728.6440 | scu.mb.ca

Taking care of the world's most important business... yours.®

CANOLA YIELDS BY VARIETY 2011–2015† MANITOBA										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
5535 CL (ST)	19	27	27	31	3,407	26	1,131			
1016 RR (RT)	_	28	40	30	4,896	31	1,080			
SY4114 (RT)	_	_	_	35	3,814	43	1,045			
46A65	_	_	29	24	634	36	1,000			
PV 531 G (RT)	_	_	_	_	_	37	958			
45A76 (ST)	_	_	_	19	511	50	936			
VT 520 G (RT)	_	_	45	_	_	38	775			
6050 RR (RT)	_	_	42	_	_	38	681			
6040 RR (RT)	31	25	34	_	_	37	625			
VT REMARKABLE (RT)	19	26	36	16	601	31	578			
V2035 (RT)	22	25	_	_	_	40	533			
1492	_	_	_	_	_	45	526			
45H26 (RT)	28	26	36	_	_	38	519			
PV 200 CL (ST)	_	_	_	_	_	36	501			
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES 42.1 2,990,255										

WHEAT YIELDS BY VARIETY 2011–2015† MANITOB.									
WHEAT YIELDS BY VAF	RIETY 2 2011	2 011–2 0 2012	2013	2014	2014	М <i>Е</i> 2015	2015±		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
CARBERRY (RS)	42	53	62	50	762,151	49	527,609		
CARDALE (RS)	72	69	73	58	207,166	55	509,805		
HARVEST (RS)	44	46	66	53	314,776	51	313,925		
AAC BRANDON (RS)		-	69	63	13,981	58	279,438		
` '	39	51	61	49	262,029	48	246,531		
GLENN (RS)	42			71					
FALLER (F)	52	66	79	69	129,753	68	161,874		
PASTEUR (F)	52	57	79		119,318	63	96,182		
EMERSON (W)	_	_	67	57	7,049	66	85,853		
CDC PLENTIFUL (RS)	_	_	_	53	3,714	50	71,172		
PROSPER (F)	_	_	85	83	22,294	70	67,533		
WR 859 CL (RS)	38	53	63	50	94,214	51	65,703		
AC DOMAIN (RS)	38	42	56	36	68,597	41	58,076		
MUCHMORE (RS)	49	50	70	51	58,514	52	55,805		
CDC STANLEY (RS)	_	49	60	46	64,614	47	53,929		
CDC GO (RS)	42	55	63	52	48,675	53	46,481		
5604HR CL (RS)	_	43	56	47	44,435	48	39,689		
AAC ELIE (RS)	_	_	_	61	1,803	58	37,291		
CDC UTMOST (RS)	48	47	62	48	40,532	47	34,732		
CDC FALCON (W)	60	70	69	59	76,224	72	29,764		
CDC VR MORRIS (RS)	_	_	67	47	17,194	46	26,814		
KANE (RS)	37	48	58	47	58,850	42	22,614		
AC BARRIE (RS)	35	45	56	46	23,512	40	16,664		
FLOURISH (W)	_	75	72	52	140,451	61	14,370		
CDC BUTEO (W)	45	56	50	38	20,275	50	11,264		
5602HR (RS)	39	42	52	33	10,638	40	5,872		
AAC GATEWAY (W)	_	_	_	70	731	70	5,829		
AC WASKADA (RS)	31	40	54	31	10,119	48	5,629		
5605HR CL (RS)	_	_	_	38	879	52	5,495		
5603 HR (RS)	39	43	52	43	6,177	39	4,929		
ELGIN-ND (F)	_	_	_	_		61	4,732		
AC INTREPID (RS)	38	40	50	39	4,971	39	4,559		
VESPER VB (RS)	_	50	62	47	7,051	43	3,723		
UNITY VB (RS)	41	46	55	33	5,398	44	3,589		
MCKENZIE (RS)	28	41	54	39	4,876	41	3,415		
AC SPLENDOR (RS)	46	39	55	40	3,690	48	3,040		
SNOWSTAR (HWS)	38	52	63	64	4,969	59	2,655		
AAC W1876 (RS)	_	-	_	—	4,505	47	2,563		
PEREGRINE (W)	33	61	36	32	2,230	43	2,399		
AAC PENHOLD (PS)		—		- 52	2,200	64	2,178		
CDC TEAL (RS)	37	35	48	30	2,734	36	2,176		
, ,	34	42	55	41		54			
CDC IMAGINE (RS)	34	42	46	42	1,567	38	2,002		
SY433 (RS)	_	_	40	42	2,950		1,971		
WFT 603 (F)	40			40	2 410	56	1,812		
MCCLINTOCK (W)	43	58	58	40	3,419	50	1,664		
5601HR (RS)	35	46	64	45	2,727	42	1,436		
SUPERB (RS)	33	38	59	26	2,591	40	1,052		
MOATS (W)	_	_	_	39	550	56	991		
AC ANDREW (F)	44	49	65	42	2,290	42	891		
BRIGADE (D)	_	_	_	_	_	18	886		
AC CADILLAC (RS)	37	29	29	_	_	25	865		
HY1319 (PS)	_	_	_	_	_	79	781		
SNOWBIRD (HWS)	_	49	43	_	_	25	567		
WEIGHTED AVERAGE YIELD) AND T	OTAL AC	REAGE	§		53.6	2,971,721		

Vernety Vield Vield Vield Vield According Vield	SOYBEAN YIELDS BY VA	ARIET	Y 2011	-2015†			MA	NITOBA
3-3-6 BY (RT)	Manifest of							
NSC RICHER RRZY (RT) — 38 42 38 71.142 40 100.888 11 300.000 38 38 60.001 37 74 601 NSC RESTON RRZY (RT) — 42 31 71.133 37 60.020 32 51-50RY (RT) 31 38 42 38 62.515 43 55.848 42 14.1087 (RT) 39 37 40 35 127.377 42 64.047 POORTOR (RT) — 56 63 22 45.636 37 46.847 TH 33003RZY (RT) — 39 37 30 50.800 39 45.520 TH 33003RZY (RT) — 39 37 30 50.800 39 45.520 TH 33003RZY (RT) — 42 37 25.312 41 36.385 23-10RY (RT) — 37 35 31 66.043 35 34.600 POOZTOR (RT) — 37 35 31 66.043 35 34.600 POOZTOR (RT) — 37 35 31 66.043 35 33.808 NSC GLADSTONE RRZY (RT) — 38 5.753 41 31.746 NSC GLADSTONE RRZY (RT) — 37 35 31 66.043 35 33.808 NSC GLADSTONE RRZY (RT) — 37 38 5.753 41 31.746 NSC GLADSTONE RRZY (RT) — 37 38 5.753 41 31.746 NSC GLADSTONE RRZY (RT) — 37 38 5.753 41 31.746 NSC GLADSTONE RRZY (RT) — 41 33 17.877 37 29.999 NSC GLADSTONE RRZY (RT) — 36 25.33 39 29.928 NSC GLADSTONE RRZY (RT) — 36 25.33 39 29.928 NSC GLADSTONE RRZY (RT) — 36 25.33 39 29.928 NSC GLADSTONE (RT) — 37 38 31 7.807 37 29.999 NSC GLADSTONE (RT) — 36 25.33 39 25.532 POORT (RT) — 37 38 31 7.807 37 29.999 NSC GLADSTONE (RT) — 37 38 31 7.807 37 29.999 NSC GLADSTONE (RT) — 38 31 5.753 41 31.746 NSC GLADSTONE RRZY (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 25.432 POORT (RT) — 41 42 38 22.899 39 35 25.432 POORT (RT) — 41 42 38 22.899 39 35 25.432 POORT (RT) — 41 42 38 22.899 39 35 25.432 POORT (RT) — 41 42 38 22.899 39 35 25.432 POORT (RT) — 41 42 38 22.899 39 35 25.432 POORT (RT) — 41 42 38 22.899 39 35 25.432 POORT (RT) — 41 42 38 22.899 39 35 34.804 POORT (RT) — 41 42 38 22.899 39 35 34.804 POORT (RT) — 41 42 38 22.899 39 35 34.604 POORT (RT) — 41 42 38 22.899 39 35 34.804 POORT (RT) — 41 42 38 22.899 39 35 34.804 POORT (RT) — 41 42 38 22.899 39 35 34.804 POORT (RT) — 41 42 38 22.899 39 35 34.804 POORT (RT) — 41 42 3		Yieia	Yield					
TH 32004REY (RT) — 37 38 38 33 86,001 37 74,601 25-10PY (RT) — 31 38 42 38 62,515 43 55,848 24-10PY (RT) — 39 37 40 35 127,377 42 54,047 PO08TYOR (RT) — 39 37 30 50,000 39 45,520 PEKKOR 2 (RT) — 39 37 30 50,000 39 45,520 PS 0027 RR (RT) — — 42 37 25,312 41 36,385 23-10PY (RT) — 37 35 31 66,043 35 346,000 PS 0027 RR (RT) — — 42 37 25,312 41 36,385 23-10PY (RT) — 37 35 31 66,043 35 346,000 S007-44 (RT) — — 49 12,698 35 34,000 S007-44 (RT) — — 41 33 17,677 37 29,099 MCLEOD R2 (RT) — 41 33 17,677 37 29,099 MCLEOD R2 (RT) — 41 33 17,677 37 29,099 MCLEOD R2 (RT) — 38 31 54,388 37 28,955 US 002R23 (RT) — 38 31 54,438 37 28,955 US 002R23 (RT) — 41 42 38 22,389 39 25,432 24-61PY (RT) — 36 25,383 39 25,432 24-61PY (RT) — 36 25,383 39 39 25,432 UTO R2 (RT) — 41 42 38 22,389 39 25,432 UTO R2 (RT) — 36 28,385 36 20,600 ACP PRUDENCE 21 29 34 27 28,029 35 27,310 UTO R2 (RT) — 40 30 28,895 36 20,619 UTO R2 (RT) — 36 42 35 26,600 41 17,637 UTO R2 (RT) — 40 30 28,895 36 20,619 UTO R2 (RT) — 36 42 35 26,600 41 17,637 UTO R2 (RT) — 37 38 31 40,502 44,611 39,384 LS 003R22 (RT) — 40 30 28,895 36 20,619 UTO R2 (RT) — 38 16,604 37 38 31,884 41 19,384 LS 003R22 (RT) — 36 33 34 40,502 44,614 39 18,934 LS 003R22 (RT) — 36 44,41 39 18,934 LS 003R22 (RT) — 37 36 38 32 27,619 41 14,183 LS 003R22 (RT) — 38 16,604 44,51 39 19,397 US NSC MOSOMMIN RPZY (RT) — 38 16,604 44,51 39 19,397 US NSC MOSOMMIN RPZY (RT) — 38 16,604 44,51 39 19,397 US NSC MOSOMMIN RPZY (RT) — 36 37 33 18,042 41 19,394 LS 003R22 (RT) — 40 39 1,166 41 14,895 NSC MOSOMMIN RPZY (RT) — 40 36 5,474 40 5,464 PS 0038 NP2 (RT) — 40 39 3,158 35 6,464 PS 0038 NP2 (RT) — 40 39 3,158 35 6,464 PS 0038 NP2 (RT) — 40 39 3,158 35 6,464 PS 0038 NP2 (RT) — 40 39 3,158 35 6,464 PS 0038 NP2 (RT) — 40 39 3,158 35 6,464 PS 0038 NP2 (RT) — 40 39 3,158 35 6,464 PS 0038 NP2 (RT) — 40 39 3,158 35 6,464 NSC 004R2 (RT) — 40 39 3,158 35 6,464 NSC 004R2 (RT) — 40 39 3,158 35 6,464 NSC 004R2 (RT) — 40 39 3,158 35 6,464 NSC 004R2 (RT) — 40 39 3,158 35 6,464 NSC 004R2 (RT) — 40 39 3,158 35 6,464 NSC 004R2	` ,	_	38	42				
25-10FY (RT)		_	37	38	33			
24-10PY (RT)		_	_					
POOBTOYN (RT)								
PEKKO R2 (RT)	` '	39	37	40				
TH 33003R½Y (RT) — 99 37 30 50,800 99 45,520 PS 0027 RR (RT) — — 42 37 25,312 41 36,385 23-10RY (RT) — 37 35 31 66,043 35 34,600 PY 002704R (RT) — — 38 31 49,71 37 31,890 SXOG-Y4 (RT) — — 38 5,753 41 31,746 LS 003R24N (RT) — — 41 33 4,971 37 31,890 SXOG-Y4 (RT) — — 41 33 17,877 37 29,099 900Y61 (RT) — — 41 33 17,877 37 29,099 900Y61 (RT) — — 41 33 17,877 37 29,099 900Y61 (RT) — — 41 38 31 54,438 37 28,495 0ACP PRUDENCE 21 29 34 27 28,029 35 27,310 VITO R2 (RT) — 41 42 38 22,389 39 25,432 PV008722R (RT) — 41 42 38 22,389 39 25,432 PV008722R (RT) — — 40 30 28,985 36 20,619 LS 002R24 (RT) — — 40 31 9,882 37 16,161 ASTRO R2 (RT) — 33 43 40 5,628 42 15,937 900Y71 (RT) — 34 31 0,682 42 15,937 900Y71 (RT) — 35 36 42 35 26,600 41 17,637 900Y71 (RT) — — 40 31 9,882 37 16,161 ASTRO R2 (RT) — — 36 45 45 49 19,000 R2 (RT) — — 37 40 11 9,882 37 14,466 LS 005R22 (RT) — — 46 36 4,541 99 13,987 15,878	` ,	_	36	36				
TH 33005R2Y (RT) — 42 37 25,312 41 36,335 34,000 PO02TO4R (RT) — 37 35 31 66,043 35 34,600 PO02TO4R (RT) — — 38 31 4,971 37 31,800 SO07-Y4 (RT) — — 38 5,753 41 31,746 LS 003R24N (RT) — — 41 33 17,877 37 29,099 900 Y61 (RT) — 41 33 17,877 37 29,099 900 Y61 (RT) — 41 33 17,877 37 29,099 900 Y61 (RT) — 38 31 54,438 37 28,435 0AC PRUDENCE 21 29 34 27 28,029 35 27,310 0AC PRUDENCE 21 29 34 27 28,029 35 27,310 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 34 27 28,029 35 27,315 0AC PRUDENCE 21 29 31 8,484 11 9,334 LS 005R22 (RT) — — 40 31 9,882 37 16,161 ASTRO R2 (RT) — 33 43 40 5,628 42 15,937 900Y1 (RT) 25 35 36 30 28,708 37 14,466 15,005 AC PRUDENCE 21 15,005 AC PRUDENC	, ,	_	39	37	30	,		
23-10RY (RT) — 37 35 31 66,043 35 34,600 PO02TOAR (RT) — — 38 5,753 41 31,746 LS 003R24N (RT) — — 38 5,753 41 31,746 LS 003R24N (RT) — — 41 33 17,877 37 29,099 PO0Y51 (RT) — — 41 33 17,877 37 29,099 PO0Y51 (RT) — — 38 37 30 77,989 35 28,539 LS 002R23 (RT) — — 38 31 5,4438 37 28,495 LS 002R23 (RT) — — 38 31 5,4438 37 28,495 LS 002R23 (RT) — — 38 31 5,4438 37 28,495 OAC PRUDENCE 21 29 34 27 28,029 35 27,310 24-61RY (RT) — 41 42 38 22,389 39 25,432 PO08T22R2 (RT) — — 40 30 28,985 36 20,619 LS 004R21 (RT) — — 40 30 28,985 36 20,619 LS 004R21 (RT) — — 40 30 28,985 36 20,619 LS 004R21 (RT) — — 40 31 9,882 37 16,161 LS 005R24 (RT) — 40 31 9,882 37 16,161 ASTRO R2 (RT) — — 33 43 40 5,628 42 15,937 PO09Y71 (RT) — 33 43 40 5,628 42 15,937 PO09Y1 (RT) — 36 38 32 27,619 41 14,183 NSC TILSTON RAZY (RT) — — 38 10,608 40 14,295 NSC ANOLA RRZY (RT) — — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — — 36 37 33 18,042 41 14,295 NSC MOSOOMIN RRZY (RT) — 36 37 33 18,042 41 14,295 NSC MOSOOMIN RRZY (RT) — 36 37 33 18,042 41 18,915 LSIS RR (RT) — 36 37 33 18,042 41 8,915 LSIS RR (RT) — — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — — 47 38 10,610 39 6,295 LS 003R22 (RT) — — 48 39 3,183 39 6,454 PS 0035 NRZ (RT) — — 49 3,158 35 6,464 PS 0035 NRZ (RT) — — 49 3,158 35 6,464 PS 0035 NRZ (RT) — — 40 39 35 3,413 35 4,488 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,488 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,488 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,488 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,413 35 4,481 SISHOP RZ (RT) — — 40 39 35 3,431 39 34 4,761 SISHOP RZ (RT) — — 40 39 35 3,431 39 34 4,761 SISHOP RZ (RT) — — 40 38 34 40 40 42 42 4	\ /	_	_					
POD2TOJAR (RT)	` '	_	27					
NSC GLADSTÓNE RR2Y (RT)		_		- -				
SOO7-Y4 (RT)	()	· —	_	_		,		
MCLEOD R2 (RT)	S007-Y4 (RT)	_		_				
SOURCE CRT	. ,	_						
S								
DAC PRUDENCÉ 21 29 34 27 28,029 35 27,310	. ,	26	35					
24-61RY (RT) — 41 42 38 22,389 39 25,432 PO08T22R2 (RT) — — — 36 7,318 39 20,942 (NTO RZ (RT) — — 40 30 28,985 36 20,619 LS 004R21 (RT) 30 35 37 33 31,848 41 19,384 LS 005R22 (RT) 32 36 42 35 26,600 41 17,637 31 65,002 41 17,637 31 31,848 41 19,384 LS 005R22 (RT) — 33 43 40 5,628 42 15,937 900Y71 (RT) 25 35 36 30 28,708 42 15,937 900Y71 (RT) 25 35 36 30 28,708 42 15,937 NSC AMOLA RR2Y (RT) — — 46 36 45,41 39 13,987 LS NORTHWESTER (RT) — — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — — 36 37 33 18,042 41 8,915 ISIS RR (RT) — — 36 37 33 18,042 41 8,915 ISIS RR (RT) — — — — — — — — — — — — — — — — — — —	` '	21	29					
VITO R2 (RT)		_				,		
LS 005R22 (RT) 30 35 37 33 31,848 41 19,384 LS 005R22 (RT) 32 36 42 35 26,600 41 17,637 LS002R24N (RT) — 40 31 9,882 37 16,161 ASTRO R2 (RT) — 33 43 40 5,628 42 15,937 900Y71 (RT) — 5 35 36 30 28,708 37 14,466 LS005R24 (RT) — — 38 10,608 40 14,295 NSC ANOLA RR2Y (RT) — 36 38 32 27,619 41 14,183 NSC TILSTON RR2Y (RT) — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — 35 21,017 37 12,402 NSC MOOSOMIN RR2Y (RT) — 36 37 33 18,042 41 8,915 ISIS RR (RT) — 36 37 33 18,042 41 8,915 ISIS RR (RT) — 36 37 33 18,042 41 8,915 ISIS RR (RT) — 37 36 34 10,610 39 6,295 LS 0035 NR2 (RT) — 37 36 34 10,610 39 6,295 LS 0035 NR2 (RT) — 37 36 34 10,610 39 6,295 LS 0036R2 (RT) — — 41 6,236 AKRAS R2 (RT) — — 41 35 4,589 34 5,427 11 34006R2Y (RT) — — 41 35 4,589 34 5,427 11 34006R2Y (RT) — — 36 1,363 40 5,250 22-60RY (RT) — — 37 36 34 1,363 40 5,250 22-60RY (RT) — — 38 5,222 LS 005R23 (RT) — — 41 35 4,589 34 5,427 11 34006R2Y (RT) — — 37 36 34 10,610 39 6,255 LS 005R23 (RT) — — 37 36 34 10,610 39 6,255 LS 005R23 (RT) — — 41 35 4,589 34 5,427 11 34006R2Y (RT) — — 36 1,363 40 5,250 22-60RY (RT) — — 37 36 34 10,610 39 6,255 LS 005R23 (RT) — — 37 36 34 10,610 39 6,255 LS 005R23 (RT) — — 37 36 34 10,610 39 6,255 LS 005R23 (RT) — — 37 36 34 10,610 39 6,255 LS 005R23 (RT) — — 41 35 4,563 37 4,536 HS 006R2Y (RT) — — 37 36 3,413 35 4,761 P006T78R2 (RT) — — 37 4,754 40 5,046 NS 006R2Y (RT) — — 37 4,754 40 5,046 NS 006R2Y (RT) — — 37 4,754 40 5,046 NS 006R2Y (RT) — — 42 3,832 11 3,804 41 4,504 3,538 11 3,904 44 4,803 31 35 4,761 P006T78R2 (RT) — — 37 4,754 4,803 31 3,37 4,536 P006T78R2 (RT) — — 42 3,832 37 4,536 P006T78R2 (RT) — — 42 3,832 37 37 4,536 P006T78R2 (RT) — — 42 3,832 37 37 4,536 P006T78R2 (RT) — — 42 3,832 37 37 4,536 P006T78R2 (RT) — — 42 3,832 37 37 4,536 P006T78R2 (RT) — — 42 3,832 37 37 4,536 P006T78R2 (RT) — — 42 40 2,644 41 2,511 NSC 005R0RR (RT) — — 42 40 2,644 41 2,511 NSC 005R0RR (RT) — — 42 40 2,644 41 2,511 NSC 005R0R (RT)	` ,	_						
LS 005R22 (RT)	. ,							
LSO02R24M (RT) — — 40 31 9,882 37 16,161 ASTRO R2 (RT) — 3 34 34 40 5,628 42 15,937 900Y71 (RT) 25 35 36 30 28,708 37 14,466 LSO05R24 (RT) — — — 38 10,608 40 14,295 NSC ANOLA RR2Y (RT) — 36 38 32 27,619 41 14,183 NSC TILSTON RR2Y (RT) — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — — 35 27 20,558 39 11,570 NSC LIBAU RR2Y (RT) — 36 37 33 18,042 41 8,915 ISIS RR (RT) — — 36 37 33 18,042 41 8,915 ISIS RR (RT) — — — 36 37 33 18,042 41 8,915 ISIS RR (RT) — — — 37 6,450 LS 0035 NR2 (RT) — — — — 37 6,450 LS 003R23 (RT) — — — — 37 6,450 LS 003R23 (RT) — — — — 41 0,610 39 6,295 LS 004R23 (RT) — — — — 42 6,024 PS 0074 R2 (RT) — — — 39 1,166 41 6,645 23-11RY (RT) — — — 39 1,166 41 6,645 23-11RY (RT) — — — 39 1,166 41 6,645 BISHOP R2 (RT) — — 41 35 4,589 34 5,427 TH 34006R2Y (RT) — — 36 1,363 40 5,250 22-60RY (RT) — — — 36 1,363 40 5,250 22-60RY (RT) — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — 35 5,474 40 5,046 HS 006RYS24 (RT) — — — 35 4,759 42 4,683 TH 3303R2Y (RT) — — — 34 4,754 GRAY R2 (RT) — — — 35 4,759 42 4,683 TH 3303R2Y (RT) — — — 34 4,564 SOOHREY (RT) — — — 37 4,656 OAC ERIN — — 40 39 35 3,413 35 4,761 PO06T78R2 (RT) — — — 34 4,754 GRAY R2 (RT) — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 34 4,504 NSC NINCRVILLE RR2Y (RT) — — 34 2,005 38 4,276 24-11RY (RT) — — 40 36 10,026 39 4,444 SOO-N6 (RT) — — 42 3,632 TH 3303R2Y (RT) — — 42 3,644 SOO-N6 (RT) — — 42 3,632 TH 3303R2Y (RT) — — 42 3,644 SOO-N6 (RT) — — 43 4,504 SOO-N6 (RT) — — 44 38 919 42 2,575 EXPOOS R2 (RT) — — 44 38 919 42 2,575 EXPOOS R2 (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,206 LS MAI	` '							
ASTRO R2 (RT) — 33 43 40 5,628 42 15,937 900Y71 (RT) 25 35 36 30 28,708 37 14,466 LS005R24 (RT) — — — 38 10,608 40 14,295 NSC ANOLA RR2Y (RT) — 36 38 32 27,619 41 14,183 NSC TILSTON RR2Y (RT) — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — 32 1,017 37 12,402 NSC MOOSOMIN RR2Y (RT) — 35 27 20,558 39 11,570 NSC LIBAU RR2Y (RT) — 36 37 33 18,042 41 8,915 ISIS RR (RT) — 36 34 — 29 3,158 35 6,464 PS 0035 NR2 (RT) — 37 36 34 10,610 39 6,295 LS 003R22 (RT) — 37 36 34 10,610 39 6,295 LS 003R22 (RT) — — — — — — 41 6,236 AKRAS R2 (RT) — — — — — — 41 6,236 AKRAS R2 (RT) — — — — — 1,166 41 6,295 LS 003R22 (RT) — — — — 39 1,166 41 6,645 S41	. ,							,
LS005R24 (RT) — — — — — — — — — — — — — — — — — — —		_						
NSC ANOLA RR2Y (RT) — 36 38 32 27,619 41 14,183 NSC TILSTON RRY (RT) — 46 36 4,541 39 13,987 LS NORTHWESTER (RT) — 32 1,017 37 12,402 NSC MOOSOMIN RR2Y (RT) — 35 27 20,558 39 11,570 NSC LIBAU RR2Y (RT) — 36 37 33 18,042 41 8,915 ISIS RR (RT) 26 34 — 29 3,158 35 6,454 PS 0035 NR2 (RT) — — — — — — 37 6,450 LS 003R22 (RT) — 37 36 34 10,610 39 6,295 LS 004R23 (RT) — — — — — 41 6,236 AKRAS R2 (RT) — — — — — 42 6,024 PS 0074 R2 (RT) — — — 39 1,166 41 5,645 23-11RY (RT) — — — 39 1,166 41 5,645 23-11RY (RT) — — — 36 1,363 40 5,227 ITH 34006R2Y (RT) — — 41 35 4,589 34 5,427 ITH 34006R2Y (RT) — — 36 1,363 40 5,220 LS 005R23 (RT) — — 36 5,474 40 5,250 22-60RY (RT) — — 36 5,474 40 5,250 LS 005R23 (RT) — — 36 5,474 40 5,645 HS 006RYS24 (RT) — — 36 5,474 40 5,684 HS 006RYS24 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 36 4,683 HERO R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 4,555 OAC ERIN 36 38 41 34 2,563 37 4,536 HERO R2 (RT) — — 37 36 3,413 35 4,761 PO06T78R2 (RT) — — 37 36 4,555 OAC ERIN 36 38 41 34 2,563 37 4,536 HERO R2 (RT) — — 37 36 4,683 TH 3303R2Y (RT) — — 40 36 10,026 39 4,444 SOO-N6 (RT) — — 40 36 10,026 39 4,444 SOO-N6 (RT) — — 40 36 10,026 39 4,444 SOO-N6 (RT) — — 41 35 6,464 41 2,511 NSC NNERVILLE RR2Y (RT) — — 42 40 2,644 43 3,538 TH 3303R2Y (RT) — — 42 40 2,644 43 3,538 TH 3303R2Y (RT) — — 42 40 2,644 43 3,538 TH 3007R2 (RT) — — 43 4,050 NSC SAMPSA R2 (RT) — — 43 4,050 NSC SAMPSA R2 (RT) — — 44 32 28 1,867 41 2,026 LS MMPSA R2 (RT) — — 44 32 28 1,867 41 2,026 LS MMPSA R2 (RT) — — 44 32 28 1,867 41 2,026 LS MMPSA R2 (RT) — — 44 32 28 1,867 41 2,026 LS MMPSA R2 (RT) — — 44 32 28 1,867 41 2,026 LS MMPSA R2 (RT) — — 44 34 4,534 35 1,860 US ONGRECO (RT) — — 44 32 28 1,867 41 2,026 LS MMPSA R2 (RT) — — 44 32 28 1,867 41 2,026 LS MMPSA R2 (RT) — — 44 34 4,534	. ,	25	35	36				
NSC TILSTON RR2Y (RT) — — — — — — — — — — — — 32 — 1,017 — 37 — 12,402 NSC MOSOMIN RR2Y (RT) — — — — — — 32 — 1,017 — 37 — 12,402 NSC MOSOMIN RR2Y (RT) — — — — 35 — 27 — 20,558 — 39 — 11,570 NSC LIBAU RR2Y (RT) — — 36 — 37 — 31 18,042 — 41 — 8,915 ISIS RR (RT) — — — — — — — — — — — — — — — — — — —		_	_	_				
LS NORTHWESTER (RT) — — — — — — — — — — 32		_	36					
NSC MOOSOMIN RR2Y (RT) — 35 27 20,558 39 11,570 NSC LIBAU RR2Y (RT) — 36 37 33 18,042 41 8,915 ISIS RR (RT) 26 34 — 29 3,158 35 6,464 PS 0355 NR2 (RT) — — — — 37 6,450 LS 003R22 (RT) — 37 36 34 10,610 39 6,295 LS 004R23 (RT) — — — — — 41 6,236 LS 004R23 (RT) — — — — — 41 6,236 RKRAS R2 (RT) — — — — — — 42 6,024 PS 0074 R2 (RT) — — — — 39 1,166 41 5,645 23-11RY (RT) — — — — 39 1,166 41 5,645 23-11RY (RT) — — — — 36 1,363 40 5,250 22-60RY (RT) — — — 36 5,474 40 5,046 HS 006R25 (RT) — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 35 4,759 42 4,683 HERO R2 (RT) — — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — 40 36 10,026 39 4,444 S00-N6 (RT) — — — 34 2,005 38 4,276 24-11RY (RT) — — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 43 3,648 NSC WARREN RR (RT) — — 44 38 919 42 2,375 EXPOO3 R2 (RT) — — 44 38 919 42 2,375 EXPOO3 R2 (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — 43 3,965 29 1,876 TH 24004RR (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — 43 4,534 35 1,860 LS O036R2 (RT) — — — 44 32 28 1,867 TH 24004RR (RT) — — 44 32 28 1,867 TH 24004RR (RT) — — — 41 34 4,534 35 1,860 LS O036R2 (RT) — — — 36 2,736 34 1,597 NOTUS R2 (RT) — — — 36 2,736 34 1,597 NOTUS R2 (RT) — — — 40 40 41 34 4,534 35 1,860		_	_					
ISIS RR (RT)		_	_	35				
PS 0035 NR2 (RT) — — — — — — — — 37 6,450 LS 003R22 (RT) — 37 36 34 10,610 39 6,295 LS 004R23 (RT) — — — — — 41 6,236 AKRAS R2 (RT) — — — — — — 42 6,024 PS 0074 R2 (RT) — — — — 39 1,166 41 5,645 23-11RY (RT) — — — — 38 1,468 BISHOP R2 (RT) — — 41 35 4,589 34 5,427 TH 34006R2Y (RT) — — 41 35 4,589 34 5,427 TH 34006R2Y (RT) — — — 36 1,363 40 5,250 22-60RY (RT) — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — 36 4,754 GRAY R2 (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 33 4,555 OAC ERIN 36 38 41 34 2,563 37 4,536 DAC ERIN 36 38 41 34 2,563 37 4,536 NSC NIVERVILLE RR2Y (RT) — — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — — — 43 4,050 NSC SANFORD R2Y (RT) — — — — 42 3,832 TH 3303R2Y (RT) — — — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — — — — 43 3,640 S00-19 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) — — 40 41 35 6,464 91Y61 (RT) — — — — — 43 2,592 SAMPSA R2 (RT) — — — — 43 2,592 SAMPSA R2 (RT) — — — — 43 3,2592 SAMPSA R2 (RT) — — — — 43 3,2592 SAMPSA R2 (RT) — — — — 43 2,592 SAMPSA R2 (RT) — — — — 43 3,2592 SAMPSA R2 (RT) — — — — — 43 2,592 SAMPSA R2 (RT) — — — — — 43 2,592 SAMPSA R2 (RT) — — — — — 43 2,592 SAMPSA R2 (RT) — — — — — 43 2,592 SAMPSA R2 (RT) — — — — — 43 2,592 SAMPSA R2 (RT) — — — — — 43 3,965 LS 007R22 (RT) — — — — — 43 3,965 LS 007R22 (RT) — — — — — 43 1,982 P001T34R (RT) — — — — — 43 1,982 P001T34R (RT) — — — — — 43 1,982 P001T34R (RT) — — — — — 43 1,982 P001T34R (RT) — — — — — — 43 1,982 P001T34R (RT) — — — — — — — 43 1,982 P001T34R (RT) — — — — — — — — 43 1,982 P001T34R (RT) — — — — — — — — — 43 1,982 P001T34R (RT) — — — — — — — — — 43 1,992 P001T34R (RT) — — — — — — — — — — 43 1,992 P001T34R (RT) — — — — — — — — — — — — — — — — — — —	NSC LIBAU RR2Y (RT)	_						
LS 003R22 (RT)	. ,			_		3,158		,
LS 004R23 (RT) — — — — — — — — 41 6,236 AKRAS R2 (RT) — — — — — — 42 6,024 PS 0074 R2 (RT) — — — — 39 1,166 41 5,645 23-11RY (RT) — — — — 38 5,468 BISHOP R2 (RT) — — 41 35 4,589 34 5,427 TH 34006R2Y (RT) — — 41 35 4,589 34 5,427 TH 34006R2Y (RT) — — — 36 1,363 40 5,250 22-60RY (RT) — — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — — — — 43 4,754 GRAY R2 (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — 34 2,005 38 4,276 24-11RY (RT) — — — 34 2,005 38 4,276 24-11RY (RT) — — — 42 3,832 TH 3303R2Y (RT) — — 42 40 2,644 43 3,538 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 SIYER (RT) — — — — — 42 3,465 NSC WARREN RR (RT) — — — — 43 4,050 NSC SAMPSA P2 (RT) — — 42 40 2,644 43 3,538 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 SIYER (RT) — — — — — 42 40 2,644 43 3,538 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 SIYER (RT) — — — — — 42 40 2,644 41 3,534 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 SIYER (RT) — — — — — — 42 3,465 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 SIYER (RT) — — 44 32 34 4,102 37 2,465 LS 007R22 (RT) — — 44 32 34 4,102 37 2,465 LS 007R22 (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — — 36 2,524 37 1,620 23-60RY (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — — — — 40 1,449 DH863 — — — — 40 1,449 DH863 — — — 40 41,449 DH863 — — — 40 41,449 DH863 — — 40 41,	. ,					10.610		
AKRAS R2 (RT)	` '	_	- 3 <i>1</i>	_	- J4	10,010		
23-11RY (RT) — — — — — — — — — 38 5,468 BISHOP R2 (RT) — — 41 35 4,589 34 5,427 TH 34006R2Y (RT) — — — 36 1,363 40 5,250 22-60RY (RT) — — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — 40 39 35 3,413 35 4,761 P006T78R2 (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 33 2,370 41 4,509 NSC RIVERVILLE RR2Y (RT) — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — 34 2,005 38 4,276 NSC SANFORD R2Y (RT) — — — 34 2,005 38 4,276 SO-19 (RT) — — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 43 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 43 8 919 42 2,375 EXPO03 R2 (RT) — 44 38 919 42 2,375 EXPO03 R2 (RT) — 44 38 919 42 2,375 EXPO03 R2 (RT) — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — — 43 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860	. ,	_	_	_	_	_		
23-11RY (RT) — — — — — — — — — 38 5,468 BISHOP R2 (RT) — — 41 35 4,589 34 5,427 TH 34006R2Y (RT) — — — 36 1,363 40 5,250 22-60RY (RT) — — — — 36 5,474 40 5,046 HS 006RYS24 (RT) — — 40 39 35 3,413 35 4,761 P006T78R2 (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — 33 2,370 41 4,509 NSC RIVERVILLE RR2Y (RT) — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — 34 2,005 38 4,276 NSC SANFORD R2Y (RT) — — — 34 2,005 38 4,276 SO-19 (RT) — — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 43 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 43 3,538 CHABBURN R2 (RT) — — 42 40 2,644 41 2,511 NSC OSBORNE RR2Y (RT) — — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 43 8 919 42 2,375 EXPO03 R2 (RT) — 44 38 919 42 2,375 EXPO03 R2 (RT) — 44 38 919 42 2,375 EXPO03 R2 (RT) — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — 44 32 28 1,867 41 2,026 LS MOSGRE (RT) — — 43 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860	PS 0074 R2 (RT)	_	_	_	39	1,166	41	
TH 34006R2Y (RT) — — — — — — — — — — — — — — — — — — —		_	_	_	_			
22-60RY (RT)		_	_	41				
LS 005R23 (ŘT) — — — — — — — — — — — — — — — — — — —	` '	_	_	_	J0 —	1,303		
HS 006RYS24 (RT) — 40 39 35 3,413 35 4,761 P006178R2 (RT) — — — — — — 43 4,754 GRAY R2 (RT) — — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — — 35 4,555 OAC ERIN 36 38 41 34 2,563 37 4,536 HERO R2 (RT) — — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — 40 36 10,026 39 4,444 S00-N6 (RT) — — — 34 2,005 38 4,276 24-11RY (RT) — — — — 42 3,832 TH 3303R2Y (RT) — — — — — — 42 3,832 TH 3303R2Y (RT) — — — — — — 42 3,832 TH 3303R2Y (RT) — — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) 28 37 37 27 9,042 35 3,468 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 91Y61 (RT) — — — — — — 37 2,671 S0009-M2 (RT) — — — — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — — — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) — — 43 8 919 42 2,375 EXP003 R2 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — 43 1,982 P001T34R (RT) — — 44 34 4,534 35 1,860 LS 0036R2 (RT) — — 41 34 4,534 35 1,860		_	_	_	36	5,474		
GRAY R2 (RT) — — — 35 4,759 42 4,683 TH 33004R2Y (RT) — — — — 35 4,555 OAC ERIN 36 38 41 34 2,563 37 4,536 HERO R2 (RT) — — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — — 36 10,026 39 4,444 S00-N6 (RT) — — — — 34 2,005 38 4,276 24-11RY (RT) — — — — — 43 4,050 NSC SANFORD R2Y (RT) — — — — 42 3,832 TH 3303R2Y (RT) — — — — — 42 3,832 CHADBURN R2 (RT) — — — — — 38 3,640 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 91Y61 (RT) — — — — <td></td> <td>_</td> <td>40</td> <td>39</td> <td></td> <td></td> <td>35</td> <td>4,761</td>		_	40	39			35	4,761
TH 33004R2Ý (RT)	. ,	_	_	_	_	_		
OAC ERIN 36 38 41 34 2,563 37 4,536 HERO R2 (RT) — — — — 33 2,370 41 4,509 NSC NIVERVILLE RR2Y (RT) — — — 40 36 10,026 39 4,444 S00-N6 (RT) — — — 34 2,005 38 4,276 24-11RY (RT) — — — — 43 4,050 NSC SANFORD R2Y (RT) — — — — 42 3,832 TH 3303R2Y (RT) — — — — 38 3,640 S00-T9 (RT) — — — — 38 3,640 S00-T9 (RT) — — — — 38 3,640 S00-T9 (RT) — — — — 37 27 9,042 35 3,688 SNSC WARREN RR (RT) 21 37 30 31 1,037 <td>\ /</td> <td>_</td> <td>_</td> <td>_</td> <td>35</td> <td>4,759</td> <td></td> <td></td>	\ /	_	_	_	35	4,759		
HERO R2 (RT) — — — — — — — — — — — — — — — — — — —	` '	36	38	41	34	2 563		
S00-N6 (RT) — — — 34 2,005 38 4,276 24-11RY (RT) — — — — 43 4,050 NSC SANFORD R2Y (RT) — — — — 42 3,832 TH 3303R2Y (RT) — — — — 38 3,640 S00-T9 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) 28 37 37 27 9,042 35 3,468 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 91Y61 (RT) — — — — 37 2,671 S009-M2 (RT) — — — — 43 2,592 SAMPSA R2 (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) 28 34 42 34 4,102 37 2,465		_	_					
24-11RY (RT) — — — — 43 4,050 NSC SANFORD R2Y (RT) — — — — 42 3,832 TH 3303R2Y (RT) — — — — — 38 3,640 S00-T9 (RT) — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) 28 37 37 27 9,042 35 3,468 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 91Y61 (RT) — — — — — 37 2,671 S0009-M2 (RT) — — — — — — 43 2,592 SAMPSA R2 (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) 28 34 42 34 4,102 37 2,465 LS 007R22 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 44	NSC NIVERVILLE RR2Y (RT)	_	_	40	36	10,026	39	4,444
NSC SANFORD R2Y (RT) — — — — — — — 42 3,832 TH 3303R2Y (RT) — — — — — — — — 38 3,640 S00-T9 (RT) — — — 42 40 2,644 43 3,538 CHADBURN R2 (RT) 28 37 37 27 9,042 35 3,468 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 91Y61 (RT) — — — — — — — — 43 2,592 SAMPSA R2 (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) 28 34 42 34 4,102 37 2,465 LS 007R22 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — — — — 43 1,982 P001T34R (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — 41 3,965 29 1,876 TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) — — 41 34 4,534 35 1,860 LS 0036RB (RT) — — 41 34 4,534 35 1,860 LS 0036RB (RT) — — 41 34 4,534 35 1,860 LS 0036RB (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — — 40 1,449 DH863 — — — 40 1,449	` '	_	_	_		2,005		
TH 3303R2Y (RT) — — — — — — — — — — — — — — — — — — —		_	_	_	_	_		
S00-T9 (RT) — 42 40 2,644 43 3,538 CHADBURN R2 (RT) 28 37 37 27 9,042 35 3,468 NSC WARREN RR (RT) 21 37 30 31 1,037 38 2,864 91Y61 (RT) — — — — 37 2,671 S0009-M2 (RT) — — — — 43 2,592 SAMPSA R2 (RT) — 40 41 35 6,464 41 2,591 LS OOFR22 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — 43 1,982 9 — — 43 1,982 P001734R (RT) — — <t< td=""><td>` '</td><td>_</td><td></td><td>_</td><td></td><td></td><td></td><td></td></t<>	` '	_		_				
CHADBURN R2 (RT)		_	_			2,644		
91Y61 (RT)	CHADBURN R2 (RT)	28	37	37	27	9,042	35	
S0009-M2 (RT) — — — — 43 2,592 SAMPSA R2 (RT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) 28 34 42 34 4,102 37 2,465 LS 007R22 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 38 34 872 31 2,303 TH 27003RR (RT) — — — — 43 1,982 P001T34R (RT) — — — — 43 1,982 P001T34R (RT) — — — — 43 1,862 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — — 36 2,524 37 1,620 23-60RY (RT) — — — — 36 2,736 34 1,597 LS 005R21 (RT) — — — — — 38	` '					1,037		
SAMPSA R2 (ŘT) — 40 41 35 6,464 41 2,511 NSC OSBORNE RR2Y (RT) 28 34 42 34 4,102 37 2,465 LS 007R22 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — — 38 34 872 31 2,303 TH 27003RR (RT) — — 44 32 28 1,867 41 2,026 LS MIDAN (RT) — — — — — 43 1,982 P001T34R (RT) — — — 21 3,965 29 1,876 TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — — 36 2,524 37 1,620 23-60RY (RT) — — — — — 38 1,597 LS 005R21 (RT)	. ,	_	_	_	_	_		
NSC OSBORNE RR2Y (RT) 28 34 42 34 4,102 37 2,465 LS 007R22 (RT) — 44 38 919 42 2,375 EXP003 R2 (RT) — 38 34 872 31 2,303 TH 27003RR (RT) — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — 21 3,965 29 1,876 TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — 36 2,524 37 1,620 23-60RY (RT) — — 36 2,736 34 1,597 LS 008R560 (RT) — — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — 40 1,449 DH863 — — 40 1,449 DH863		_	40	<u>—</u> 41	35	6 464		
LS 007R22 (RT) — — 44 38 919 42 2,375 EXP003 R2 (RT) — — 38 34 872 31 2,303 TH 27003RR (RT) — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — — 43 1,982 P001T34R (RT) — — — 21 3,965 29 1,876 TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — 36 2,524 37 1,620 23-60RY (RT) — — 36 2,736 34 1,597 LS 008R560 (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — 40 1,449 DH863 — — — 35 1,373	, ,					,		
EXP003 R2 (RT) — — 38 34 872 31 2,303 TH 27003RR (RT) — 44 32 28 1,867 41 2,026 LS MAIDAN (RT) — — — — 43 1,982 P001T34R (RT) — — — 21 3,965 29 1,876 TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — — 36 2,524 37 1,620 23-60RY (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — — 38 1,511 LS 005R21 (RT) — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — — — 40 1,449 DH863 — — — — <	. ,							
LS MAIDAN (RT) — — — — — — — 43 1,982 P001T34R (RT) — — — — 21 3,965 29 1,876 TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — 36 2,524 37 1,620 23-60RY (RT) — — 36 2,736 34 1,597 LS 008R560 (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — — 38 1,511 LS 005R21 (RT) — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — 40 1,449 DH863 — — — 35 1,373	EXP003 R2 (RT)	_	_					2,303
P001T34R (RT) — — — 21 3,965 29 1,876 TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — — 36 2,524 37 1,620 23-60RY (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — — — 38 1,511 LS 005R21 (RT) — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — — 40 1,449 DH863 — — — — — 35 1,373		_	44	32	28	1,867		
TH 24004RR (RT) — — 41 34 4,534 35 1,860 LS 0036RR (RT) 28 36 29 — — 39 1,669 TH 32005R2Y (RT) — — 36 2,524 37 1,620 23-60RY (RT) — — 36 2,736 34 1,597 LS 008R560 (RT) — — — 36 2,736 34 1,597 LS 008R21 (RT) — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — — 40 1,449 DH863 — — — — 35 1,373	` '	_	_	_	21	3 965		
LS 0036RR (RT)	, ,		_					
TH 32005R2Y (RT) — — — 36 2,524 37 1,620 23-60RY (RT) — — — 36 2,736 34 1,597 LS 008R560 (RT) — — — — — — 38 1,511 LS 005R21 (RT) — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — — — 40 1,449 DH863 — — — — 35 1,373		28	36			-,551		
LS 008R560 (RT)	TH 32005R2Y (RT)	_	_	_	36		37	1,620
LS 005R21 (RT) — 35 42 36 2,739 45 1,492 NOTUS R2 (RT) — — — — 40 1,449 DH863 — — — — 35 1,373		_	_		36	2,736		
NOTUS R2 (RT) — — — — 40 1,449 DH863 — — — — 35 1,373		_	25		26	2 720		
DH863 — — — — 35 1,373			- -		30	2,739		
		_	_	_	_	_		
		_	40	41	35	3,865		

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.

¶ For additional characteristic codes, see the key at the end of the Risk Area tables.



On system as of January 5, 2016;Assuming 48 lbs./bu.

THUNDER SEED full page soybean RH

SOYBEAN YIELDS BY	/ARIET	Y 2011	–2015 †			MANITOBA		
	2011	2012	2013	2014	2014	2015	2015‡	
Variety¶	Yield	Yield	Yield	Yield		Yield	Acres	
TH 35003RR (RT)	_	_	_	_	_	39	1,290	
TH 23005RR (RT)	_	_	37	36	1,761	40	1,242	
MAHONY R2 (RT)	_	_	_	_	_	45	1,208	
JARI	_	_	_	_	_	35	1,196	
GENTLEMAN	23	41	36	26	1,496	40	1,085	
009612A1 (RT)	_	_	_	29	1,243	42	1,065	
TH 33006R2Y (RT)	_	_	_	_	_	44	978	
26-12RY (RT)	_	_	_	_	_	53	964	
24-60RY (RT)	29	_	45	_	_	37	892	
NSC ARNAUD RR2Y (RT)	_	_	_	_	_	45	850	
CURRIE R2 (RT)	38	_	47	35	667	43	847	
PRO 2525R2R (RT)	_	36	43	_	_	34	780	
LS 0028RR (RT)	27	30	_	32	1,635	26	730	
90Y71 (RT)	_	_	34	34	4,189	40	729	
LS 006R22 (RT)	_	35	42	33	641	44	555	
NSC 2004 (RT)	_	_	_	_	_	46	515	
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		38.4 1	,386,058	

OATS YIELDS BY VARIETY 2011–2015† MANITOBA											
OATS TIELDS BY VARI	2011	2012	∍⊤ 2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
SOURIS	74	93	114	97	134,629	102	159,280				
SUMMIT	61	96	122	110	66,780	114	111,539				
FURLONG	66	84	108	90	30,312	96	23,680				
PINNACLE	66	71	98	73	23,697	86	23,024				
TRIACTOR	84	92	117	104	15,673	106	15,047				
LEGGETT	67	71	89	75	15,137	81	13.938				
CS CAMDEN	_	_	_	_	_	130	11,096				
STRIDE	_	_	128	84	6,813	102	8,789				
BIG BROWN	_	_	_	85	5,187	100	8,733				
RONALD	76	88	118	109	8,702	98	7,787				
CDC DANCER	58	74	92	66	4,114	83	6,583				
AC MORGAN	85	81	110	91	3,951	69	4,982				
TRIPLE CROWN	75	64	83	53	2,210	61	4,199				
AAC JUSTICE	_	_	_	_	_	103	2,684				
AC ASSINIBOIA	64	63	78	59	2,821	71	2,670				
ROBERT	29	54	65	30	523	58	1,726				
CDC MORRISON	_	_	_	73	744	118	1,712				
GEHL (HULLESS)	30	53	52	70	2,086	57	1,637				
JORDAN	50	69	75	70	897	73	1,583				
CDC SO-I	_	53	77	_	_	64	1,141				
RIEL	46	96	95	73	1,074	105	1,138				
HAYWIRE	_	_	_	_	_	125	875				
DERBY	74	57	78	_	_	71	795				
CDC HAYMAKER	_	_	_	_	_	68	737				
CDC BALER	_	_	_	45	554	106	682				
DUMONT	33	50	37		_	50	565				
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		101.1	428,497				

BARLEY* YIELDS BY VARIETY 2011–2015† MANITOBA											
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
CONLON	42	62	82	68	93,224	69	88,505				
CDC AUSTENSON	50	63	101	70	45,543	80	61,178				
NEWDALE	36	54	83	58	32,971	74	41,448				
CELEBRATION	51	71	86	66	24,590	71	36,494				
AC METCALFE	32	42	73	53	19,172	65	28,017				
TRADITION	35	54	84	62	20,929	73	21,584				
CHAMPION	46	59	91	61	20,276	66	17,655				
BENTLEY	53	42	77	61	7,719	70	13,728				
CDC COPELAND	23	45	78	56	7,075	65	13,163				
CDC MEREDITH	_	49	89	61	5,424	58	5,767				
LEGACY	33	53	77	47	4,180	63	4,180				
LACEY	42	51	81	68	3,824	74	3,519				
CDC COWBOY	34	31	61	40	5,531	51	3,281				
ROBUST	44	41	74	70	3,056	75	3,121				
STELLAR-ND	38	55	72	55	4,672	67	3,045				
CDC YORKTON	47	38	72	56	2,415	47	1,909				
DESPERADO	_	57	62	56	583	64	1,827				
CDC KINDERSLEY	_	_	_	_	_	64	1,824				
XENA	_	68	116	85	2,256	102	1,575				
CDC TREY	36	45	71	58	1,554	62	1,105				
SUNDRE	26	37	59	_	_	36	811				
ASCENSION	_	_	_	_	_	83	702				
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		70.8	365,848				

CORN YIELDS BY VARIETY 2011–2015† MANITO											
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
P7958AM	_	_	_	99	740	148	27,471				
39V05 (RT)	122	138	150	126	24,651	139	21,027				
P7443R (RT)	91	122	131	105	40,856	130	19,391				
P7632AM (BT)(RT)(LT)	_	_	_	_	_	141	18,461				
P7632HR (BT)(RT)	_	_	141	120	20,609	141	16,081				
39D97 (BT)(LT)(RT)	100	130	148	121	31,690	144	14,312				
P7332R (RT)	_	_	_	101	8,680	134	13,192				
39D95 (BT)(LT)(RT)	96	123	135	110	28,785	132	12,542				
39V07 (BT)(LT)(RT)	120	128	157	132	11,380	152	8,614				
DKC26-28RIB (BT)(RIB)(RT)	_	_	132	115	10,400	136	7,057				
DKC27-25 (LT)(RT)	_	_	133	125	6,688	143	6,214				
P7410HR (HX1)(LT)(RT)	_	_	_	_	_	138	5,800				
P7213R (RT)	83	102	104	78	8,512	109	4,434				
DKC30-07RIB (RIB)	_	_	_	128	1,847	151	3,604				
A4415G2 RIB (RIB)	_	_	_	_	_	127	3,071				
P7632HR (HX1)(LT)(RT)	_	_	_	127	10,372	135	2,817				
TH 7578 VT2P RIB (RIB)	_	_	_	_	_	133	2,648				
TH 7574 VT2P RIB (RIB)(RT)) —	_	_	119	520	121	2,545				
A4023 (BT)(RT)	_	125	118	74	1,250	96	2,117				
A4631G2 RIB (RIB)	_	_	_	130	1,014	120	1,822				
DKC30-07 (RT)	_	_	153	126	5,073	151	1,364				
DKC23-22RIB (RIB)	_	_	_	_	_	127	1,313				
P8210HR (BT)(LT)(RT)	_	_	_	113	1,634	141	1,285				
TH 4578 RR (RT)	_	_	_	_	_	143	1,175				
MZ 1633DBR (RT)	_	_	_	87	2,991	125	982				
TH 4574 RR (RT)	_	_	_	_	_	139	874				
TH 7677 VT2P RIB (RIB)	_	_	_	_	_	143	832				
DKC26-25 (RT)	_	120	129	_	_	129	765				
3093 (RT)	_	_	128	111	2,677	126	710				
4093 (BT)(LT)(RT)	_	_	138	_	_	140	693				
LR 9563 VT2RIB (RIB)	_	_	_	109	1,253	143	548				
P3995	_	121	_	98	643	121	538				
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	§		137.7	213,455				

DRY BEAN YIELDS BY	VARIE	TY 201	1-2015	†		MANITOBA	
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
WINDBREAKER (PINTO)	2,072	1,986	2,282	1,801	38,092	2,161	29,456
T9905 (WHITE PEA)	2,194	2,006	2,216	1,918	17,485	1,931	20,235
ECLIPSE (BLACK)	1,854	1,881	1,986	1,530	12,059	1,834	15,790
PINK PANTHER (KIDNEY)	1,592	1,435	1,991	1,241	11,055	1,803	9,000
ENVOY (WHITE PEA)	2,057	1,775	2,308	1,433	14,524	1,576	6,318
INDI (WHITE PEA)	_	_	_	1,188	4,582	1,609	4,908
RED HAWK (KIDNEY)	_	_	_	_	_	1,321	2,827
CDC JET (BLACK)	1,757	1,186	1,387	1,550	1,092	1,404	2,654
T9903 (WHITE PEA)	1,706	1,777	2,083	1,464	8,911	1,457	2,497
CLOUSEAU (KIDNEY)	_	_	2,427	1,482	3,233	1,638	2,403
PINK FLOYD (OTHER)	_	_	2,099	1,645	5,780	2,033	2,399
MONTERREY (PINTO)	_	_	_	_	_	1,896	2,130
CHIANTI (CRANBERRY)	_	_	_	1,757	1,085	2,028	2,068
CRIMSON (CRANBERRY)	_	1,700	_	1,896	1,765	2,072	2,057
ETNA (CRANBERRY)	1,739	1,475	1,038	1,413	737	1,929	1,770
MONTCALM (KIDNEY)	_	1,592	_	1,279	718	1,631	1,372
CDC SUPERJET (BLACK)	_	_	_	_	_	1,784	1,324
WHITE MOUNTAIN (PINTO)	_	_	1,396	1,142	1,191	1,881	1,188
ROSETTA (OTHER)	_	_	_	1,459	652	1,618	1,135
MERLOT (SMALL RED)	_	_	_	_	_	1,704	1,015
CDC SOL (OTHER)	_	_	2,295	1,378	1,016	972	993
LA PAZ (PINTO)	_	2,319	_	_	_	1,905	875
CASCADE (WHITE PEA)	_	_	_	_	_	1,907	872
COYNE (OTHER)	_	_	_	_	_	1,768	810
BELLAGIO (CRANBERRY)	_	_	_	_	_	1,861	523
WEIGHTED AVERAGE YIELD	AND 1	TOTAL A	CREAGE	§	•	1878.2	125,697

FLAX YIELDS BY VARIE	ETY 20	11–201	5†			MANITOBA	
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC BETHUNE	14	16	27	20	23,821	21	37,657
CDC SORREL	15	14	29	20	16,534	22	28,948
CDC GLAS	_	_	_	28	4,581	28	11,509
LIGHTNING	21	16	31	24	13,851	24	9,007
AAC BRAVO	_	_	_	_	_	21	5,878
WESTLIN 70	_	_	_	25	739	23	5,205
OMEGA	20	20	38	15	3,830	16	4,718
HANLEY	14	14	31	22	6,945	27	4,402
PRAIRIE SAPPHIRE	_	_	26	24	3,246	29	2,235

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.

¶ For additional characteristic codes, see the key at the end of the Risk Area tables.



On system as of January 5, 2016;Assuming 48 lbs./bu.

FLAX YIELDS BY VARII	FLAX YIELDS BY VARIETY 2011–2015†										
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
CDC NORMANDY	_	_	_	23	898	23	1,164				
WESTLIN 71	_	_	_	_	_	28	784				
AC EMERSON	14	7	21	20	549	19	752				
SOMME	_	_	_	15	795	21	634				
PRAIRIE THUNDER	11	21	21	19	959	26	523				
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		22.6	116,629				

SUNFLOWER YIELDS BY VARIETY 2011–2015† MANITO											
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
6946 DMR (C)	1,294	2,284	2,130	1,506	6,691	1,678	20,328				
JAGUAR DMR (C)	1,695	_	1,962	1,598	6,232	1,664	12,984				
P63ME70 (0)	_	_	2,485	1,967	7,334	1,830	11,003				
ROYAL HYBRID 400CL (C)	_	_	1,757	1,570	1,948	1,517	8,226				
PANTHER DMR (C)	1,462	2,588	_	1,863	10,166	1,382	6,583				
P63M80 (0)	_	1,933	1,989	1,839	1,191	1,726	5,272				
6946 (C)	1,504	2,094	1,759	1,257	4,724	1,598	4,825				
PANTHER (C)	_	2,421	2,260	1,616	7,230	1,605	3,638				
P63ME80 (0)	_	_	_	1,345	3,365	1,850	3,048				
COBALT II (ST) (0)	_	_	1,859	1,314	732	1,323	2,447				
TALON (0)	_	_	_	1,292	2,345	1,579	2,301				
JAGUAR (ST) (C)	1,634	2,229	1,162	1,455	5,474	1,618	2,237				
X9180 EX DMR (C)	_	_	_	_	_	1,301	2,198				
8N270CLDM (0)	1,682	1,958	2,008	1,528	2,187	1,623	2,008				
FALCON (0)	_	1,841	1,872	_	_	1,149	1,513				
8N270 (O)	1,565	2,013	2,247	1,664	798	1,285	1,281				
SF270 (0)	_	2,293	1,380	1,338	1,293	1,116	894				
P63N82 (0)	1,272	1,984	2,057	1,942	4,068	1,504	730				
WEIGHTED AVERAGE YIELI	D AND 1	OTAL A	CREAGE	§		1607.8	94,449				

FIELD PEA YIELDS BY	VARIE [*]	ΓΥ 201 ⁻	1–2015	t		MA	NITOBA
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC MEADOW	28	40	47	31	20,127	42	26,874
AGASSIZ	35	44	58	35	11,597	51	18,084
4010	21	20	27	24	3,113	32	3,437
CDC STRIKER	20	38	42	35	3,497	36	3,077
CDC PATRICK	_	38	43	40	3,519	40	2,802
CROMA	_	48	59	44	1,133	51	2,252
LIVIOLETTA	27	35	37	24	1,824	42	1,692
CDC GOLDEN	24	39	49	25	1,404	41	1,295
CDC AMARILLO	_	_	_	_	_	47	942
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		43.5	65,010

_	121	\sim	_		-	_
		 м		_	м.	

CANOLA YIELDS BY V	ARIETY	2011–	2015†			RISK	AREA 1
		2012		2014		2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
L252 (LT)	_	_	_	34	1,076	35	18,861
5440 (LT)	16	27	32	26	10,345	32	15,571
L130 (LT)	16	27	29	32	3,580	30	14,568
74-44 BL (RT)	_	_	25	37	731	32	12,043
L140P (LT)	_	_	_	_	_	33	7,350
1012 RR (RT)	_	28	28	30	3,391	32	6,487
L159 (LT)	_	_	27	29	1,888	32	6,135
L160S (LT)	_	_	_	_	_	32	4,637
46H75 (ST)	_	_	15	29	514	30	3,501
L156H (LT)	_	_	35	31	1,870	28	3,448
45H29 (RT)	14	27	32	28	1,307	33	3,199
L261 (LT)	_	_	_	28	2,102	34	2,803

- Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
- Weighted Average Yield and Total Acreage include acres not reported in the table. For additional characteristic codes, see the key at the end of the Risk Area tables.
- On system as of January 5, 2016;
- Assuming 48 lbs./bu.





Get it treated with:



NOW PLAYING AT THESE FINE RETAILERS:

AGT FOODS CANADA ARMSTRONG SEEDS B & A WALKER FARMS LTD. BERGEN SEED FARM BOISSEVAIN SELECT SEEDS LTD. CAM PETRUIC

CATELLIER SEED SERVICE INC. CLEARVIEW ACRES LTD. COLURT SEEDS DOUG CROSS DAUPHIN PLAINS SEED SERVICE DNS COMMODITIES FEDORUK FARMS INC. FRIESEN SEEDS LTD. HORIZON AGRO INC. J.S. HENRY & SON KENR FARMS LTD. L & L FARMS

M B SEEDS LTD. MANNESS SEEDS MUNRO AGRI VENTURES LTD. NADEAU SEEDS INC. PITURA SEED SERVICE LTD. RED RIVER SEEDS REDSPER FARMS

RIDDELL SEED CO. ROLLING VIEW FARM RUTHERFORD FARMS R-WAY AG SAPTON ACRES SEINE RIVER SEED FARM SIERENS SEEDS SERVICE SOLICK SEEDS LTD.

SORGARD SEEDS SWAN VALLEY SEEDS TEZ SEEDS INC UNGER SEED FARM LTD. WHEAT CITY SEEDS LTD. WHEATCREST FARMS WILSON SEEDS LTD. ZEGHERS SEED INC.

CANOLA YIELDS BY						RISK AREA 1		
2020 CL (ST)	_	_	_	_	_	33	2,277	
6060 RR (RT)	_	24	27	25	1,371	37	2,046	
45H31 (RT)	_	_	26	28	1,065	39	1,832	
SY4157 (RT)	_	_	_	_	_	39	1,546	
74-54 RR (RT)	_	_	_	15	621	28	1,311	
1990 (RT)	_	_	_	21	794	31	1,140	
45S54 RR (RT)	_	_	14	_	_	34	1,132	
L120 (LT)	_	_	27	25	2,029	38	913	
VR 9560 CL (ST)	_	23	31	29	2,629	30	897	
45H76 (ST)	_	_	_	_	_	31	894	
73-75 RR (RT)	_	25	32	18	761	27	885	
VT 500 G (RT)	_	28	22	36	1,110	31	737	
PV 530 G (RT)	_	_	_	_	_	33	698	
45H33 (RT)	_	_	_	_	_	32	670	
WEIGHTED AVERAGE YIE	LD AND T	OTAL AC	REAGE	}		32.4	121,843	
WHEAT VIELDS BY V	ADJETY O	011 0	04ET			DICK	ADEA 1	

WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA 1										
		2012		2014		2015	2015‡			
Variety¶		Yield	Yield	Yield		Yield	Acres			
CARBERRY (RS)	_	37	42	34	17,700	38	42,980			
CDC GO (RS)	17	42	47	34	4,322	41	9,685			
GLENN (RS)	19	42	36	37	2,811	39	7,797			
EMERSON (W)	_	_	_	_	_	50	6,804			
AAC BRANDON (RS)	_	_	_	_	_	45	5,742			
CARDALE (RS)	_	_	_	_	_	38	5,335			
PASTEUR (F)	_	_	36	41	1,880	46	3,516			
AAC ELIE (RS)	_	_	_	_	_	44	3,279			
CDC VR MORRIS (RS)	_	_	_	39	656	28	2,800			
CDC STANLEY (RS)	_	_	43	45	852	43	2,428			
CDC BUTEO (W)	34	58	37	16	1,605	50	2,138			
PEREGRINE (W)	42	58	37	33	2,130	43	2,020			
CDC PLENTIFUL (RS)	_	_	_	_	_	44	1,644			
MCCLINTOCK (W)	38	52	51	21	1,723	46	1,444			
5604HR CL (RS)	_	_	35	26	858	32	1,227			
CDC FALCON (W)	28	56	43	23	2,280	44	1,171			
FLOURISH (W)	_	_	_	20	12,223	54	1,112			
KANE (RS)	20	35	43	41	631	22	1,005			
5602HR (RS)	_	36	32	_	_	21	920			
CDC UTMOST (RS)	_	_	_	_	_	30	905			
HARVEST (RS)	_	36	54	32	1,765	29	842			
FALLER (F)	_	_	_	_	_	48	725			
WEIGHTED AVERAGE YIEL	40.0	109,917								

SOYBEAN YIELDS BY VARIETY 2011–2015† RISK AREA 1										
		2012		2014		2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
23-60RY (RT)	_	_	_	_	_	33	6,232			
NSC RESTON RR2Y (RT)	_	_	_	30	2,587	33	4,552			
TH 32004R2Y (RT)	_	_	_	_	_	30	3,908			
PEKKO R2 (RT)	_	28	29	24	1,248	31	3,728			
P002T04R (RT)	_	_	_	_	_	26	2,001			
S007-Y4 (RT)	_	_	_	_	_	39	1,046			
VITO R2 (RT)	_	_	_	_	_	31	628			
NSC TILSTON RR2Y (RT)	_	_	_	_	_	38	559			
TH 33003R2Y (RT)	_	_	_	_	_	37	505			
WEIGHTED AVERAGE YIELI	O AND T	OTAL A	CREAGE	§		31.5	26,034			

OATS YIELDS BY VARII	RISK AREA 1										
	2011 2012 2013 2014 2014										
Variety¶		Yield	Yield	Yield		Yield	Acres				
SOURIS	_	81	89	63	3,616	75	11,920				
PINNACLE	42	77	80	71	3,765	80	7,036				
LEGGETT	77	61	65	57	1,591	65	4,458				
SUMMIT	_	_	113	67	705	78	3,439				
TRIACTOR	_	54	77	_	_	77	1,997				
FURLONG	_	45	_	_	_	73	1,969				
STRIDE	_	_	_	_	_	75	605				
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		72.6	34,383				

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA 1										
		2012		2014		2015	2015‡			
Variety¶		Yield	Yield	Yield		Yield	Acres			
CELEBRATION	_	56	59	53	913	55	2,820			
CDC COPELAND	16	41	63	_	_	57	2,089			
CHAMPION	_	45	57	58	903	57	1,157			

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA										
							2015‡			
							Acres			
TRADITION	_	46	46	_	_	46	867			
BENTLEY	_	41	49	44	818	59	810			
NEWDALE	_	50	40	26	715	60	779			
CDC AUSTENSON	_	_	_	_	_	69	676			
WEIGHTED AVERAGE YIE	LD AND T	OTAL AC	REAGE	ì		55.2	10,957			

CORN YIELDS BY VARI	RISK	AREA 1						
		2012		2014		2015	2015‡	
Variety¶		Yield	Yield	Yield		Yield		
P7443R (RT)	_	_	_	_	_	77	638	
P7332R (RT)	_	_	_	_	_	106	629	
WEIGHTED AVERAGE YIELI	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES							

FLAX YIELDS BY VARIETY 2011–2015† RISK									
	2015	2015‡							
Variety¶		Yield	Yield	Yield		Yield			
CDC BETHUNE	_	11	21	12	856	19	6,423		
CDC SORREL	_	12	17	_	_	22	1,793		
WEIGHTED AVERAGE YIELD	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES								

SUNFLOWER YIELDS BY VARIETY 2011–2015† RISK AREA 1								
	2011	2012		2014		2015	2015‡	
Variety¶		Yield	Yield	Yield		Yield	Acres	
JAGUAR DMR (C)	_	_	_	_	_	1,664	6,328	
TALON (O)	_	_	_	_	_	1,717	900	
WEIGHTED AVERAGE YIEL	D AND T	OTAL AC	CREAGE	Ş		1520.3	14,181	

FIELD PEA YIELDS BY VARIETY 2011–2015† RISK AREA 1										
	2015	2015‡								
Variety¶		Yield	Yield	Yield		Yield	Acres			
CDC MEADOW	_	43	20	18	1,171	41	1,251			
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		38.2	2,112			

CANOLA YIELDS BY VA	DIETY	0011	20154			DICK	AREA 2
CANOLA FIELDS BY VA	2011	2011-	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
L252 (LT)	ricia	-	Ticia	35	32.521	41	72,380
L130 (LT)	26	31	43	37	53,533	41	57,733
5440 (LT)	22	31	43	36	79,547	39	39,194
74-44 BL (RT)	_	_	41	39	7.883	39	20,494
L140P (LT)	_	_		42	4,295	44	20,191
1012 RR (RT)	_	31	37	32	11,502	35	9,123
PV 530 G (RT)	_	_	_	38	13,541	38	8,831
L261 (LT)	_	_	_	39	6,328	44	7,800
L156H (LT)	_	_	40	39	11,276	36	7,714
L160S (LT)	_	_	_	35	2,021	39	7,622
1990 (RT)	_	29	44	36	8.984	40	5,328
45H29 (RT)	23	32	40	34	7,864	37	5,323
46H75 (ST)	_	_	45	40	2,537	40	5,130
L120 (LT)	_	32	40	36	8,317	38	5,059
VR 9562 GC (RT)	_	_	_	50	1,350	38	4,250
6060 RR (RT)	_	34	44	40	17,926	37	3,473
45H31 (RT)	_	35	42	33	7,696	42	3,008
L159 (LT)	_	30	43	39	4,145	36	2,937
VT 500 G (RT)	21	28	38	35	6,463	36	2,878
2020 CL (ST)	_	_	_	_	· -	36	2,515
2012 CL (ST)	_	27	36	31	2,675	36	1,961
VR 9560 CL (ST)	_	28	42	31	1,498	37	1,686
45H76 (ST)	_	_	_	_	_	38	1,676
45H33 (RT)	_	_	_	_	_	44	1,505
SY4157 (RT)	_	_	_	_	_	41	1,345
PV 533 G (RT)	_	_	_	_	_	37	1,131
SY4135 (RT)	_	_	_	36	1,566	37	792
73-75 RR (RT)	_	30	40	32	8,229	34	761
45S54 RR (RT)	_	_	39	29	1,283	32	715
6130 RR (RT)	_	_	_	_	_	40	702
6074 RR (RT)	_	_	_	_	_	41	604
L154 (LT)	_	34	45	36	2,088	34	591
74-54 RR (RT)	_	_	_	37	5,113	36	539
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		39.8	314,995

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table. ¶ For additional characteristic codes, see the key at the end of the Risk Area tables.



On system as of January 5, 2016;Assuming 48 lbs./bu.

BAYER full page Invigor

WHEAT YIELDS BY VAR				0011	0011		AREA 2
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CARBERRY (RS)	33	51	59	49	96,318	48	78,865
CARDALE (RS)		_	_	53	15,651	52	39,767
HARVEST (RS)	31	49	64	55	40,949	54	33,645
AAC BRANDON (RS)	_	_	_	67	1,662	54	30,063
CDC GO (RS)	35	54	62	51	32,267	56	29,372
GLENN (RS)	30	52	59	51	25,506	53	23,945
FALLER (F)	_	_	76	70	18,161	68	19,244
MUCHMORE (RS)	40	54	67	51	19,361	54	15,014
CDC PLENTIFUL (RS)	_	_	_	51	616	56	11,588
WR 859 CL (RS)	32	49	61	55	11,659	50	8,426
AAC ELIE (RS)	_	_	_	_	_	58	7,237
PROSPER (F)	_	_	_	64	1,203	70	5,630
EMERSON (W)	_	_	_	49	630	59	4,537
5604HR CL (RS)	_	39	55	43	4,765	41	4,237
CDC VR MORRIS (RS)	_	_	61	41	796	52	3,930
PASTEUR (F)	_	52	73	53	4,512	55	2,354
CDC BUTEO (W)	41	59	50	54	2,957	63	2,142
SNOWSTAR (HWS)	28	53	71	68	2,845	61	1,930
CDC STANLEY (RS)	_	40	60	48	5,958	42	1,844
MCKENZIE (RS)	30	43	53	47	1,840	48	1,669
ELGIN-ND (F)	_	_	_	_	_	61	1,385
CDC FALCON (W)	54	65	54	52	4,031	75	1,363
FLOURISH (W)	_	_	_	33	9,307	55	1,232
5602HR (RS)	30	42	51	44	1,332	34	1,023
KANE (RS)	27	43	53	46	2,905	41	1,017
VESPER VB (RS)	_	45	58	46	3,185	46	776
WEIGHTED AVERAGE YIELI	D AND T	OTAL AC	REAGE	§		53.3	338,393
				-			

SOYBEAN YIELDS BY VARIETY 2011–2015† RISK AREA 2											
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
23-60RY (RT)	_	_	_	_	_	33	18,284				
NSC RESTON RR2Y (RT)	_	_	_	36	13,817	37	17,943				
PEKKO R2 (RT)	_	37	39	37	8,513	32	14,538				
TH 32004R2Y (RT)	_	42	44	37	8,343	35	13,850				
23-10RY (RT)	_	_	35	33	18,418	30	11,019				
TH 33003R2Y (RT)	_	_	35	27	4,007	37	4,057				
P002T04R (RT)	_	_	_	_	_	35	4,047				
900Y61 (RT)	_	30	38	33	3,146	27	3,623				
NSC GLADSTONE RR2Y (RT)	_	_	_	_	_	31	3,415				
MCLEOD R2 (RT)	_	_	_	31	765	36	2,880				
S007-Y4 (RT)	_	_	_	_	_	36	2,293				
900Y71 (RT)	_	28	37	32	2,972	34	1,665				
PS 0035 NR2 (RT)	_	_	_	_	_	33	1,506				
ISIS RR (RT)	_	_	_	_	_	36	1,316				
TH 33004R2Y (RT)	_	_	_	_	_	37	931				
LS NORTHWESTER (RT)	_	_	_	_	_	35	870				
23-11RY (RT)	_	_	_	_	_	32	606				
LS002R24N (RT)	_	_	_	_	_	19	565				
WEIGHTED AVERAGE YIELD	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 33.5 111,042										

OATS YIELDS BY VARII	RISK AREA 2						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
SUMMIT	_	_	117	100	2,339	88	9,894
SOURIS	80	98	98	93	8,904	96	6,691
PINNACLE	73	76	113	69	7,632	91	5,271
LEGGETT	90	70	104	88	1,432	88	1,186
FURLONG	_	91	114	118	1,375	82	953
WEIGHTED AVERAGE YIELI	91.9	26,888					

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA 2										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CELEBRATION	40	70	87	56	3,630	71	5,145			
NEWDALE	29	50	72	55	2,826	62	4,226			
BENTLEY	_	_	83	67	1,355	71	3,827			
CONLON	60	71	89	75	5,434	70	3,606			
AC METCALFE	19	40	60	_	_	66	2,945			
TRADITION	29	56	95	66	2,276	64	2,901			
CDC AUSTENSON	_	69	104	96	1,581	89	2,660			
CDC MEREDITH	_	48	92	_	_	51	984			
CHAMPION	40	73	94	73	1,468	73	927			
LEGACY	_	62	76	79	735	70	765			
WEIGHTED AVERAGE YIELI	68.9	29,378								

CORN YIELDS BY VARIETY 2011–2015† RISK AREA										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
P7443R (RT)	_	132	115	99	3,664	118	4,149			
DKC26-28RIB (BT)(RIB)(RT)	_	_	120	96	930	123	2,040			
P7410HR (HX1)(LT)(RT)	_	_	_	_	_	132	705			
P7213R (RT)	_	119	102	71	1,836	98	532			
P7332R (RT)	_	_	_	97	983	153	502			
WEIGHTED AVERAGE YIELD	118.1	10,410								

DRY BEAN YIELDS BY	RISK	AREA 2					
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC JET (BLACK)	_	_	_	_	_	1,279	520
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		1384.5	780

FLAX YIELDS BY VARI	RISK AREA 2						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC BETHUNE	11	19	24	19	3,844	22	7,440
CDC SORREL	11	17	26	17	1,427	25	3,240
PRAIRIE SAPPHIRE	_	_	_	26	1,537	31	1,355
AAC BRAVO	_	_	_	_	_	22	903
HANLEY	24	15	36	18	799	18	721
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		23.1	15,099

SUNFLOWER YIELDS BY VARIETY 2011–2015† RISK ARE								
	2011 2012	2 2013	2014	2014	2015	2015‡		
Variety¶	Yield Yield	d Yield	Yield	Acres	Yield	Acres		
6946 DMR (C)	— 2,141	1,565	1,638	1,386	1,989	3,424		
PANTHER DMR (C)		_	1,656	920	1,739	967		
WEIGHTED AVERAGE YIEL	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§							

FIELD PEA YIELDS BY	FIELD PEA YIELDS BY VARIETY 2011–2015†								
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
CDC MEADOW	_	41	47	32	2,276	43	5,464		
CROMA	_	48	59	44	1,132	50	1,856		
CDC GOLDEN	_	_	_	25	1,100	41	1,295		
AGASSIZ	_	_	_	_	_	47	991		
WEIGHTED AVERAGE YIELI	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§								

CANOLA YIELDS BY V	ARIETY	2011–	2015†			RISK	AREA 3
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
L252 (LT)	_	_	_	36	7,296	40	22,351
L130 (LT)	20	26	40	33	15,336	40	15,130
1012 RR (RT)	23	26	39	33	9,907	40	12,139
5440 (LT)	23	23	39	35	18,170	38	12,136
46H75 (ST)	_	22	38	31	4,743	40	7,603
45H33 (RT)	_	_	_	_	_	40	5,569
45H31 (RT)	_	28	39	31	5,877	38	5,429
L140P (LT)	_	_	_	36	2,029	42	5,352
45H29 (RT)	23	25	42	34	8,256	38	4,566
1990 (RT)	_	27	_	34	2,682	40	4,535
74-44 BL (RT)	_	_	33	31	1,462	37	4,416
6060 RR (RT)	28	24	34	29	6,229	36	3,825
45H75 CL (ST)	_	_	_	_	_	38	3,015
L261 (LT)	_	_	_	31	1,360	40	2,626
45H76 (ST)	_	_	_	_	_	37	2,315
L154 (LT)	_	25	46	35	3,389	41	2,231
L160S (LT)	_	_	_	37	648	40	2,164
L120 (LT)	_	24	35	25	2,499	47	1,740
L159 (LT)	_	25	37	34	6,891	38	1,443
2012 CL (ST)	11	22	39	22	1,508	32	1,195
74-54 RR (RT)	_	_	_	34	3,071	35	1,131
L156H (LT)	_	_	39	30	2,098	45	1,096
L135C (LT)	_	_	_	_	_	38	1,075
PV 530 G (RT)	_	_	_	_	_	38	1,035
2020 CL (ST)	_	_	_	_	_	37	961
73-75 RR (RT)	_	23	39	28	1,646	42	865
VT 500 G (RT)	22	27	36	28	1,735	41	713
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		39.2	136,910

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.

¶ For additional characteristic codes, see the key at the end of the Risk Area tables.



On system as of January 5, 2016;Assuming 48 lbs./bu.

BASF full page Nodular

WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA 3										
WILLIAM TIELDS DI VA	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CARBERRY (RS)	_	48	56	40	26,782	47	33,005			
GLENN (RS)	27	39	50	40	15,997	41	20,183			
CARDALE (RS)	_	_	_	38	9,624	40	12,287			
HARVEST (RS)	27	42	61	40	13,649	44	11,787			
AAC BRANDON (RS)	_	_	_	55	806	52	9,980			
CDC UTMOST (RS)	_	46	63	48	5,169	45	3,887			
5604HR CL (RS)	_	47	57	39	9,744	41	3,687			
CDC VR MORRIS (RS)	_	_	_	44	669	32	2,814			
CDC PLENTIFUL (RS)	_	_	_	_	_	46	2,788			
EMERSON (W)	_	_	_	_	_	46	2,391			
PASTEUR (F)	_	_	62	46	5,244	71	2,282			
CDC STANLEY (RS)	_	_	55	39	930	44	2,044			
AC BARRIE (RS)	36	41	58	41	1,656	30	1,676			
KANE (RS)	31	43	56	36	2,123	43	1,605			
VESPER VB (RS)	_	_	66	41	1,240	35	1,346			
MUCHMORE (RS)	_	_	_	_	_	46	970			
FLOURISH (W)	_	_	_	33	5,409	39	927			
AAC ELIE (RS)	_	_	_	_	_	49	919			
UNITY VB (RS)	35	41	44	30	2,311	36	898			
5605HR CL (RS)	_	_	_	_	_	50	698			
WR 859 CL (RS)	_	52	59	41	645	37	659			
CDC BUTEO (W)	30	56	45	39	1,472	31	587			
SY433 (RS)	_	_	_	32	954	36	553			
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	REAGE	§		44.1	120,581			

SOYBEAN YIELDS BY	RISK AREA 3						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
TH 33003R2Y (RT)	_	_	28	30	2,631	38	4,419
NSC RESTON RR2Y (RT)	_	_	_	28	1,767	38	2,593
23-10RY (RT)	_	_	_	26	943	35	1,822
P002T04R (RT)	_	_	_	_	_	29	1,108
23-60RY (RT)	_	_	_	_	_	40	965
PEKKO R2 (RT)	_	_	16	_	_	41	877
WEIGHTED AVERAGE YIELI	D AND T	OTAL AC	REAGE	}		36.4	14,405

OATS YIELDS BY VARIE	RISK AREA 3						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
SOURIS	49	66	103	63	3,820	85	6,197
SUMMIT	_	_	_	90	1,075	65	1,705
TRIACTOR	72	49	87	54	1,851	82	1,093
LEGGETT	26	46	80	73	531	72	1,040
CDC DANCER	44	42	86	48	705	46	619
WEIGHTED AVERAGE YIELD	AND T	OTAL A	REAGE	§		76.8	13,878

BARLEY* YIELDS BY V	ARIETY	2011-	-2015†			RISK	AREA 3
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CONLON	32	40	72	47	2,997	65	3,851
CDC AUSTENSON	_	_	92	46	3,589	66	3,118
NEWDALE	25	49	79	38	1,782	58	3,016
CHAMPION	_	45	65	46	2,091	48	2,178
AC METCALFE	22	38	70	28	1,130	52	1,716
CDC COPELAND	22	43	72	46	1,156	59	1,655
BENTLEY	_	_	74	42	1,986	60	1,331
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		57.1	19,524

CORN YIELDS BY VARIETY 2011–2015† RISK AREA 3										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
P7213R (RT)	_	_	91	72	539	107	695			
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		110.6	944			

FLAX YIELDS BY VARIE	RISK AREA 3						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
WESTLIN 70	_	_	_	26	672	19	2,423
CDC GLAS	_	_	_	23	871	23	1,844
CDC BETHUNE	15	13	19	_	_	17	1,271
AAC BRAVO	_	_	_	_	_	17	937
PRAIRIE THUNDER	_	18	17	_	_	26	523
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		20.4	8,781

SUNFLOWER YIELDS E	SUNFLOWER YIELDS BY VARIETY 2011–2015† RISK AREA 3										
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
6946 DMR (C)	_	_	_	_	_	1,089	559				
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		1089.1	559				

FIELD PEA YIELDS BY	RISK AREA 3						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC MEADOW	25	32	45	28	3,414	38	3,945
4010	_	_	_	25	1,430	37	1,331
AGASSIZ	19	40	48	23	852	47	531
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	§		36.6	6,674

CANOLA YIELDS BY V	ARIETY	2011-	2015†			RISK	AREA 4
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
L252 (LT)	_	_	_	44	12,783	44	42,501
L130 (LT)	30	31	47	40	29,400	41	29,364
5440 (LT)	30	30	47	40	37,972	42	27,164
1012 RR (RT)	23	30	41	33	11,931	40	9,507
L140P (LT)	_	_	_	41	2,749	44	8,636
L159 (LT)	_	30	45	42	7,867	44	6,253
2020 CL (ST)	_	_	_	_	· —	38	5,846
L156H (LT)	_	_	46	38	10,106	43	5,744
45H31 (RT)	_	29	42	38	4,512	40	5,506
PV 530 G (RT)	_	_	_	37	2,782	39	5,115
74-44 BL (RT)	_	_	42	36	1,895	38	4,960
1990 (RT)	_	_	48	34	5,684	38	4,959
45H29 (RT)	22	33	40	38	5,083	39	4,888
L261 (LT)	_	_	_	40	4,362	48	2,949
L154 (LT)	_	27	51	44	2,088	43	2,659
45H33 (RT)	_	_	_	_	_	40	1,915
46H75 (ST)	_	_	46	37	1,342	43	1,906
L120 (LT)	_	30	49	36	4,614	40	1,807
SY4135 (RT)	_	_	_	38	1,747	42	1,629
74-54 RR (RT)	_	_	_	32	3,019	34	1,570
45H76 (ST)	_	_	_	51	626	44	1,255
45H75 CL (ST)	_	_	_	_	_	35	1,236
D3155C (RT)	_	_	_	_	_	38	1,193
73-45 RR (RT)	24	29	42	32	1,710	31	1,128
VR 9560 CL (ST)	_	33	40	43	1,220	38	995
PV 533 G (RT)	_	_	_	_	_	40	932
6060 RR (RT)	24	31	42	32	2,116	30	915
5525 CL (ST)	_	30	_	_	_	33	713
1970 (RT)	_	29	38	33	945	41	708
1918 (RT)	_	_	34	25	523	36	665
VT 500 G (RT)	19	26	40	30	4,928	38	614
73-75 RR (RT)	_	31	42	36	4,628	42	594
SY4157 (RT)	_	_	_	_	_	45	549
WEIGHTED AVERAGE YIEL	D AND T	OTAL AC	CREAGE	§		41.6	191,847

WHEAT YIELDS BY VA	DIETV	0011 20	0151			DIEV	AREA 4
WHEAT HELDS BY VA	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CARBERRY (RS)	_	49	60	47	57,839	45	44,223
CARDALE (RS)	_	_	64	50	8,352	47	29,927
GLENN (RS)	40	49	60	47	25,821	48	23,487
HARVEST (RS)	41	46	68	56	11,773	50	15,068
AAC BRANDON (RS)	_	_	_	_	_	54	14,311
MUCHMORE (RS)	_	_	73	57	8,630	54	8,647
CDC STANLEY (RS)	_	_	59	47	8,583	44	7,617
WR 859 CL (RS)	37	47	63	48	8,370	47	6,393
FALLER (F)	_	_	_	75	3,255	60	5,319
AC DOMAIN (RS)	41	39	60	46	6,553	44	4,994
EMERSON (W)	_	_	_	_	_	49	4,021
CDC PLENTIFUL (RS)	_	_	_	_	_	44	3,380
PASTEUR (F)	_	57	71	53	5,966	49	3,308
AC BARRIE (RS)	41	36	58	54	3,475	44	2,825
PROSPER (F)	_	_	_	_	_	66	2,557
KANE (RS)	38	38	55	44	6,029	35	2,423
CDC VR MORRIS (RS)	_	_	49	51	1,657	54	2,341
CDC UTMOST (RS)	_	38	59	39	1,457	41	1,985
• •							

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.

¶ For additional characteristic codes, see the key at the end of the Risk Area tables.



On system as of January 5, 2016;Assuming 48 lbs./bu.

WHEAT YIELDS BY VAF	WHEAT YIELDS BY VARIETY 2011–2015†										
							2015‡				
Variety¶							Acres				
5604HR CL (RS)	_	_	64	_	_	34	1,269				
CDC FALCON (W)	60	63	60	62	3,050	58	1,269				
FLOURISH (W)	_	_	_	46	3,807	57	755				
AAC ELIE (RS)	_	_	_	_	_	60	667				
CDC GO (RS)	42	56	65	50	1,428	54	566				
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	CREAGE	ş		47.9	190,396				

SOYBEAN YIELDS BY VA	RIET	Y 2011	-2015†			RISK	AREA 4
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
NSC RESTON RR2Y (RT)	_	_	_	34	4,069	37	11,311
TH 33003R2Y (RT)	_	_	43	32	5,885	39	9,568
23-60RY (RT)	_	_	_	_	_	38	5,824
TH 32004R2Y (RT)	_	41	40	37	4,177	35	5,135
900Y61 (RT)	_	11	38	29	2,398	33	2,581
HERO R2 (RT)	_	_	_	_	_	41	2,498
900Y71 (RT)	_	26	_	40	1,453	37	2,185
PEKKO R2 (RT)	_	_	35	33	2,361	37	2,160
NSC ANOLA RR2Y (RT)	_	34	40	37	2,050	41	1,598
S007-Y4 (RT)	_	_	_	_	_	43	1,447
OAC PRUDENCE	_	_	_	_	_	24	1,322
NSC GLADSTONE RR2Y (RT)	_	_	_	_	_	42	1,071
MCLEOD R2 (RT)	_	_	_	_	_	39	996
23-10RY (RT)	_	_	38	33	4,583	38	746
23-11RY (RT)	_	_	_	_	_	41	740
S0009-M2 (RT)	_	_	_	_	_	48	716
LS 004R21 (RT)	_	36	37	28	1,373	40	711
TH 27003RR (RT)	_	_	_	_	_	43	580
NSC TILSTON RR2Y (RT)	_	_	_	_	_	31	546
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	§		37.5	58,833

OATS YIELDS BY VARII	RISK AREA 4						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
SOURIS	64	63	104	84	7,672	71	6,862
SUMMIT	_	63	_	79	631	96	2,812
PINNACLE	75	54	83	45	1,017	60	1,164
FURLONG	69	40	94	72	1,259	72	786
WEIGHTED AVERAGE YIELI	73.9	13,913					

BARLEY* YIELDS BY VA	ARIETY	2011-	-2015†			RISK	AREA 4
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CONLON	53	56	67	58	12,379	60	10,365
NEWDALE	32	53	76	53	4,455	62	5,521
CDC AUSTENSON	_	66	87	67	2,843	81	4,021
CHAMPION	_	48	74	61	2,985	63	3,127
CDC COPELAND	_	48	83	_	_	65	2,449
CELEBRATION	_	_	74	62	2,705	58	1,690
AC METCALFE	47	41	64	48	1,834	48	674
LACEY	55	49	68	53	910	62	652
CDC MEREDITH	_	47	90	47	569	60	625
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		63.1	32,166

CORN YIELDS BY VARII	ETY 20	11–201	15†			RISK	AREA 4
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
P7332R (RT)	_	_	_	86	1,147	129	3,505
P7443R (RT)	_	105	120	87	5,397	127	3,499
39D95 (BT)(LT)(RT)	89	102	125	104	2,484	141	1,693
P7410HR (HX1)(LT)(RT)	_	_	_	_	_	149	1,322
P7213R (RT)	88	94	114	65	2,447	111	1,124
39D97 (BT)(LT)(RT)	_	_	_	_	_	158	643
DKC26-28RIB (BT)(RIB)(RT)	_	_	134	99	2,025	144	574
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	§		133.9	15,059

- † Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.
- ¶ For additional characteristic codes, see the key at the end of the Risk Area tables.
- ‡ On system as of January 5, 2016;
- Assuming 48 lbs./bu.





	_									
FLAX YIELDS BY VARIE	TY 20	11–201	5†			RISK	AREA 4			
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CDC BETHUNE	23	18	32	19	5,669	23	9,374			
CDC SORREL	15	18	25	_	_	21	2,480			
LIGHTNING	23	17	29	25	3,215	21	1,612			
CDC GLAS	_	_	_	_	_	28	643			
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		22.6	14,778			
SUNFLOWER YIELDS BY VARIETY 2011–2015† RISK AREA 4										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
6946 DMR (C)	_	2,061	1,823	_	_	1,526	1,172			
8N270CLDM (0)			1,973	1,552	1,009	2,092	526			
WEIGHTED AVERAGE YIELD) AND T	OTAL A	CREAGE	§		1793.0	6,016			
FIELD PEA YIELDS BY	VARIE [*]	TY 201	1–2015	t		RISK	AREA 4			
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CDC MEADOW	28	40	50	33	2,720	30	3,932			
4010	_	_	_	_	_	23	607			
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	8		31.0	5.723			

CANOLA YIELDS BY VA		2011-	2015†			RISK	AREA 5
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
L252 (LT)	_	_	_	50	39,010	48	112,352
74-44 BL (RT)	_	_	47	46	7,504	46	35,532
L140P (LT)	_	_	_	49	4,474	50	23,251
L130 (LT)	35	33	50	45	55,747	45	18,965
46H75 (ST)	_	_	56	45	5,725	46	9,722
1990 (RT)	_	30	47	46	12,336	48	8,503
45H33 (RT)	_	_	_	_	_	45	7,514
5440 (LT)	36	31	51	46	41,798	42	7,097
PV 530 G (RT)	_	_	_	39	4,072	40	5,919
L120 (LT)	_	31	49	45	9,140	49	5,706
74-54 RR (RT)	_	_	_	46	8,373	44	5,597
1012 RR (RT)	32	32	44	38	12,207	37	5,561
L156H (LT)	_	_	51	50	13,323	50	5,198
45H31 (RT)	_	31	48	43	3,844	45	5,106
2020 CL (ST)	_	_	_	_		45	4,759
L261 (LT)	_	_	_	47	10,057	48	4,546
L159 (LT)	_	30	45	47	5.644	41	4,203
45H29 (RT)	36	33	48	44	13,443	43	3,472
73-75 RR (RT)	_	32	47	41	21,435	40	3,355
6056 CR (RT)	_	_	<u></u>			50	3,092
SY4135 (RT)	_	_	_	45	2,769	48	2,756
1020 RR (RT)	_	_	_	_		43	2,704
SY4157 (RT)	_	_	_	_	_	47	2,653
VT 500 G (RT)	27	31	42	39	10,387	39	2,425
V1 300 d (111) V12-1 (RT)		_			10,507	45	2,414
45H75 CL (ST)	_	_	_	44	2,112	43	2,394
L154 (LT)		34	53	52	3,983	38	2,150
6060 RR (RT)	38	29	50	44	9.964	47	1,928
V22-1 (RT)				77	3,304	43	1,816
45H76 (ST)		_	_			41	1,762
CS2000 (RT)						50	1,641
VR 9560 CL (ST)		29	41	46	4,242	41	1,635
73-45 RR (RT)	35	29	44	40	3,684	40	1,511
L135C (LT)	33	29	44	42	3,004	50	1,346
,	_	_	_			41	,
PV 533 G (RT)		29	49	36	1,529	38	1,150
D3153 (RT)			49		1,529		1,125
75-65 RR (RT)		_		_		47 43	1,111 835
VR 9562 GC (RT)	_	_	_		775	52	
L160S (LT)				43	775		810
2012 CL (ST)	27	27	38	37	740	40	783
1970 (RT)	37	32	49	46	1,363	44	671
45S54 RR (RT)			47	_	_	42	565
WEIGHTED AVERAGE YIELD	J AND T	UIAL A	HEAGE	3		46.0	324,674

WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA 5										
	2015	2015‡								
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
HARVEST (RS)	45	50	66	66	78,434	62	75,270			
CARDALE (RS)	_	_	80	65	34,542	60	62,724			
AAC BRANDON (RS)	_	_	_	70	2,720	66	44,414			

WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA 5											
							2015‡				
Variety¶							Acres				
CARBERRY (RS)	46	50	62	57	92,311	58	36,324				
FALLER (F)	_	_	87	79	9,817	81	15,426				
GLENN (RS)	42	51	63	59	14,728	56	13,268				
5604HR CL (RS)	_	52	60	57	10,436	55	11,974				
CDC PLENTIFUL (RS)	_	_	_	_	_	61	6,868				
WR 859 CL (RS)	39	53	63	56	9,279	55	6,133				
PROSPER (F)	_	_	_	88	6,094	80	5,551				
AAC ELIE (RS)	_	_	_	_	_	61	5,040				
PASTEUR (F)	_	58	74	69	10,019	67	4,707				
EMERSON (W)	_	_	_	_	_	67	2,660				
KANE (RS)	39	45	57	59	7,535	47	2,141				
5605HR CL (RS)	_	_	_	_	_	48	1,917				
CDC VR MORRIS (RS)	_	_	_	53	2,505	54	1,765				
MUCHMORE (RS)	_	43	78	69	1,235	71	1,617				
AC DOMAIN (RS)	38	44	52	51	2,529	53	1,540				
CDC FALCON (W)	65	63	55	53	7,327	66	1,311				
VESPER VB (RS)	_	_	52	48	1,701	45	1,218				
SNOWSTAR (HWS)	60	58	69	61	1,130	52	725				
FLOURISH (W)	_	_	61	55	8,519	66	719				
AAC GATEWAY (W)	_	_	_	_	_	70	520				
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	}		61.9	308,170				

SOYBEAN YIELDS BY VARIETY 2011–2015† RISK AREA 5									
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
23-60RY (RT)	_	_	_	35	1,449	39	14,520		
900Y61 (RT)	_	31	39	31	7,599	35	5,189		
LS 002R23 (RT)	_	_	44	36	5,600	37	4,770		
NSC RESTON RR2Y (RT)	_	_	_	31	4,874	39	4,208		
LS 003R24N (RT)	_	_	_	40	942	36	3,966		
NSC GLADSTÒNÉ RR2Y (RI	Γ) —	_	_	_	_	35	3,742		
S007-Y4 (RT)	· —	_	_	_	_	39	3,287		
23-10RY (RT)	_	_	35	32	9,201	36	3,127		
LS002R24N (RT)	_	_	_	33	1,409	33	2,983		
P002T04R (RT)	_	_	_	32	702	37	2,958		
MCLEOD R2 (RT)	_	_	_	32	2,869	33	2,257		
P008T22R2 (RT)	_	_	_	_	_	32	2,206		
TH 32004R2Y (RT)	_	_	33	37	5,952	39	2,092		
LS NORTHWESTER (RT)	_	_	_	_	_	32	1,800		
PS 0027 RR (RT)	_	_	_	_	_	32	1,300		
24-10RY (RT)	_	_	38	37	5,841	36	1,182		
PEKKO R2 (RT)	_	35	41	32	2,223	38	1,067		
NSC TILSTON RR2Y (RT)	_	_	_	_	_	37	1,025		
HERO R2 (RT)	_	_	_	_	_	42	984		
HS 006RYS24 (RT)	_	_	40	33	822	29	963		
22-60RY (RT)	_	_	_	_	_	37	906		
LS 004R23 (RT)	_	_	_	_	_	37	839		
P008T70R (RT)	_	_	_	_	_	36	781		
NSC RICHER RR2Y (RT)	_	_	_	_	_	40	780		
LS 004R21 (RT)	_	35	42	37	1,749	34	759		
900Y71 (RT)	28	34	42	31	1,603	31	751		
NSC ANOLA RR2Y (RT)	_	_	37	32	666	46	687		
S0009-M2 (RT)	_	_	_	_	_	43	581		
LS005R24 (RT)	_	_	_	_	_	26	563		
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	3		36.6	78,315		

OATS YIELDS BY VARIETY 2011–2015† RISK AREA 5										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
SOURIS	96	89	120	110	10,798	112	12,308			
FURLONG	85	77	117	97	5,379	115	4,050			
SUMMIT	_	_	110	115	2,086	122	3,165			
CS CAMDEN	_	_	_	_	_	143	1,010			
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 115.2 21,291										

BARLEY* YIELDS BY \	/ARIETY	2011-	-2015†			RISK	AREA 5
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CONLON	50	64	88	82	19,339	76	17,289
NEWDALE	51	61	90	83	3,956	83	5,265
BENTLEY	60	48	94	77	2,101	83	3,606
TRADITION	54	63	94	84	2,232	82	2,527
ROBUST	49	43	89	84	2,131	89	2,154
CDC AUSTENSON	_	_	96	101	1,375	84	1,805
AC METCALFE	_	58	83	74	995	74	1,676
CHAMPION	47	58	94	85	861	91	850
CELEBRATION	_	66	85	86	1,217	81	720
WEIGHTED AVERAGE YIEL	79.8	38,358					

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table. ¶ For additional characteristic codes, see the key at the end of the Risk Area tables.



[‡] On system as of January 5, 2016;

Assuming 48 lbs./bu.

NUFARM full page

CORN YIELDS BY VARI	ETY 20	011-20	15†			RISK	AREA!
	2011	2012	2013	2014	2014	2015	2015
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
P7443R (RT)	_	119	126	95	2,608	136	1,86
39D97 (BT)(LT)(RT)	_	119	_	_	_	146	81
A4415G2 RÌB (RÌB)	_	_	_	_	_	132	81
P7410HR (HX1)(LT)(RT)	_	_	_	_	_	140	66
P7632AM (BT)(RT)(LT)	_	_	_	_	_	140	60
DKC27-25 (LT)(RT)	_	_	_	_	_	143	52
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		134.5	8,18
DRY BEAN YIELDS BY	VARIE	TY 201	1–2015	+		RISK	AREA
	2011		2013	2014	2014	2015	2015
Variety¶		Yield		Yield	Acres	Yield	Acre
T9905 (WHITE PEA)			2.372	2.114	6.297	2.282	5.46
CHIANTI (CRANBERRY)						1,944	75
MONTERREY (PINTO)	_	_	_	_	_	2,072	72
PINK PANTHER (KIDNEY)	_	_	_	_	_	1.508	63
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		2176.6	11,62
TI AV VIEL DO DV VADI	-TV 00	11 001	F.L.			DICK	ADEA
FLAX YIELDS BY VARII				0011	0011		AREA
	2011			2014	2014	2015	2015
Variety¶	Yield			Yield	Acres	Yield	Acre
LIGHTNING	24	17	38	28	3,919	27	3,95
CDC BETHUNE	19	21	31	24	1,749		3,12
CDC SORREL	22	17	28	24	1,071	26	3,06
CDC GLAS	O AND T	—— OTAL A		30	995	27	1,86
WEIGHTED AVERAGE YIELI	JANDI	UIAL A	HEAGE	3		26.1	13,92
SUNFLOWER YIELDS E							AREA
		2012	2013	2014	2014	2015	2015
	Yield	Yield	Yield	Yield	Acres	Yield 1,896	Acre
							2,47
ROYAL HYBRID 400CL (C)	_	_	_	_	_		
ROYAL HYBRID 400CL (C) P63M80 (O)	_	_	_			1,649	
ROYAL HYBRID 400CL (C) P63M80 (O) 6946 DMR (C)	_ _ _		1,958	1,733	859	1,649 2,163	2,32
ROYAL HYBRID 400CL (C) P63M80 (O) 6946 DMR (C) 6946 (C)	 1,810		 1,958 1,911	1,733 —	859 —	1,649 2,163 1,138	2,32 79
ROYAL HYBRID 400CL (C) P63M80 (O) 6946 DMR (C) 6946 (C) P63ME80 (O)	´ —	1,881	1,911	_	_	1,649 2,163 1,138 1,847	2,32 79 62
ROYAL HYBRID 400CL (C) P63M80 (O) 6946 DMR (C) 6946 (C) P63ME80 (O)	´ —	1,881	1,911	_	_	1,649 2,163 1,138	2,32 79 62
ROYAL HYBRID 400CL (C) P63M80 (O) 6946 DMR (C) 6946 (C) P63ME80 (O) WEIGHTED AVERAGE YIELI	D AND T	1,881 — OTAL AC	1,911 — Creage 1–2015	- § †	=	1,649 2,163 1,138 1,847 1776.6	2,32 79 62 10,95
ROYAL HYBRID 400CL (C) P63M80 (O) 9946 DMR (C) 6946 (C) P63ME80 (O) WEIGHTED AVERAGE YIELI FIELD PEA YIELDS BY	D AND T VARIE 2011	1,881 OTAL AC TY 201 2012	1,911 — CREAGE 1–2015 2013	† 2014	2014	1,649 2,163 1,138 1,847 1776.6 RISK 2015	2,32 79 62 10,95 AREA 3
ROYAL HYBRID 400CL (C) P63M80 (O) P63M80 (C) P63M80 (C) P63M80 (O) WEIGHTED AVERAGE YIELD FIELD PEA YIELDS BY Variety¶	D AND T VARIE 2011 Yield	1,881 OTAL AC TY 201 2012 Yield	1,911 CREAGE 1–2015 2013 Yield	† 2014 Yield	2014 Acres	1,649 2,163 1,138 1,847 1776.6 RISK 2015 Yield	2,32 79 62 10,95 AREA 2015 Acre
ROYAL HYBRID 400CL (C) P63M80 (O) P63M80 (C) S946 (C) P63ME80 (O) WEIGHTED AVERAGE YIELD FIELD PEA YIELDS BY Variety¶ CDC MEADOW	VARIE 2011 Yield 42	1,881 OTAL AC TY 201 2012 Yield 44	1,911 CREAGE 1–2015 2013 Yield 56	† 2014 Yield 52	2014 Acres 1,880	1,649 2,163 1,138 1,847 1776.6 RISK 2015 Yield 45	2,32 79 62 10,95 AREA 2015 Acre 1,83
ROYAL HYBRID 400CL (C) P63M80 (O) 6946 (C) P63M880 (O) WEIGHTED AVERAGE YIELI FIELD PEA YIELDS BY Variety¶ CDC MEADOW AGASSIZ	D AND T VARIE 2011 Yield	1,881 OTAL AC TY 201 2012 Yield	1,911 CREAGE 1–2015 2013 Yield	† 2014 Yield	2014 Acres	1,649 2,163 1,138 1,847 1776.6 RISK 2015 Yield 45 44	2,32 79 62 10,95 AREA 2015 Acre 1,83 1,76
Variety* ROYAL HYBRID 400CL (C) P63M80 (0) 6946 DMR (C) 6946 (C) P63ME80 (0) WEIGHTED AVERAGE YIELI FIELD PEA YIELDS BY Variety* CDC MEADOW AGASSIZ CDC PATRICK WEIGHTED AVERAGE YIELI	VARIE 2011 Yield 42 53	1,881 ——————————————————————————————————	1,911 CREAGE 1-2015 2013 Yield 56 55	† 2014 Yield 52 46	2014 Acres 1,880	1,649 2,163 1,138 1,847 1776.6 RISK 2015 Yield 45	2,32 2,32 79 62: 10,95 : AREA : 2015 Acre: 1,83: 1,76: 54: 4,52 :

CANOLA YIELDS BY							AREA 6
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
L252 (LT)	_	_	_	41	25,238	46	60,053
5440 (LT)	27	33	51	39	45,115	47	37,039
L130 (LT)	28	33	50	38	37,448	45	35,621
1012 RR (RT)	27	36	46	36	37,581	43	33,413
74-44 BL (RT)	_	_	45	35	10,897	41	22,995
L140P (LT)	_	_	_	36	3,946	47	10,976
46H75 (ST)	_	34	45	37	5,233	45	8,060
45H33 (RT)	_	_	_	_	_	44	7,332
1990 (RT)	_	30	46	35	8,251	42	6,367
L261 (LT)	_	_	_	39	6,522	46	6,291
45H29 (RT)	25	33	46	37	13,187	41	6,019
45H76 (ST)	_	33	_	35	619	44	5,924
45H31 (RT)	_	32	48	37	9,848	44	5,003
PV 530 G (RT)	_	_	_	34	3,676	41	4,884
6060 RR (RT)	25	34	46	32	7,234	43	4,358
L156H (LT)	_	_	48	37	7,743	47	3,998
2020 CL (ST)	_	_	_	_	· —	37	3,515
L159 (LT)	_	_	47	37	4,353	44	2,922
VR 9562 GC (RT)	_	_	_	30	2,295	45	2,898
L120 (LT)	_	31	43	37	3,207	43	2,813
73-45 RR (RT)	26	30	41	34	2,595	35	2,800
L154 (LT)	_	35	52	39	5,828	41	2,689
D3155C (RT)	_	_	_	_	· —	37	2,476
74-54 RR (RT)	_	_	_	34	9,763	40	2,321
5525 CL (ST)	_	28	39	_	´ —	38	2,097
PV 533 G (RT)	_	_	_	_	_	38	2,006
73-75 RR (RT)	28	32	43	33	9,618	35	1,991
43E03RR (RT)		_	_	_	_	44	1,899
VT 500 G (RT)	27	31	42	32	3,413	34	1,898
46A76 (ST)	12	16	28	33	1,797	39	1,876

±	On system as of January 5, 2016;	

^{*} Assuming 48 lbs./bu.

CANOLA YIELDS BY VARIETY 2011–2015† RISK AREA 6											
		2012				2015	2015‡				
Variety¶							Acres				
1020 RR (RT)	_	_	_	_	_	42	1,768				
6044 RR (RT)	_	_	_	37	1,630	43	1,723				
VR 9560 CL (ST)	_	31	42	41	2,677	38	1,656				
L160S (LT)	_	_	_	37	2,118	29	1,606				
45556 (RT)	_	_	_	_	_	40	1,538				
45S54 RR (RT)	_	_	43	35	4,550	36	1,484				
SY4157 (RT)	_	_	_	_	_	38	1,348				
SY4135 (RT)	_	_	_	39	1,366	28	1,344				
2012 CL (ST)	18	29	43	33	5,894	35	1,152				
SW WIZZARD	_	_	21	12	1,249	20	854				
L150 (LT)	30	32	49	37	7,130	41	852				
1918 (RT)	_	_	33	25	721	39	605				
V12-1 (RT)	_	31	41	_	_	44	566				
WEIGHTED AVERAGE YIEL	D AND T	OTAL AC	REAGE	§		43.6	314,601				

WHEAT YIELDS BY VAR	WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA 6										
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
CARBERRY (RS)	44	56	66	46	80,670	47	65,267				
GLENN (RS)	41	52	65	47	53,680	47	46,576				
CARDALE (RS)	_	_	72	48	13,741	49	41,545				
AAC BRANDON (RS)	_	_	_	48	1,111	54	29,832				
HARVEST (RS)	41	52	75	53	27,305	51	24,514				
MUCHMORE (RS)	_	_	72	52	15,522	52	15,761				
CDC PLENTIFUL (RS)	_	_	_	_	_	46	10,556				
PASTEUR (F)	_	59	80	56	5,834	57	8,613				
FALLER (F)	_	_	_	_	_	63	6,761				
CDC STANLEY (RS)	_	52	66	46	4,815	49	4,686				
CDC UTMOST (RS)	_	57	70	49	11,704	43	4,570				
AC DOMAIN (RS)	35	45	59	42	4,938	37	4,206				
CDC VR MORRIS (RS)	_	_	_	46	5,967	54	4,154				
WR 859 CL (RS)	40	53	65	47	8,629	49	3,081				
5604HR CL (RS)	_	46	65	50	3,660	42	2,959				
EMERSON (W)	_	_	_	_	_	53	1,761				
KANE (RS)	37	48	61	40	6,558	35	1,385				
AC INTREPID (RS)	38	49	58	41	2,002	39	1,367				
FLOURISH (W)	_	_	_	55	5,780	54	1,205				
AAC ELIE (RS)	_	_	_	_	_	44	1,187				
CDC GO (RS)	45	59	75	57	2,641	51	1,173				
WFT 603 (F)	_	_	_	_		53	1,143				
AC BARRIE (RS)	41	40	52	40	861	34	874				
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	REAGE	}		49.0	290,170				

SOYBEAN YIELDS BY V	RISK	AREA 6					
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
NSC RESTON RR2Y (RT)	_	_	_	27	2,548	36	3,746
TH 32004R2Y (RT)	_	_	34	_	_	39	3,538
900Y71 (RT)	_	_	_	_	_	41	2,608
P002T04R (RT)	_	_	_	_	_	39	1,641
23-11RY (RT)	_	_	_	_	_	38	1,590
23-10RY (RT)	_	_	34	34	2,100	37	1,411
TH 33003R2Y (RT)	_	_	_	30	3,613	41	1,340
NSC MOOSOMIN RR2Y (RT)	· —	_	_	28	507	38	1,185
22-60RY (RT)	_	_	_	_	_	40	1,174
23-60RY (RT)	_	_	_	_	_	42	1,147
PEKKO R2 (RT)	_	_	31	29	830	32	915
MCLEOD R2 (ŔT)	_	_	_	_	_	33	913
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	}		38.7	25,992

OATS YIELDS BY VARIE	RISK AREA 6						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
SOURIS	71	87	116	75	7,727	101	7,833
SUMMIT	_	94	133	106	4,429	112	6,637
CDC DANCER	68	82	95	81	956	95	1,448
TRIPLE CROWN	96	95	100	_	_	95	920
TRIACTOR	_	85	121	94	1,358	112	812
LEGGETT	65	71	113	83	1,719	89	567
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	}		101.8	20,055

BARLEY* YIELDS BY V	ARIETY	′ 2011–	-2015†			RISK	AREA 6
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC AUSTENSON	_	63	103	65	10,266	79	10,061
NEWDALE	29	52	90	56	6,882	79	8,310
AC METCALFE	38	46	76	47	5,195	59	6,804
CONLON	47	55	94	64	5,356	62	4,513
CDC COPELAND	_	50	100	78	2,046	76	3,188
CELEBRATION	_	68	92	61	930	82	2,237



[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.

¶ For additional characteristic codes, see the key at the end of the Risk Area tables.

NORTH STAR GENETICS soybean RH

BARLEY* YIELDS BY V	ARIETY	2011-	-2015†			RISK	AREA 6
		2012				2015	2015‡
Variety¶							Acres
CHAMPION	_	71	94	62	2,566	72	1,101
CDC MEREDITH	_	40	95	_	_	53	976
LEGACY	32	56	74	37	863	59	955
CDC TREY	35	44	63	57	932	64	924
STELLAR-ND	43	59	105	67	1,526	70	837
BENTLEY	_	45	80	_	_	57	571
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		70.7	42,549

FLAX YIELDS BY VARII	RISK	AREA 6					
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC BETHUNE	20	21	32	19	6,265	22	5,994
CDC SORREL	19	19	32	22	4,130	23	5,802
CDC GLAS	_	_	_	23	1,048	27	2,450
WEIGHTED AVERAGE YIEL	23.4	17,542					

FIELD PEA YIELDS BY	RISK AREA 6						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CDC MEADOW	23	44	52	23	2,517	46	4,544
WEIGHTED AVERAGE YIELI	O AND T	OTAL A	REAGE	§		42.1	8,268

CANOLA YIELDS BY V	ARIETY						AREA 7
Variety¶							
L130 (LT)	27	31	49	41	27,210	47	28,833
1012 RR (RT)	35	32	45	38	35,133	42	28,806
L252 (LT)	_	_	_	45	9,963	47	23,955

- Yields only for those varieties grown on more than 500 acres and by more than 2 growers; Weighted Average Yield and Total Acreage include acres not reported in the table.
- ¶ For additional characteristic codes, see the key at the end of the Risk Area tables.
- **CANOLA YIELDS BY VARIETY 2011–2015**† 5440 (LT) 29 30 49 41 16,673 40 17,495 1990 (RT) 21 49 10,159 8,139 36 45 L140P (LT) 43 2,230 46 6,319 PV 530 G (RT) 45 782 34 5,424 74-44 BL (RT) 49 37 2,207 42 5,300 45H33 (RT) 46 3,805 L120 (LT) 25 47 42 1,390 44 3,352 46H75 (ST) 34 46 41 2.029 45 3.244 3,228 D3155C (RT) 44 D3153 (RT) 31 41 32 8,242 42 2,728 33 7,361 45H29 (RT) 28 43 36 43 2,525 L154 (LT) 49 7,260 2,290 L156H (LT) 40 2,959 49 52 2,152 45H75 CL (ST) 42 2,452 54 1,608 45H76 (ST) 46 1,575 6060 RR (RT) 27 28 40 37 3,392 46 1,467 45H31 (RT) 1,327 47 35 4,616 53 SY4135 (RT) 44 1,302 35 8,778 40 74-54 RR (RT) 1,278 SY4157 (RT) 50 1,273 1,065 75-65 RR (RT) 50 31 2012 CL (ST) 43 33 734 40 994 43E03RR (RT) 41 982 2020 CL (ST) 42 975 L261 (LT) 41 2,800 45 956 L159 (LT) 46 645 45556 (RT) 41 543 73-75 RR (RT) 30 44 37 2,071 42 539 **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** 44.2 172,628
- ‡ On system as of January 5, 2016;
- Assuming 48 lbs./bu.






WHEAT YIELDS BY VA							
Varietv¶					Acres		Acre
CARBERRY (RS)	49	54	70	47	56,592	50	36,4
GLENN (RS)	41	50	66	46	25,376	46	26,98
AAC BRANDON (RS)	_	_	_	61	1,339	52	24,12
CARDALE (RS)	_	_	70	52	9,865	51	20,9
HARVEST (RS)	39	44	69	47	13,829	52	12,9
CDC UTMOST (RS)	_	54	70	59	3,716	52	6,12
CDC PLENTIFUL (RS)	_	_	_	52	562	54	4,9
FALLER (F)		_		67	2.496	68	4.4
WR 859 CL (RS)	42	52	68	44	5,384	53	3,80
AAC ELIE (RS)	42	JZ	00		3,304	57	2.7
AC DOMAIN (RS)	33	44	60	43	1,688	38	1,3
	აა	44	00	43		42	
CDC VR MORRIS (RS)	_	_	_	47	1,122		1,33
AAC W1876 (RS)	40		_			46	1,2
CDC TEAL (RS)	46	49	53	31	988	22	7
WEIGHTED AVERAGE YIEI	LD AND I	UIAL A	REAGE	3		50.5	154,1
SOYBEAN YIELDS BY	VARIET	Y 2011	-201 <u>5</u> †			RISK	AREA
Variety¶							
00 (0D) ((DT)		_	_	_	_	36	5
23-10RY (RT)	_						
WEIGHTED AVERAGE YIEI	IETY 20	11–201	5†		2014		AREA
WEIGHTEĎ AVERAGE YIEI Oats yields by var				2014 Yield	2014 Acres		AREA 201
WEIGHTED AVERAGE YIEI Oats yields by var Variety¶	IETY 20 2011	11–201 2012	5† 2013	2014		RISK 2015	AREA 2018 Acre
23-10RY (RT) WEIGHTED AVERAGE YIEL OATS YIELDS BY VAR Variety¶ SUMMIT SOURIS	IETY 20 2011	11–201 2012	5† 2013	2014 Yield	Acres	RISK 2015 Yield	AREA 2018 Acre 3,79
WEIGHTED AVERAGE YIEI OATS YIELDS BY VAR Variety¶ SUMMIT SOURIS	IETY 20 2011 Yield	11–201 2012 Yield	5† 2013 Yield	2014 Yield 98	Acres 2,023	RISK 2015 Yield 100	AREA 2019 Acre 3,79 3,10
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety¶ SUMMIT SOURIS CDC DANCER	1ETY 20° 2011 Yield — 80	11–201 2012 Yield — 92	5† 2013 Yield — 129	2014 Yield 98 69	Acres 2,023 2,342	RISK 2015 Yield 100 101	AREA 201: Acro 3,79 3,10 2,0
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety SUMMIT SOURIS DDC DANCER FRIACTOR	2011 Yield — 80 52 91	11–201 2012 Yield — 92 80 82	5† 2013 Yield — 129 116 134	2014 Yield 98 69 64 88	Acres 2,023 2,342 1,520	RISK 2015 Yield 100 101 96	AREA 201: Acre 3,7: 3,1: 2,0: 1,7:
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety SUMMIT SOURIS DDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI	2011 Yield — 80 52 91 LD AND T	11–201 2012 Yield — 92 80 82 OTAL AC	5† 2013 Yield — 129 116 134 CREAGE	2014 Yield 98 69 64 88	Acres 2,023 2,342 1,520	RISK 2015 Yield 100 101 96 88 94.1	AREA 201: Acro 3,79 3,11 2,00 1,74 14,7
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety SUMMIT SOURIS DDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI	2011 Yield — 80 52 91 LD AND T	11-201 2012 Yield 92 80 82 OTAL AC	5† 2013 Yield — 129 116 134 CREAGE	2014 Yield 98 69 64 88	Acres 2,023 2,342 1,520 2,503	RISK 2015 Yield 100 101 96 88 94.1	AREA 201: Acrr 3,7: 3,1: 2,0: 1,7: 14,7'
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety* SUMMIT SOURIS CDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V	2011 Yield — 80 52 91 LD AND T	11-201 2012 Yield 92 80 82 OTAL AC	5† 2013 Yield — 129 116 134 CREAGE	2014 Yield 98 69 64 88	Acres 2,023 2,342 1,520 2,503	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015	AREA 2015 Acre 3,79 3,10 2,04 1,74 14,75 AREA 2015
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety¶ SUMMIT SOURIS COUR DANCER IRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety¶	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield	11-201 2012 Yield 92 80 82 OTAL AC	5† 2013 Yield — 129 116 134 CREAGE	2014 Yield 98 69 64 88	Acres 2,023 2,342 1,520 2,503 2014 Acres	RISK 2015 Yield 100 101 96 88 94.1	AREA 201: Acre 3,7: 3,1! 2,00 1,74 14,7 AREA 201: Acre
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety1 SUMMIT SOURIS CDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY Variety1 NEWDALE	2011 Yield — 80 52 91 LD AND T	11–201 2012 Yield — 92 80 82 OTAL AC	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93	2014 Yield 98 69 64 88 2014 Yield 55	Acres 2,023 2,342 1,520 2,503 2014 Acres 4,826	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75	AREA 201: Acro 3,79 3,11 2,00 1,74 14,7 AREA 201: Acro 5,2
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety1 SUMMIT SOURIS CDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety1 VEWDALE CDC AUSTENSON	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield	11–201 2012 Yield — 92 80 82 OTAL AC	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99	2014 Yield 98 69 64 88 2014 Yield 55 57	2,023 2,342 1,520 2,503 2,503 2014 Acres 4,826 2,618	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78	AREA 201: Acro 3,79 3,11 2,00 1,74 14,7 AREA 201: Acro 5,22 3,11
WEIGHTED AVERAGE YIEL DATS YIELDS BY VAR Variety¶ SUMMIT SOURIS DDC DANCER TRIACTOR WEIGHTED AVERAGE YIEL BARLEY* YIELDS BY V Variety¶ NEWDALE DDC AUSTENSON CELEBRATION	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield 38	11–201 2012 Yield — 92 80 82 OTAL AC (2011– 2012 Yield 54 — —	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98	2014 Yield 98 69 64 88 2014 Yield 55 57	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78	AREA 201: Acrr 3,7: 3,1: 2,0: 1,7: 14,7 AREA 201: Acrr 5,2: 3,1: 2,8:
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety* SUMMIT SOURIS DDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety* NEWDALE DDC AUSTENSON DELEBRATION AC METCALFE	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield	11–201 2012 Yield — 92 80 82 OTAL AC	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99	2014 Yield 98 69 64 88 2014 Yield 55 57 57 57	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78 78	AREA 201: Acro 3,7: 3,11 2,00 1,7- 14,7 AREA 201: Acro 5,2: 3,11 2,8: 2,1
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety* SUMMIT SOURMIS CDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety* NEWDALE CDC AUSTENSON CELEBRATION AC METCALFE CDC MEREDITH	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield 38 — 27	11-201 2012 Yield — 92 80 82 0TAL AC 7 2011- 2012 Yield 54 — 43	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98 75	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78 78 74 69	AREA 201: Acro 3,79 3,11 2,00 1,7- 14,7 AREA 201: Acro 5,20 3,11 2,88 2,11 1,11
WEIGHTED AVERAGE YIEI OATS YIELDS BY VAR Variety1 SUMMIT SOURIS CDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety1 NEWDALE CDC AUSTENSON CELEBRATION AC METCALFE CDC MEREDITH CDC COPELAND	2011 Yield 80 52 91 LD AND T VARIETY 2011 Yield 38 27 27	11-201 2012 Yield — 92 80 82 0TAL A(7 2011- 2012 Yield 54 — 43 — 46	5† 2013 Yield — 129 116 134 CREAGES 2015† 2013 Yield 93 99 98 75 — 90	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55 50	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180 1,807	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78 78 74 69 59	AREA 2019 Acre 3,73 3,11 2,04 1,77 14,77 AREA 2019 Acre 5,22 3,11 2,87 2,11 1,11
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety1 SUMMIT SOURIS CDC DANCER TRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety1 NEWDALE CDC AUSTENSON CELEBRATION AC METCALFE CDC MEREDITH CDC COPELAND CDC COWBOY	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield 38 — 27	11-201 2012 Yield — 92 80 82 0TAL AC 7 2011- 2012 Yield 54 — 43	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98 75 — 90 85	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180	RISK 2015 Yield 100 101 196 88 94.1 RISK 2015 Yield 75 78 78 74 69 59 53	AREA 2019 Acre 3,75 3,11 2,00 1,77 14,75 AREA 2019 Acre 5,22 3,11 2,86 2,11 1,11
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety* SUMMIT SOURIS CDC DANCER FRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety* Variety* VARIETY* UNEWDALE CDC AUSTENSON CELEBRATION AC METCALFE CDC MEREDITH CDC COPELAND CDC COWBOY BENTLEY	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield 38 — 27 — 27 12	11-201 2012 Yield — 92 80 82 0TAL A(7 2011- 2012 Yield 54 — 43 — 46 42 —	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98 75 — 90 85 61	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55 50 50	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180 1,807	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78 78 74 69 59 53 84	AREA 201: Acrr 3,7! 3,1! 2,00 1,7- 14,7' AREA 201: Acrc 5,2: 3,1! 2,8: 2,1: 1,1! 7; 7;
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety* SUMMIT SOURIS DDC DANCER FRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety* UVARIETY* UVENDALE DDC AUSTENSON CELEBRATION AC METCALFE DDC MEREDITH DDC COPELAND DDC COWBOY BENTLEY	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield 38 — 27 — 27 12	11-201 2012 Yield — 92 80 82 0TAL A(7 2011- 2012 Yield 54 — 43 — 46 42 —	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98 75 — 90 85 61	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55 50 50	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180 1,807	RISK 2015 Yield 100 101 196 88 94.1 RISK 2015 Yield 75 78 78 74 69 59 53	AREA 201: Acrr 3,7! 3,1! 2,00 1,7- 14,7' AREA 201: Acrc 5,2: 3,1! 2,8: 2,1: 1,1! 7; 7;
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety SUMMIT SOURIS DDC DANCER FRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety NEWDALE CDC AUSTENSON CELEBRATION AC METCALFE CDC MEREDITH CDC COPELAND CDC COWBOY BENTLEY WEIGHTED AVERAGE YIEI	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield 38 — 27 — 12 — LD AND T	11-201 2012 Yield — 92 80 82 OTAL AC (2011- 2012 Yield 54 — 43 — 46 42 — OTAL AC	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98 75 — 90 85 61 CREAGE	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55 50 50	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180 1,807	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78 74 69 59 53 84 74.0	AREA 201: Acrr 3,7' 3,11 2,00 1,7' 14,7' AREA 201: Acrr 5,22' 3,11 2,8: 2,11 1,11 7' 7' 7' 18,2'
WEIGHTED AVERAGE YIEI DATS YIELDS BY VAR Variety SUMMIT SOURIS DDC DANCER FRIACTOR WEIGHTED AVERAGE YIEI BARLEY* YIELDS BY V Variety NEWDALE CDC AUSTENSON CELEBRATION AC METCALFE CDC MEREDITH CDC COPELAND CDC COWBOY BENTLEY WEIGHTED AVERAGE YIEI	2011 Yield — 80 52 91 LD AND T VARIETY 2011 Yield 38 — 27 — 12 — LD AND T	11-201 2012 Yield — 92 80 82 OTAL AC (2011- 2012 Yield 54 — 43 — 46 42 — OTAL AC	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98 75 — 90 85 61 CREAGE	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55 50 50	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180 1,807	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78 74 69 59 53 84 74.0	AREA 2015 Acre 3,7' 3,710 2,00 1,74 14,7' AREA 2015 Acre 5,22' 3,116 2,8' 2,1' 1,111 7' 7' 18,22'
WEIGHTED AVERAGE YIEL DATS YIELDS BY VAR Variety* SOURIS DOC DANCER TRIACTOR WEIGHTED AVERAGE YIEL BARLEY* YIELDS BY V Variety* NEWDALE DDC AUSTENSON DELEBRATION AC METCALFE DDC MEREDITH DDC COPELAND DDC COWBOY SENTLEY WEIGHTED AVERAGE YIEL FLAX YIELDS BY VAR	2011 Yield	11-201 2012 Yield — 92 80 82 OTAL AC (2011- 2012 Yield 54 — 43 — 43 — 46 42 — OTAL AC	5† 2013 Yield — 129 116 134 CREAGES -2015† 2013 Yield 93 99 85 61 CREAGES	2014 Yield 98 69 64 88 2014 Yield 55 57 57 53 55 50 —	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 4,581 1,180 1,807 1,246	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 78 78 74 69 59 53 84 74.0	AREA 2015 Acre 3,7' 3,10 2,00 1,7' 14,7' 14,7' AREA 2015 2,8' 2,1' 1,11 7' 7' 18,2' AREA 2015
WEIGHTED AVERAGE YIEI OATS YIELDS BY VAR Variety¶ SUMMIT	2011 Yield	11-201 2012 Yield — 92 80 82 OTAL AC (2011- 2012 Yield 54 — 43 — 46 42 — OTAL AC	5† 2013 Yield — 129 116 134 CREAGE 2015† 2013 Yield 93 99 98 75 — 90 85 61 CREAGE	2014 Yield 98 69 64 88 2014 Yield 55 57 57 57 53 55 50 50	2,023 2,342 1,520 2,503 2014 Acres 4,826 2,618 2,310 1,807 1,246 —	RISK 2015 Yield 100 101 96 88 94.1 RISK 2015 Yield 75 78 78 74 69 59 53 84 74.0	1,99 AREA 2019 Acre 3,77 3,11 2,04 1,77 14,77 AREA 2019 Acre 7,7 18,22 AREA 2019 Acre 2019

FIELD PEA YIELDS BY	RISK AREA 7						
							2015‡
Variety¶							Acres
CDC MEADOW	22	41	59	38	2,194	55	2,721
WEIGHTED AVERAGE VIEL	50.6	4 416					

CANOLA YIELDS BY V	ARIETY	2011–	2015†			RISK AREA 8		
	2011	2012	2013	2014	2014	2015	2015‡	
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres	
5440 (LT)	42	17	43	30	82,253	47	61,258	
L252 (LT)	_	_	_	33	23,146	49	33,711	
L130 (LT)	44	16	39	28	24,569	48	25,194	
L140P (LT)	_	_	_	26	4,255	54	18,657	
1012 RR (RT)	_	16	38	29	7,701	46	7,991	
46H75 (ST)	_	_	43	34	1,995	49	6,819	
45H31 (RT)	_	16	46	27	12,138	46	6,399	
74-44 BL (RT)	_	_	_	25	1,449	45	5,559	
L120 (LT)	_	14	35	26	7,659	50	5,085	
45H76 (ST)	_	_	_	_	_	48	4,358	
L261 (LT)	_	_	_	28	3,464	48	3,541	
1990 (RT)	_	_	38	24	2,020	50	3,191	

Yields only for those varieties grown on more than 500 acres



For additional characteristic codes, see the key at the end of the Risk Area tables.





Much Later.

Use your AgriCard® to purchase qualifying seed at participating seed dealers today, and enjoy no payments, no interest until November 2016.* Find participating dealers, full details and more at agricard.ca/seednowpaylater.



*Subject to approval by Desjardins Financial Group credit department. If the total amount of a purchase made by way of deferred payment financing is not paid in full on the due date shown on the statement of account, it is automatically converted into a purchase by way of equal installments financing, repayable by equal consecutive monthly payments as to principal and credit charges at the annual interest rate for the equal installments financing plan in effect at the date of conversion. The annual interest rate of not more than 15.9% is calculated from the payment due date shown on the statement of account, until such purchases are paid in full. The number of equal monthly payment plan varies from 12 to 36 monthly payments depending on the balance converted. AgriCard® is a registered trademark of Desjardins Financial Group.

On system as of January 5, 2016;

Assuming 48 lbs./bu.

CANOLA YIELDS BY V		AREA 8					
Variety¶							
VT 500 G (RT)	32	12	30	21	4,721	41	2,786
PV 530 G (RT)	_	_	_	26	3,231	36	2,477
45H33 (RT)	_	_	_	_	_	44	2,047
L159 (LT)	_	14	37	23	2,047	40	1,817
74-54 RR (RT)	_	_	_	27	1,181	47	1,641
2020 CL (ST)	_	_	_	_	_	46	1,636
6060 RR (RT)	_	13	40	26	5,956	43	1,546
2012 CL (ST)	_	17	37	26	1,825	39	875
SY4157 (RT)	_	_	_	_	_	42	828
6064 RR (RT)	_	_	_	_	_	51	764
L160S (LT)	_	_	_	39	1,003	44	693
73-75 RR (RT)	_	15	37	26	3,786	40	626
WEIGHTED AVERAGE YIEL	.D AND T	OTAL A	CREAGE	§		47.5	204,731

WHEAT YIELDS BY VA	RIETY 2	2011–20	015†			RISK	AREA 8
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
HARVEST (RS)	52	41	66	48	70,337	47	79,581
CARDALE (RS)	_	_	64	50	5,439	47	17,868
AC DOMAIN (RS)	42	32	53	35	12,956	34	12,603
CDC STANLEY (RS)	_	47	60	49	10,675	44	12,143
CARBERRY (RS)	48	40	63	40	8,386	42	10,118
CDC UTMOST (RS)	51	36	59	46	7,717	44	9,190
CDC PLENTIFUL (RS)	_	_	_	50	980	52	7,143
MUCHMORE (RS)	_	50	74	45	7,976	46	6,623
5604HR CL (RS)	_	30	54	34	3,619	40	3,415
CDC GO (RS)	58	53	71	_	_	58	2,928
GLENN (RS)	61	49	65	40	1,476	41	2,364
AC SPLENDOR (RS)	49	40	57	46	2,499	50	2,204
CDC IMAGINE (RS)	38	43	62	44	1,307	56	1,597
PROSPER (F)	_	_	_	_	_	49	1,072
WEIGHTED AVERAGE YIEL	D AND T	OTAL AC	REAGE	§		45.3	171,489

SOYBEAN YIELDS BY	/ARIET	Y 2011	-2015†			RISK	AREA 8
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
P002T04R (RT)	_	_	_	_	_	37	3,172
VITO R2 (RT)	_	_	_	26	1,153	40	1,093
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		38.2	6,390

OATS YIELDS BY VARIETY 2011–2015† RISK AR									
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
SUMMIT	_	_	138	81	1,190	97	5,035		
SOURIS	110	36	111	69	872	74	1,728		
TRIPLE CROWN	34	36	73	_	_	57	1,302		
RONALD	63	49	80	54	793	62	1,169		
WEIGHTED AVERAGE YIE	79.5	11,110							

BARLEY* YIELDS BY VA	ARIETY	2011-	-2015†			RISK	AREA 8
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CONLON	29	_	_	_	_	41	1,077
CDC KINDERSLEY	_	_	_	_	_	59	842
CDC AUSTENSON	_	_	104	62	720	73	704
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		63.1	4,290

CANOLA YIELDS BY VARIETY 2011–2015† RISK AREA										
							2015‡			
Variety¶							Acres			
5440 (LT)	31	22	39	33	73,036	46	74,399			
L252 (LT)	_	_	_	33	23,014	46	59,939			
1012 RR (RT)	35	25	36	29	46,447	40	49,006			
L130 (LT)	33	21	37	29	35,155	45	29,797			
L140P (LT)	_	_	_	31	7,363	46	11,896			
PV 530 G (RT)	_	_	_	24	2,966	39	9,797			
74-44 BL (RT)	_	_	37	38	5,772	39	8,843			
1970 (RT)	22	22	43	29	2,770	41	6,462			
74-54 RR (RT)	_	_	_	33	4,186	38	6,378			
L261 (LT)	_	_	_	32	4,472	42	6,344			
L120 (LT)	_	20	36	26	8,379	42	6,309			
46H75 (ST)	_	18	41	27	5,529	41	5,407			

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.

¶ For additional characteristic codes, see the key at the end of the Risk Area tables.

CANOLA YIELDS BY VARIETY 2011–2015† RISK AREA 9										
OANOLA HELDO DI V										
6060 RR (RT)	25	21	35	32	6,056	38	5,191			
45H29 (RT)	32	22	41	31	6,882	46	5,007			
L150 (LT)	33	19	37	29	12,404	41	4,689			
2020 CL (ST)	_	_	_	_	_	39	4,604			
45H31 (RT)	_	26	32	39	8,586	42	4,578			
L156H (LT)	_	_	33	24	7,058	43	3,892			
2012 CL (ST)	_	19	33	24	9,196	38	3,362			
1990 (RT)	_	23	43	27	6,568	44	2,640			
73-75 RR (RT)	_	23	38	30	7,582	37	2,539			
L154 (LT)	_	26	43	35	2,735	44	2,523			
45H33 (RT)	_	_	_	_	_	46	2,306			
SY4157 (RT)	_	_	_	_	_	37	1,932			
V12-1 (RT)	_	_	28	27	2,654	39	1,711			
5525 CL (ST)	_	16	40	51	545	47	1,540			
45H75 CL (ST)	_	_	_	29	1,057	47	1,405			
3235 (RT)	_	_	_	20	520	45	1,035			
VT 500 G (RT)	33	19	32	34	3,440	29	978			
73-45 RR (RT)	33	18	32	24	2,388	34	809			
45556 (RT)	_	_	_	_	_	33	683			
VR 9560 CL (ST)	_	21	39	17	1,782	48	661			
75-65 RR (RT)	_	_	_	_	_	34	656			
SY4135 (RT)	_	_	_	_	_	34	639			
45H76 (ST)	_	_	39	_	_	40	615			
L160S (LT)	_	_	_	31	3,786	39	569			
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES 43.2										

WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA 9										
Variety¶										
HARVEST (RS)	46	39	68	43	45,862	44	50,400			
CARBERRY (RS)	_	47	59	43	55,941	45	44,231			
CARDALE (RS)	_	_	70	41	14,137	48	42,579			
GLENN (RS)	42	46	59	38	28,912	44	36,433			
AC DOMAIN (RS)	31	37	57	29	31,801	43	28,615			
CDC PLENTIFUL (RS)	_	_	_	_	_	45	17,057			
CDC STANLEY (RS)	_	53	63	35	12,349	49	7,737			
AAC BRANDON (RS)	_	_	_	_	_	50	5,963			
WR 859 CL (RS)	38	41	61	39	7,751	45	5,913			
CDC BUTEO (W)	41	53	52	29	7,915	43	5,341			
MUCHMORE (RS)	_	54	64	33	1,093	46	5,205			
AC BARRIE (RS)	29	44	56	41	6,074	41	4,770			
AC WASKADA (RS)	36	44	59	30	7,357	52	4,531			
5603 HR (RS)	36	43	49	_	_	40	3,615			
KANE (RS)	34	40	53	26	4,383	39	3,348			
FALLER (F)	_	_	69	_	_	70	3,311			
CDC VR MORRIS (RS)	_	_	_	20	1,597	50	2,985			
CDC UTMOST (RS)	_	42	64	47	3,105	38	2,904			
AC INTREPID (RS)	45	31	50	39	2,219	38	2,612			
5604HR CL (RS)	_	_	53	39	3,929	39	2,418			
UNITY VB (RS)	51	42	56	33	2,106	49	2,069			
PASTEUR (F)	_	_	77	39	618	58	1,928			
EMERSON (W)	_	_	_	_	_	54	1,202			
SUPERB (RS)	31	37	59	25	2,120	40	1,052			
PROSPER (F)	_	_	_	_	_	66	627			
SNOWBIRD (HWS)	_	_	_	_	_	25	567			
WEIGHTED AVERAGE YIELI	D AND T	OTAL AC	CREAGE	§		45.3	291,678			

SOYBEAN YIELDS BY VARIETY 2011–2015† RIS									
Variety¶									
PEKKO R2 (RT)	_	39	35	27	9,812	40	13,841		
23-10RY (RT)	_	35	33	27	8,582		12,377		
TH 32004R2Y (RT)	_	36	38	30	9,446	41	7,400		
NSC MOOSOMIN RR2Y (RT)	_	_	_	26	6,552	41	7,341		
LS 002R23 (RT)	_	_	37	26	2,021	39	6,798		
TH 33003R2Y (RT)	_	_	35	33	5,497	41	5,449		
P002T04R (RT)	_	_	_	_	_	35	4,934		
VITO R2 (RT)	_	_	_	27	2,099	37	4,824		
LS002R24N (RT)	_	_	_	27	1,880	41	1,888		
MCLEOD R2 (RT)	_	_	_	_	_	36	1,813		
900Y71 (RT)	_	31	31	23	2,872	38	1,542		
TH 33005R2Y (RT)	_	_	_	_	_	44	1,489		
S007-Y4 (RT)	_	_	_	_	_	40	1,176		
23-60RY (RT)	_	_	_	_	_	41	1,051		
ISIS RR (RT)	_	_	_	_	_	32	1,047		
TH 35003RR (RT)	_	_	_	_	_	41	930		
NOTUS R2 (RT)	_	_	_	_	_	41	770		
TH 3303R2Y (RT)	_	_	_	_	_	40	669		
NSC WARREN RR (RT)	_	_	_	_	_	40	656		
WEIGHTED AVERAGE YIELD	AND T	OTAL AC	REAGE	<u> </u>		38.8	92,533		

On system as of January 5, 2016;Assuming 48 lbs./bu.



DELMAR full page

soybeans RH

OATS YIELDS BY VARI	RISK AREA 9								
							2015‡		
Variety¶					Acres		Acres		
SOURIS	71	72	96	48	8,788	78	12,613		
SUMMIT	_	_	73	57	960	77	4,106		
AC MORGAN	97	92	117	96	3,475	70	3,966		
PINNACLE	_	43	83	42	696	91	2,085		
TRIACTOR	78	69	100	89	1,022	100	1,660		
LEGGETT	47	53	81	69	1,677	87	1,605		
TRIPLE CROWN	69	55	82	51	948	42	1,583		
RONALD	68	65	67	38	892	54	1,439		
CDC SO-I	_	_	_	_	_	70	817		
CDC MORRISON	_	_	_	_	_	94	637		
DERBY	_	36	72	_	_	77	527		
WEIGHTED AVERAGE YIEL	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§								

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA										
Variety¶							Acres			
CDC AUSTENSON	_	_	91	80	2,267	76	5,105			
AC METCALFE	32	29	74	43	3,177	68	4,965			
CONLON	40	38	51	25	1,718	53	4,325			
CELEBRATION	_	50	66	50	659	67	2,695			
BENTLEY	45	31	96	62	1,124	59	2,578			
NEWDALE	41	42	68	71	1,360	80	1,946			
CDC YORKTON	47	37	75	61	2,115	47	1,909			
LEGACY	34	33	75	37	1,924	66	1,646			
STELLAR-ND	35	35	67	31	520	65	1,298			
CDC COWBOY	50	16	44	31	712	49	501			
WEIGHTED AVERAGE YIELD	AND T	OTAL A	REAGE	§		63.8	31,926			

Trait Stewardship Responsibilities Notice to Farmers

Monsanto Company is a member of Excellence Through Stewardship® (ETS). Monsanto products are commercialized in accordance with ETS Product Launch Stewardship Buildance, and in compliance with Monsanto's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready® crops contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup® brand agricultural herbicides will kill crops that are not tolerant to glyphosate. Acceleron® seed treatment technology for canola contains the active ingredients difenoconazole, metalaxyl (M and S isomers), fludioxonil and thiamethoxam. Acceleron® seed treatment technology for canola plus Vibrance® is a combination of two separate individually-registered products, which together contain the active ingredients difenoconazole, metalaxyl (M and S isomers), fludioxonil, thiamethoxam, and sedaxane. Acceleron® seed treatment technology for corn (fungicides and insecticide) is a combination of four separate individually-registered products, which together contain the active ingredients metalaxyl, trifloxystrobin, ipconazole, and clothianidin. Acceleron® seed treatment technology for corn (fungicides only) is a combination of three separate individually-registered products, which together contain the active ingredients metalaxyl, trifloxystrobin and ipconazole. Acceleron® seed treatment technology for corn with Poncho®/VoTivo™ (fungicides, insecticide and nematicide) is a combination of five separate individually-registered products, which together contain the active ingredients metalaxyl, trifloxystrobin, ipconazole, clothianidin and Bacillus firmus strain I-1582. Acceleron® seed treatment technology for soybeans (fungicides and insecticide) is a combination of four separate individually registered products, which together contain the active ingredients fluxapyroxad, pyraclostrobin, metalaxyl and imidacloprid. Acceleron® seed treatment technology for soybeans (fungicides only) is a combination of three separate individually registered products, which together contain the active ingredients fluxapyroxad, pyraclostrobin and metalaxyl. Acceleron and Design®, Acceleron®, DEKALB and Design®, DEKALB®, Genuity and Design®, Genuity®, JumpStart®, RIB Complete and Design®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Yield®, Roundup Ready®, Roundup Transorb®, Roundup WeatherMAX®, Roundup®, SmartStax and Design®, SmartStax®, Transorb®, VT Double PRO®, and VT Triple PRO® are registered trademarks of Monsanto Technology LLC, Used under license. Vibrance® and Fortenza® are registered trademarks of a Syngenta group company. LibertyLink® and the Water Droplet Design are trademarks of Bayer. Used under license. Herculex® is a registered trademark of Dow AgroSciences LLC. Used under license. Poncho® and Votivo™ are trademarks of Bayer. Used under license. All other trademarks are the property of their respective owners.





CORN YIELDS BY VARIETY 2011-2015† P7213R (RT) 59 109 635 WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES 114.3 710 FLAX YIELDS BY VARIETY 2011-2015 CDC BETHUNE 17 20 1,047 16 LIGHTNING 22 916 CDC SORREL 8 661 18 11 862 WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 18.5 4.172 **FIELD PEA YIELDS BY VARIETY 2011–2015** CDC MEADOW 52 46 549 42 1.766

27

WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§

27

28

9

1.021

30

38.0

797

3.559

RISK AREA 10

LIVIOI FTTA

CANOLA YIELDS BY VARIETY 2011–2015† RISK AREA 10										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
L252 (LT)	_	_	_	44	6,795	42	18,289			
5440 (LT)	35	28	43	39	17,117	40	14,673			
L130 (LT)	35	27	44	37	15,269	40	7,909			
L140P (LT)	_	_	_	43	1,472	41	7,484			
L156H (LT)	_	_	43	43	8,220	40	4,620			
1012 RR (RT)	_	29	39	30	3,859	38	2,671			
2020 CL (ST)	_	_	_	_	_	36	2,296			
45H29 (RT)	34	30	34	31	1,320	33	1,735			
L261 (LT)	_	_	_	40	2,514	46	1,591			
SY4135 (RT)	_	_	_	_	_	38	1,505			
46H75 (ST)	_	26	_	41	676	37	1,285			
74-44 BL (RT)	_	_	_	_	_	35	1,273			
74-54 RR (RT)	_	_	_	23	771	31	1,214			
45H76 (ST)	_	_	_	_	_	42	745			
L154 (LT)	_	26	43	44	4,332	42	585			
L120 (LT)	_	29	46	33	2,689	37	557			
1990 (RT)	_	_	_	42	848	32	530			
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		39.2	75,792			

WHEAT YIELDS BY VAR	RISK AREA 10						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CARDALE (RS)	_	_	_	56	4,660	53	12,211
FALLER (F)	_	_	_	74	1,232	62	8,180
AAC BRANDON (RS)	_	_	_	_	_	53	6,683
CARBERRY (RS)	_	37	52	41	7,827	47	5,601
PROSPER (F)	_	_	_	_	_	64	5,355
PASTEUR (F)	_	_	71	66	4,441	54	4,509
GLENN (RS)	40	44	53	50	7,019	48	3,828
WR 859 CL (RS)	42	45	60	57	3,068	52	2,973
HARVEST (RS)	_	46	57	58	1,789	47	2,410
CDC FALCON (W)	54	54	56	41	6,794	63	1,647
EMERSON (W)	_	_	_	_	_	65	1,082
WEIGHTED AVERAGE YIELI	D AND T	OTAL AC	REAGE	§		54.9	58,280

SOYBEAN YIELDS BY VA	RISK AREA 10						
2	2011	2012	2013	2014	2014	2015	2015‡
Variety¶ `	Yield	Yield	Yield	Yield	Acres	Yield	Acres
P008T70R (RT)	_	_	_	_	_	35	6,592
24-10RY (RT)	_	36	36	32	5,455	41	4,905
TH 32004R2Y (RT)	_	_	36	31	3,384	36	4,331
LS 002R23 (RT)	_	_	_	31	5,266	39	3,426
LS 003R24N (RT)	_	_	_	_	_	40	3,304
900Y61 (RT)	_	36	37	31	9,046	35	2,913
TH 33005R2Y (RT)	_	_	_	37	605	41	2,817
NSC GLADSTONE RR2Y (RT)	_	_	_	33	680	39	2,624
NSC RICHER RR2Y (RT)	_	37	45	37	809	36	2,580
PS 0027 RR (RT)	_	_	_	_	_	31	2,501
23-60RY (RT)	_	_	_	_	_	40	2,419
NSC TILSTON RR2Y (RT)	_	_	_	34	1,058	36	2,291

Yields only for those varieties grown on more than 500 acres and by more than 2 growers;



Weighted Average Yield and Total Acreage include acres not reported in the table.

For additional characteristic codes, see the key at the end of the Risk Area tables.

[‡] On system as of January 5, 2016;

Assuming 48 lbs./bu.

SOYBEAN YIELDS BY VARIETY 2011–2015† RISK AREA 10									
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
LS 005R22 (RT)	_	29	41	36	4,450	42	2,124		
LS 005R23 (RT)	_	_	_	33	1,930	40	1,720		
LS NORTHWESTER (RT)	_	_	_	_	_	40	1,679		
S007-Y4 (RT)	_	_	_	_	_	42	1,315		
TH 33003R2Y (RT)	_	_	38	31	2,353	34	1,285		
900Y71 (RT)	30	31	32	32	2,138	34	1,256		
ISIS RR (RT)	28	_	_	_	_	36	1,172		
NSC ANOLA RR2Y (RT)	_	_	41	28	3,544	38	1,150		
LS 004R23 (RT)	_	_	_	_	_	38	1,140		
GRAY R2 (RT)	_	_	_	_	_	42	1,130		
25-10RY (RT)	_	37	42	37	4,459	39	1,114		
LS005R24 (RT)	_	_	_	_	_	39	1,092		
LS 004R21 (RT)	_	28	34	33	2,856	42	1,029		
P008T22R2 (RT)	_	_	_	_	_	32	952		
VITO R2 (RT)	_	_	_	29	1,477	35	936		
PEKKO R2 (RT)	_	32	31	29	1,126	34	931		
PS 0074 R2 (RT)	_	_	_	_	_	39	894		
P002T04R (RT)	_	_	_	24	671	39	869		
TH 33004R2Y (RT)	_	_	_	_	_	35	662		
MCLEOD R2 (RT)	_	_	_	32	588	38	609		
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	Ş		37.6	72,535		

OATS YIELDS BY VARIETY 2011–2015† RISK AR										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
SOURIS	70	71	103	88	12,104	94	14,520			
SUMMIT	_	79	87	82	1,734	97	5,623			
FURLONG	81	71	101	80	4,003	76	2,513			
PINNACLE	_	60	121	61	1,757	79	1,166			
BIG BROWN	_	_	_	58	768	89	780			
LEGGETT	73	62	79	61	1,880	99	645			
CS CAMDEN	_	_	_	_	_	90	638			
WEIGHTED AVERAGE YIEL	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§									

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA 10										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CONLON	32	53	68	50	6,176	64	6,269			
CDC AUSTENSON	_	_	_	56	992	68	2,925			
TRADITION	_	44	74	43	2,250	72	2,066			
CELEBRATION	_	_	68	_	_	67	1,189			
DESPERADO	_	_	47	_	_	52	649			
WEIGHTED AVERAGE YIEL	64.6	13,753								

CORN YIELDS BY VARIETY 2011–2015† RISK AREA 10											
	2011	2012	2013	2014	2014	2015	2015‡				
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres				
P7632AM (BT)(RT)(LT)	_	_	_	_	_	127	4,192				
39D97 (BT)(LT)(RT)	89	124	135	102	4,604	141	3,864				
39V05 (RT)	_	_	135	101	3,401	108	2,880				
39D95 (BT)(LT)(RT)	95	121	126	90	6,400	133	2,725				
P7443R (RT)	84	115	119	90	6,344	131	2,678				
P7332R (RT)	_	_	_	100	1,040	128	2,362				
P7958AM	_	_	_	_	_	134	2,100				
P7632HR (BT)(RT)	_	_	129	101	2,206	103	1,824				
A4631G2 RIB (RIB)	_	_	_	_	_	111	1,322				
A4415G2 RIB (RIB)	_	_	_	_	_	127	1,158				
DKC27-25 (LT)(RT)	_	_	120	103	1,270	132	1,010				
DKC26-28RIB (BT)(RIB)(RT)	_	_	133	116	1,044	147	790				
P7410HR (HX1)(LT)(RT)	_	_	_	_	_	129	622				
WEIGHTED AVERAGE YIELD	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES 126.7 32,367										

DRY BEAN YIELDS BY VARIETY 2011–2015† RISK AREA 10										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
T9905 (WHITE PEA)	_	2,004	1,973	1,940	2,343	1,759	4,971			
WINDBREAKER (PINTO)	_	1,861	2,072	1,008	2,733	1,702	2,588			
PINK PANTHER (KIDNEY)	1,030	926	1,164	950	3,785	1,642	1,904			
ENVOY (WHITE PEA)	941	1,664	1,821	754	1,608	1,532	647			
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	8		1632.1	15.408			

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;



- Weighted Average Yield and Total Acreage include acres not reported in the table.
- For additional characteristic codes, see the key at the end of the Risk Area tables.
- † On system as of January 5, 2016;
- * Assuming 48 lbs./bu.

REACHING NEW HEIGHTS


with AKRAS R2

Designing the ultimate soybean

AKRAS R2 was bred by Elite[®] and selected from their Western Canadian breeding program because of its excellent yield and industry standard-setting pod height. Higher pods mean easier harvest, fewer pods on the ground and more beans in your bin.

AKRAS R2 also has excellent disease resistance and has an early-to mid- maturity, making it well adapted to all soybean growing areas.

TELL US ABOUT YOUR EXPERIENCE WITH ELITE® SOYBEANS FROM **BrettYoung:** ** **@BY_Seeds** | #BYSoybean15





Home Grown, World Class.





Visit brettyoung.ca 1-800-665-5015

BrettYoung³⁴ is a trademark of Brett-Young Seeds Limited. Elite⁸ is a registered trademark of La Coop fédérée. Genutly⁸ and Roundup Reads 2 Yield⁸ are registered trademarks and used under license from Monsanto Company, Always follow grain marketing and all other stewardship practices and pesticide label directions. Details of these requirements can be found in the Triat Stewardship Responsibilities Notice to Farmen printed in this publication. 5032 01/16

FLAX YIELDS BY VARIETY 2011–2015† RISK AREA 10										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CDC SORREL	_	9	_	17	635	18	976			
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	Ş		17.3	1,707			
				•			,			
SUNFLOWER YIELDS B	Y VAR	IETY 2	011–20	15†		RISK A	REA 10			
SUNFLOWER YIELDS B	Y VAR 2011		011–20 2013	15† 2014	2014	RISK A 2015	AREA 10 2015‡			
SUNFLOWER YIELDS B					2014 Acres					
	2011	2012 Yield	2013	2014		2015	2015‡			
Variety¶	2011	2012 Yield	2013 Yield	2014 Yield	Acres	2015 Yield	2015‡ Acres			

1379.8

8,397

RISK AREA 11

WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§

CANOLA YIELDS BY VARIETY 2011–2015† RISK AREA 11										
							2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
L252 (LT)	_	_	_	40	21,029	42	54,505			
5440 (LT)	29	28	48	40	50,530	38	28,707			
L130 (LT)	29	30	47	35	36,534	40	18,433			
L140P (LT)	_	_	_	36	5,083	43	16,322			
1012 RR (RT)	_	28	44	32	16,890	35	11,345			
L156H (LT)	_	_	44	37	9,936	40	7,360			
2020 CL (ST)	_	_	_	_	_	38	5,482			
74-44 BL (RT)	_	_	41	30	2,573	34	5,332			
L261 (LT)	_	_	_	40	5,121	38	4,861			
1990 (RT)	_	27	48	33	5,594	38	4,318			
73-75 RR (RT)	_	30	40	31	7,239	35	3,392			
2012 CL (ST)	_	25	41	26	4,361	35	3,169			
73-75 RR (RT)		30	40	31	7,239	35	3,392			



DRY BEAN SEED

	PINTO	BLACK	CRANBERRY
•	WM-2	* Eclipse	Krimson
	Windbreaker	Super Jet	Etna
	* Stampede * ND-307	LIGHT RED KIDNEY	GREAT NORTHERN
	Medicine Hat	Pink Panther	Beryl
	NAVY	Clouseau	Coyne
	T9903	PINK	YELLOW
	T9905	Pink Floyd	CDC SOL
	Indi	Rosetta	020 002
	"		

"Contract support available"

with delivery to Saskatchewan & Manitoba receiving points

"Please call to inquire about other varieties not listed"

204-829-2326

CANOLA YIELDS BY VARIETY 2011–2015† RISK AREA 11										
Variety¶										
L154 (LT)	_	32	51	37	9,592	40	2,087			
45H31 (RT)	_	_	42	32	2,453	42	1,955			
74-54 RR (RT)	_	_	_	28	2,548	35	1,493			
L150 (LT)	31	27	45	33	7,955	39	1,228			
46H75 (ST)	_	36	43	40	2,082	42	1,004			
V22-1 (RT)	_	_	_	_	_	33	951			
SY4135 (RT)	_	_	_	38	1,283	43	876			
1918 (RT)	25	24	37	24	1,128	29	855			
PV 530 G (RT)	_	_	_	30	1,986	31	832			
VT 500 G (RT)	19	23	41	28	2,704	20	798			
1020 RR (RT)	_	_	_	_	_	40	792			
SY4157 (RT)	_	_	_	_	_	31	763			
L120 (LT)	_	28	47	34	2,264	43	749			
6060 RR (RT)	25	19	25	21	859	27	643			
VR 9560 CL (ST)	_	30	44	40	1,359	46	620			
1970 (RT)	28	29	48	30	1,292	35	613			
L160S (LT)	_	_	_	32	852	36	553			
WEIGHTED AVERAGE YIE	ELD AND T	OTAL AC	CREAGE	§		39.4	189,191			

WHEAT YIELDS BY VA	RIETY 2	2011–2	015†				AREA 11
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
AAC BRANDON (RS)	_	_	_	68	1,574	58	38,338
CARDALE (RS)	_	_	75	55	16,989	55	37,007
CARBERRY (RS)	40	55	66	49	57,608	50	36,449
WR 859 CL (RS)	39	49	63	49	21,373	51	19,081
FALLER (F)	34	68	83	59	14,273	64	12,673
PASTEUR (F)	_	61	88	66	9,932	63	11,668
EMERSON (W)	_	_	_	62	961	69	9,020
GLENN (RS)	39	49	66	55	10,532	50	7,148
CDC FALCON (W)	67	65	71	59	11,335	73	4,455
PROSPER (F)	_	_	_	66	600	67	3,536
KANE (RS)	39	51	61	51	11,780	43	2,883
5604HR CL (RS)	_	35	72	40	1,770	49	2,178
AAC ELIE (RS)	_	_	_	_	_	46	2,128
CDC STANLEY (RS)	_	_	66	53	3,091	50	2,007
MUCHMORE (RS)	_	_	67	50	2,129	62	1,540
AC BARRIE (RS)	33	43	55	39	2,027	27	1,498
FLOURISH (W)	_	_	74	58	21,908	58	1,056
AC DOMAIN (RS)	42	57	67	59	1,300	51	937
CDC VR MORRIS (RS)	_	_	_	_	_	43	796
AAC GATEWAY (W)	_	_	_	_	_	85	787
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		56.0	200,513

SOYBEAN YIELDS BY VA							REA 11
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
23-60RY (RT)	_	_	_	34	1,282	39	13,535
TH 32004R2Y (RT)	_	43	39	31	9,855	38	10,688
24-10RY (RT)	_	44	42	36	6,803	45	8,345
MCLEOD R2 (RT)	_	_	_	33	3,876	40	7,514
LS 002R23 (RT)	_	_	44	36	10,368	38	5,743
PS 0027 RR (RT)	_	_	_	_	_	33	5,450
S007-Y4 (RT)	_	_	_	39	686	42	4,892
VITO R2 (RT)	_	_	45	34	5,794	37	4,483
LS 003R24N (RT)	_	_	_	_	_	38	4,372
TH 33005R2Y (RT)	_	_	_	34	1,679	41	4,269
NSC ANOLA RR2Y (RT)	_	38	42	29	3,971	43	3,962
LS 005R22 (RT)	_	41	46	36	4,830	38	3,901
TH 33003R2Y (RT)	_	_	41	30	6,689	36	3,675
NSC RICHER RR2Y (RT)	_	_	42	39	1,259	46	3,477
NSC TILSTON RR2Y (RT)	_	_	_	35	1,980	42	3,447
900Y61 (RT)	_	32	38	33	6,366	42	2,913
LS 003R22 (RT)	_	_	40	39	952	40	2,602
OAC PRUDENCE	_	17	_	13	1,750	35	2,597
NSC RESTON RR2Y (RT)	_	_	_	28	3,260	41	2,520
NSC GLADSTONE RR2Y (RT)	· —	_	_	40	994	35	2,274
P008T70R (RT)	_	_	_	_	_	38	2,192
NSC LIBAU RR2Y (RT)	_	38	38	32	2,761	40	2,190
LS NORTHWESTER (RT)	_	_	_	_	_	37	1,998
LS 004R21 (RT)	_	32	40	34	1,992	40	1,849

Yields only for those varieties grown on more than 500 acres and by more than 2 growers;



Weighted Average Yield and Total Acreage include acres not reported in the table.

[¶] For additional characteristic codes, see the key at the end of the Risk Area tables.

[‡] On system as of January 5, 2016;

Assuming 48 lbs./bu.

SOYBEAN YIELDS BY VARIETY 2011–2015† RISK AREA 11										
Variety¶										
TH 33004R2Y (RT)	_	_	_	_	_	32	1,694			
ISIS RR (RT)	21	_	_	30	2,404	35	1,583			
LS 005R23 (RT)	_	_	_	39	2,149	46	1,571			
LS002R24N (RT)	_	_	_	_	_	40	1,558			
P002T04R (RT)	_	_	_	30	1,257	41	1,424			
PEKKO R2 (RT)	_	38	40	28	2,230	37	1,413			
LS 004R23 (RT)	_	_	_	_	_	46	1,251			
LS005R24 (RT)	_	_	_	_	_	40	1,234			
GRAY R2 (RT)	_	_	_	34	2,246	46	939			
S00-N6 (RT)	_	_	_	_	_	42	850			
NSC MOOSOMIN RR2Y (RT)	_	_	_	32	1,688	27	831			
AKRAS R2 (RT)	_	_	_	_	_	48	785			
P008T22R2 (RT)	_	_	_	_	_	45	771			
23-10RY (RT)	_	35	41	32	6,764	36	560			
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 39.7 138,486										

OATS YIELDS BY VARIETY 2011–2015† RISK AREA 11										
							2015‡			
Variety¶					Acres		Acres			
SUMMIT	56	81	127	83	6,772	104	10,882			
SOURIS	76	87	123	92	6,021	101	7,727			
STRIDE	_	_	_	100	2,103	107	3,849			
BIG BROWN	_	_	_	89	2,502	90	3,509			
CS CAMDEN	_	_	_	_	_	135	2,531			
FURLONG	62	73	92	54	2,506	63	1,978			
LEGGETT	59	71	94	72	3,636	86	897			
PINNACLE	_	34	110	86	524	68	799			
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 99.9 34,18										

BARLEY* YIELDS BY V	ARIETY	2011-	-2015†			RISK A	REA 11
							2015‡
Variety¶							Acres
CONLON	38	63	82	65	18,424	66	13,147
CDC AUSTENSON	_	61	105	75	11,387	81	13,010
CELEBRATION	_	67	99	67	1,980	58	3,617
TRADITION	20	52	91	38	2,769	84	1,811
AC METCALFE	_	_	_	_	_	65	1,636
DESPERADO	_	63	74	_	_	68	562
WEIGHTED AVERAGE YIELI	AND T	OTAL A	REAGE	§		71.1	37,919

CORN YIELDS BY VARI	ETY 20	11–20 ⁻	15†			RISK A	REA 11
							2015‡
Variety¶							Acres
P7443R (RT)	_	121	126	96	2,739	141	1,477
P7332R (RT)	_	_	_	59	857	132	1,158
P7632AM (BT)(RT)(LT)	_	_	_	_	_	155	713
TH 7574 VT2P RIB (RIB)(RT	Γ) —	_	_	_	_	105	701
P7410HR (HX1)(LT)(RT)	_	_	_	_	_	122	510
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		135.3	8,204

√ GM Seed Cleaning Ltd.
WE OFFER: · Seed Cleaning Pedigreed and Common Seed · Sale of Forage and Grasses · Feed supply as CDN. & US DDG, Canola Meal and Feed Grains · Feed Pellets
www.gmseedcleaning.com info@gmseedcleaning.com Roblin, MB R0L1P0 · Phone (204) 937-2739 · Fax (204) 937-2399

DRY BEAN YIELDS BY	VARIE	TY 201	1–2015			RISK A	AREA 11
Variety¶	Yield	Yield			Acres		Acres
T9905 (WHITE PEA)	2,297	1,973	2,452	1,797	4,698	1,742	5,740
ENVOY (WHITE PEA)	2,282	1,850	2,421	1,523	11,865	1,512	4,778
WINDBREAKER (PINTO)	2,295	1,786	2,150	1,885	4,245	2,233	4,419
PINK PANTHER (KIDNEY)	1,920	1,393	2,443	1,420	4,097	1,779	3,945
INDI (WHITE PEA)	_	_	_	_	_	1,567	3,316
T9903 (WHITE PEA)	1,806	1,691	1,967	1,556	3,438	1,314	2,103
ECLIPSE (BLACK)	2,339	1,812	2,176	1,806	640	2,161	2,085
MONTCALM (KIDNEY)	_	_	_	_	_	1,572	1,005
PINK FLOYD (OTHER)	_	_	2,355	1,539	1,553	1,949	896
COYNE (OTHER)	_	_	_	_	_	1,614	575
WEIGHTED AVERAGE YIEL	D AND 1	TOTAL A	CREAGE	§		1738.5	31,713

FLAX YIELDS BY VARIE	TY 20	11–201	5†			RISK A	REA 11
Variety¶							
CDC SORREL	17	9	29	20	2,004	19	1,248
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		19.8	2,387

SUNFLOWER YIELDS BY VARIETY 2011–2015† RISK A										
Variety¶							Acres			
6946 DMR (C)	_	_	_	_	_	1,407	2,190			
6946 (C)	1,768	2,385	_	_	_	2,163	947			
P63ME70 (0)	_	_	2,502	1,464	849	1,411	937			
PANTHER DMR (C)	_	_	_	1,735	1,085	1,658	797			
WEIGHTED AVERAGE YIE	LD AND T	OTAL A	CREAGE	§		1497.1	5,986			

FIELD PEA YIELDS E	Y VARIET	ΓΥ 201 [°]	1–2015			RISK A	REA 11	
Variety¶								
AGASSIZ	_	45	62	48	562	56	1,030	
WEIGHTED AVERAGE YI	JASSIZ — 45 62 46 562 Eighted Average Yield and Total Acreage§							



"The trusted high energy barley that gets your stock to market faster"



"We believe Conlon barley is still the only variety that you can count on to consistently have low enough DON to feed hogs & is your plumpest rolling barley! For best results choose Certified Seed." Walter Smith

- **✓** Bankable Quality
- **✓** Excellent Yields
- **✓** Earliest Maturity
- ✓ Shorter straw with good lodging
- ✓ Best ratings for Fusarium

"Working Hard to Earn Your Trust!"

Walter Smith	Pilot Mound	825-2000	MB Seeds	Lowe Farm	746-4652
Catellier Seeds	Dufrost	347-5588	Pugh Seeds	Portage	274-2179
Clearview Acres Ltd.	Virden	748-2666	Rutherford Farms	Grosse Isle	467-5613
Court Seeds	Plumas	386-2354	R-Way Ag	St. Claude 866	5-398-9643
Darcy Miller	Oakville	267-2363	Seine River Seeds	Ste. Anne	355-4495
Durand Seeds Inc.	Notre Dame	248-2268	Sierens Seeds	Somerset	744-2883
Ellis Farm Supplies	Wawanesa	824-2290	Smith Family Seeds	Pilot Mound	825-7810
Ens Farms Ltd.	Winkler	325-4658	Swan Valley Seeds	Swan Valley	734-2526
Friesen Seeds Ltd.	Morris	746-8325	Wheat City Seeds	Brandon	727-3337
Gagnon Seeds	Ste. Rose	447-2118	Wilson Seeds Ltd.	Darlingford	246-2388
Hulme Agra Products	MacGregor	685-2627	Zeghers Seed Farm	Holland	526-2145
Jeffries Seeds Ltd.	Glenboro	827-2102	seed	ldepot.ca	

- Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
- Weighted Average Yield and Total Acreage include acres not reported in the table.
- For additional characteristic codes, see the key at the end of the Risk Area tables.
- ‡ On system as of January 5, 2016;
- Assuming 48 lbs./bu.





SK	A -	 40

CANOLA YIELDS BY V	ARIETY	2011-	2015†			RISK A	AREA 12
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
L252 (LT)	_	_	_	46	62,765	45	124,332
L140P (LT)	_	_	_	47	16,316	44	78,080
5440 (LT)	27	32	50	44	102,864	42	41,112
L130 (LT)	26	32	49	41	68,509	39	29,656
46H75 (ST)	_	32	47	42	13,368	43	29,148
L156H (LT)	_	_	51	48	47,195	43	24,275
L261 (LT)	_	_	_	44	15,566	43	22,276
L154 (LT)	_	33	51	45	28,265	44	15,851
L160S (LT)	_	_	_	42	2,782	45	11,978
1012 RR (RT)	21	34	49	40	8,675	34	10,804
VR 9560 CL (ST)	_	34	51	47	14,543	37	8,760
2020 CL (ST)	_	_	_	_	_	35	6,842
45H75 CL (ST)	_	_	43	41	1,287	45	6,808
2012 CL (ST)	24	29	43	32	6,688	35	5,715
45H76 (ST)	_	_	45	33	505	44	5,240
74-44 BL (RT)	_	_	42	30	2,068	39	4,480
L150 (LT)	28	30	49	40	17,427	44	4,351
1140 (LT)	_	_	_	_	_	46	3,094
73-75 RR (RT)	_	34	48	34	5,786	36	2,229
74-54 RR (RT)	_	_	_	31	893	44	2,028
5525 CL (ST)	22	31	47	31	3,177	39	1,926
45H29 (RT)	21	29	50	45	2,937	40	1,886
L159 (LT)	_	32	47	44	10,568	43	1,424
1990 (RT)	_	24	43	31	3,334	25	1,351
46A76 (ST)	_	_	_	_	_	35	910
L120 (LT)	_	28	49	50	1,814	46	756
WEIGHTED AVERAGE YIEL	D AND T	OTAL AC	CREAGE	§		42.8	455,168

WHEAT YIELDS BY VAI							AREA 12
Vaniation	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CARDALE (RS)	_	_	77	69	61,126	61	165,119
CARBERRY (RS)	43	62	65	58	171,343	57	67,553
FALLER (F)	47	70	82	79	60,617	70	65,975
AAC BRANDON (RS)	_	_	_	73	3,155	65	62,783
EMERSON (W)	_	_	_	66	2,928	73	45,713
PASTEUR (F)	_	75	88	77	63,152	66	43,510
PROSPER (F)	_	_	_	86	13,257	70	38,920
GLENN (RS)	39	62	67	62	38,145	58	23,514
CDC FALCON (W)	63	82	75	70	26,318	80	14,564
AAC ELIE (RS)	_	_	_	_	_	63	12,559
WR 859 CL (RS)	36	62	68	57	14,981	57	7,661
5604HR CL (RS)	_	62	67	61	5,564	59	5,359
FLOURISH (W)	_	_	78	60	45,010	73	4,393
CDC STANLEY (RS)	_	_	64	68	6,031	58	4,284
KANE (RS)	36	59	63	58	10,987	49	3,594
AAC GATEWAY (W)	_	_	_	_	_	82	2,508
AC BARRIE (RS)	34	54	62	56	5,412	56	2,447
ELGIN-ND (F)	_	_	_	_	_	65	2,090
CDC PLENTIFUL (RS)	_	_	_	_	_	62	1,988
CDC VR MORRIS (RS)	_	_	_	68	1,344	63	1,364
CDC GO (RS)	48	65	79	70	2,731	72	1,299
AC DOMAIN (RS)	45	60	59	61	2,549	57	1,218
HARVEST (RS)	48	60	61	75	1,137	51	1,069
AAC PENHOLD (PS)	_	_	_	_	_	79	842
HY1319 (PS)	_	_	_	_	_	74	623
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		64.5	586,190

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers;



[§] Weighted Average Yield and Total Acreage include acres not reported in the table.

[¶] For additional characteristic codes, see the key at the end of the Risk Area tables.

[‡] On system as of January 5, 2016;

^{*} Assuming 48 lbs./bu.

SOYBEAN YIELDS BY V	ARIET	Y 2011	-2015 †			RISK A	REA 12
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
NSC RICHER RR2Y (RT)	_	38	43	38	67,639	40	90,695
25-10RY (RT)	31	37	42	38	53,064	43	50,157
PS 0027 RR (RT)	_	_	_	_	_	33	33,217
P008T70R (RT)	_	_	_	42	3,905	40	27,275
TH 33005R2Y (RT)	_	_	44	38	20,834	42	26,293
24-10RY (RT)	38	37	41	36	88,267	43	25,267
23-60RY (RT)	_	_	_	39	5,690	41	24,599
24-61RY (RT)	_	42	43	38	20,620	39	23,715
TH 32004R2Y (RT)	_	37	40	34	32,491	40	16,251
P008T22R2 (RT)	_	_	_	36	6,355	40	15,617
ASTRO R2 (RT)	_	33	43	40	5,628	42	14,891
S007-Y4 (RT)	_	_	_	38	4,496	42	14,585
NSC GLADSTONE RR2Y (RT	,	_	_	31	2,127	40	14,029
OAC PRUDENCE	22	31	35	31	13,201	38	11,665
LS 005R22 (RT)	32	37	42	34	16,574	41	11,244
LS005R24 (RT)	_	_	_	38	9,546	41	10,931
LS 003R24N (RT)	_	_	_	_	_	41	10,228
MCLEOD R2 (RT)	_	_	_	36	6,976	38	7,894
TH 33003R2Y (RT)	_	_	41	33	6,332	42	7,795
P002T04R (RT)	_	_	_	31	8,060	37	7,689
NSC RESTON RR2Y (RT)	_	_	44	33	23,445	41	6,478
PEKKO R2 (RT)	_	37	40	34	15,695	40	6,097
NSC LIBAU RR2Y (RT)	_	36	40	33	10,883	42	6,027
LS 004R21 (RT)	_	32	38	35	13,676	43	5,999
NSC ANOLA RR2Y (RT)	_	38	39	34	13,537	41	5,076
PS 0074 R2 (RT)	_	_	_	41	726	41	4,511
LS NORTHWESTER (RT)	_	_	_	_	_	39	4,375
NSC TILSTON RR2Y (RT)	_	_	_	39	1,208	40	4,146
900Y61 (RT)	26	36	39	30	32,183	39	3,796
AKRAS R2 (RT)	_	_	_	_	_	42	3,787

SOYBEAN YIELDS BY VA							
/ariety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acre
NSC NIVERVILLE RR2Y (RT)	_	_	40	38	7,693	39	3,7
VITO R2 (RT)	_	_	37	34	5,862	37	3,5
DAC ERIN	36	38	41	38	2,028	37	3,4
P006T78R2 (RT)	_	_	_	_	_	44	3,4
TH 34006R2Y (RT)	_	_	_	38	1,179	41	3,3
24-11RY (RT)	_	_	_	_	_	44	3,3
HS 006RYS24 (RT)	_	36	43	34	1,799	37	3,2
S00-T9 (RT)	_	_	42	40	2,489	43	2,9
NSC SANFORD R2Y (RT)	_	_	_	_	_	43	2,6
GRAY R2 (RT)	_	_	_	35	1,962	41	2,5
NSC OSBORNE RR2Y (RT)	28	34	42	34	4,102	37	2,4
S00-N6 (RT)	_	_	_	34	1,588	38	2,4
SAMPSA R2 (RT)	_	39	41	35	5,388	43	1,9
LS 004R23 (RT)	_	_	_	_	_	42	1,8
LS002R24N (RT)	_	_	_	31	3,538	37	1,8
LS MAIDAN (RT)	_	_	_	_	_	43	1,7
LS 007R22 (RT)	_	_	44	37	759	42	1,5
CHADBURN R2 (RT)	29	36	37	34	3,426	35	1,4
23-10RY (RT)	_	38	36	31	4,608	41	1,3
DH863	_	_	_	_	_	36	1,2
LS 003R22 (RT)	_	38	39	37	1,601	34	1,2
LS 008R560 (RT)	_	_	_	_	_	39	1,2
LS 005R21 (RT)	_	35	42	37	1,539	45	1,1
PS 0083 R2 (RT)	_	_	41	36	3,171	42	1,0
LS 0036RR (RT)	23	31	34	_	· —	42	1,0
LS 002R23 (RT)	_	_	41	30	14,259	40	1,0
26-12RY (RT)	_	_	_	_		55	8
CURRIE R2 (RT)	38	_	48	35	667	43	8
\ /	25	36	38	32	8,742	42	8
900Y71 (RT)							

- † Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.
- \P For additional characteristic codes, see the key at the end of the Risk Area tables.
- ‡ On system as of January 5, 2016;
 - Assuming 48 lbs./bu.









Stand your ground.

Whether it's wireworms or other seasonal stresses like drought, nutrient loss, and frost, the addition of Stress Shield® in Raxil® PRO Shield helps provide superior emergence, increased vigour and a healthier plant resulting in a higher yield.

With the power of three different fungicide actives, Raxil PRO Shield also provides comprehensive systemic and contact protection from the most serious seedand soil-borne diseases in cereals, including Fusarium graminearum.



C-55-01/16-10421660-E

SOYBEAN YIELDS BY V							
TH 33006R2Y (RT)	_	_	_	_	_	50	780
NSC ARNAUD RR2Y (RT)	_	_	_	_	_	45	770
LS 005R23 (RT)	_	_	_	35	1,370	27	664
TH 3303R2Y (RT)	_	_	_	_	_	45	661
HERO R2 (RT)	_	_	_	35	1,381	41	557
LS 006R22 (RT)	_	32	42	33	641	44	555
PRO 2525R2R (RT)	_	36	43	_	_	34	515
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		40.2	580,920

OATS YIELDS BY VARII	ETY 20	11–201	5†			RISK A	AREA 12
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
SOURIS	72	108	129	125	49,232	130	47,985
SUMMIT	58	105	133	126	36,558	137	44,847
CS CAMDEN	_	_	_	_	_	135	6,211
FURLONG	63	106	123	115	7,528	133	4,889
RONALD	82	107	150	139	5,837	131	3,924
PINNACLE	48	91	125	98	4,452	111	3,393
TRIACTOR	87	110	143	143	5,129	132	3,146
STRIDE	_	_	_	92	2,368	122	2,730
LEGGETT	70	93	114	112	733	100	2,241
BIG BROWN	_	_	_	92	1,487	123	1,783
CDC MORRISON	_	_	_	_	_	132	1,075
RIEL	46	106	104	92	705	123	794
HAYWIRE	_	_	_	_	_	128	715
AAC JUSTICE	_	_	_	_	_	122	547
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		131.4	126,051

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA 12										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CONLON	35	74	95	77	18,481	81	18,486			
CDC AUSTENSON	_	78	113	84	6,195	96	10,945			
CELEBRATION	56	80	94	79	7,327	86	10,700			
TRADITION	31	66	95	74	8,205	83	6,951			
NEWDALE	41	76	93	68	4,667	85	6,282			
AC METCALFE	_	53	_	95	1,691	75	4,144			
CDC COPELAND	21	56	81	_	_	69	1,897			
XENA	_	_	121	86	2,051	108	1,056			
CHAMPION	47	79	108	72	2,456	94	976			
LACEY	_	_	_	_	_	99	720			
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		84.4	63,403			

CORN YIELDS BY VARIE	TY 20	11–20°	15†			RISK A	AREA 12
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
P7958AM	_	_	_	_	_	149	22,888
39V05 (RT)	127	140	152	131	19,974	144	16,947
P7632HR (BT)(RT)	_	_	146	129	13,381	149	10,919
P7632AM (BT)(RT)(LT)	_	_	_	_	_	149	10,014
39V07 (BT)(LT)(RT)	119	145	159	133	11,290	152	8,564
39D97 (BT)(LT)(RT)	102	133	150	130	21,239	145	6,260
39D95 (BT)(LT)(RT)	99	128	140	122	13,979	133	4,435
DKC27-25 (LT)(RT)	_	_	144	137	4,331	146	4,177
P7443R (RT)	94	127	141	123	17,184	145	4,099
DKC30-07RIB (RIB)	_	_	_	134	1,582	156	3,479
P7332R (RT)	_	_	_	124	3,108	142	3,467
DKC26-28RIB (BT)(RIB)(RT)	_	_	144	131	4,949	148	3,140
P7632HR (HX1)(LT)(RT)	_	_	_	135	7,619	135	2,817
TH 7578 VT2P RIB (RIB)	_	_	_	_	_	134	1,987
P7410HR (HX1)(LT)(RT)	_	_	_	_	_	146	1,442
DKC30-07 (RT)	_	_	154	131	4,429	151	1,330
A4415G2 RIB (RIB)	_	_	_	_	_	125	989
TH 7574 VT2P RIB (RIB)(RT) —	_	_	_	_	127	847
TH 4578 RR (RT)	_	_	_	_	_	158	735
MZ 1633DBR (RT)	_	_	_	_	_	139	617
P8210HR (BT)(LT)(RT)	_	_	_	126	1,137	133	565
WEIGHTED AVERAGE YIELD	AND T	OTAL A	REAGE	§		145.7	116,366

DRY BEAN YIELDS BY		RISK AREA 12					
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
WINDBREAKER (PINTO)	2,048	2,024	2,321	1,870	30,474	2,187	21,999
ECLIPSE (BLACK)	1,799	1,850	2,033	1,570	9,546	1,792	12,613
T9905 (WHITE PEA)	_	2,064	2,469	1,753	3,727	1,940	4,057

[†] Yields only for those varieties grown on more than 500 acres and by more than 2 growers; § Weighted Average Yield and Total Acreage include acres not reported in the table.

¶ For additional characteristic codes, see the key at the end of the Risk Area tables.

DRY BEAN YIELDS BY VARIETY 2011–2015† RISK AF											
Variety¶											
CLOUSEAU (KIDNEY)	_	_	_	1,475	1,265	1,501	1,950				
PINK PANTHER (KIDNEY)	1,261	1,722	2,229	1,343	2,888	1,728	1,843				
CDC JET (BLACK)	1,594	1,967	_	_	_	1,446	1,461				
ETNA (CRANBERRY)	_	_	_	_	_	1,911	1,285				
CRIMSON (CRANBERRY)	_	_	_	1,795	1,456	1,962	1,284				
MONTERREY (PINTO)	_	_	_	_	_	1,731	1,066				
PINK FLOYD (OTHER)	_	_	2,081	1,878	3,203	2,094	995				
CDC SUPERJET (BLACK)	_	_	_	_	_	1,700	936				
WHITE MOUNTAIN (PINTO)	_	_	1,396	1,100	868	1,594	698				
BELLAGIO (CRANBERRY)	_	_	_	_	_	1,861	523				
WEIGHTED AVERAGE YIELD	AND 1	TOTAL A	CREAGE	§		1921.6	58,313				

FLAX YIELDS BY VARIETY 2011–2015†								
2011	2012	2013	2014	2014	2015	2015‡		
Yield	Yield	Yield	Yield	Acres	Yield	Acres		
_	_	_	39	1,198	31	4,366		
13	14	34	25	2,222	25	3,834		
11	15	31	26	3,223	32	2,247		
10	15	26	30	2,076	29	1,443		
_	_	_	_	_	30	770		
AND T	OTAL AC	REAGE	§		28.9	14,352		
	2011 Yield — 13 11 10	2011 2012 Yield Yield ————————————————————————————————————	2011 2012 2013 Yield Yield Yield 	2011 2012 2013 2014 Yield Yield Yield Yield — — — 39 13 14 34 25 11 15 31 26	2011 2012 2013 2014 2014 Yield Yield Yield Yield Acres — — — 39 1,198 13 14 34 25 2,222 11 15 31 26 3,223 10 15 26 30 2,076 — — — — —	2011 2012 2013 2014 2014 2015 Yield Yield Yield Yield Acres Yield — — — 39 1,198 31 13 14 34 25 2,222 25 11 15 31 26 3,223 32 10 15 26 30 2,076 29 — — — — 30		

SUNFLOWER YIELDS E	SY VAF	RIETY 2	2011–20	15†		RISK	AREA 12
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
6946 DMR (C)	1,541	2,579	2,513	1,825	2,178	1,623	7,283
P63ME70 (0)	_	_	2,773	2,315	3,699	1,940	5,182
JAGUAR DMR (C)	_	_	2,242	1,841	4,389	1,843	4,980
PANTHER DMR (C)	1,376	_	_	2,028	4,713	1,356	3,325
ROYAL HYBRID 400CL (C)	_	_	1,579	1,027	530	1,316	3,059
6946 (C)	1,510	2,531	2,586	1,975	852	1,898	1,405
P63ME80 (0)	_	_	_	1,486	1,774	1,870	1,365
P63M80 (0)	_	_	_	1,812	1,111	2,094	1,250
PANTHER (C)	_	2,330	_	1,497	3,303	1,601	1,208
X9180 EX DMR (C)	_	_	_	_	_	1,501	1,132
COBALT II (ST) (O)	_	_	_	_	_	1,664	1,118
JAGUAR (ST) (C)	1,210	2,705	_	1,623	503	1,834	929
P63N82 (0)	1,310	2,335	2,147	2,959	887	1,504	730
SF270 (0)	_	_	_	_	_	1,166	725
WEIGHTED AVERAGE YIELI	D AND 1	TOTAL A	CREAGE	§		1663.8	35,240

FIELD PEA YIELDS BY VARIETY 2011–2015† RISK AREA 12									
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
AGASSIZ	_	45	65	53	2,563	59	8,771		
WEIGHTED AVERAGE YIELI	D AND T	OTAL A	CREAGE	§		55.4	11,331		

CANOLA YIELDS BY VA	RIETY						REA 14
							2015‡
Variety¶							Acres
L140P (LT)	_	_	_	30	3,011	46	15,223
L252 (LT)	_	_	_	31	5,654	43	11,715
5440 (LT)	28	26	49	27	9,764	39	7,618
L130 (LT)	26	18	44	31	14,391	36	4,521
L120 (LT)	_	21	41	22	3,261	34	3,717
VR 9560 CL (ST)	_	22	35	22	673	38	1,524
L261 (LT)	_	_	_	25	783	41	910
L160S (LT)	_	_	_	32	2,048	47	689
46H75 (ST)	_	_	41	19	1,465	43	655
2012 CL (ST)	_	20	48	25	1,151	43	601
L159 (LT)	_	21	42	25	6,494	41	562
WEIGHTED AVERAGE YIELD	AND T	OTAL A	REAGE	§		41.1	51,984

WHEAT YIELDS BY VAI		RISK AREA 14					
							2015‡
Variety¶							Acres
CARBERRY (RS)	_	48	54	42	15,332	55	12,409
FALLER (F)	54	_	77	61	5,228	66	11,921
GLENN (RS)	49	54	58	48	8,307	60	8,509
CARDALE (RS)	_	_	_	45	2,212	60	7,981
PASTEUR (F)	_	_	78	56	5,442	67	6,609
EMERSON (W)	_	_	_	_	_	61	5,865

On system as of January 5, 2016;Assuming 48 lbs./bu.



DUPONT full page corn

WHEAT YIELDS BY VARIETY 2011–2015† RISK AR										
CDC STANLEY (RS)	_	_	60	41	5,140	49	4,388			
AAC BRANDON (RS)	_	_	_	_	_	54	3,118			
CDC FALCON (W)	62	70	70	61	10,833	64	2,954			
FLOURISH (W)	_	_	_	62	15,420	58	2,466			
PROSPER (F)	_	_	_	_	_	70	2,370			
AC DOMAIN (RS)	46	51	57	52	1,212	50	1,699			
5602HR (RS)	38	42	47	30	895	45	1,180			
WR 859 CL (RS)	_	_	41	45	1,475	45	1,100			
AAC ELIE (RS)	_	_	_	_	_	77	788			
5604HR CL (RS)	_	_	_	_	_	55	711			
KANE (RS)	43	45	52	35	2,486	56	687			
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		59.6	76,097			

SOYBEAN YIELDS BY VARIETY 2011–2015† RISK AREA 14										
24-10RY (RT)	_	39	36	33	19,465	40	13,951			
23-60RY (RT)	_	_	_	28	1,703	39	10,181			
OAC PRUDENCE	23	29	32	26	9,947	36	9,638			
P008T70R (RT)	_	_	_	_	_	38	8,330			
LS 004R21 (RT)	_	42	37	30	8,902	41	7,882			
TH 32004R2Y (RT)	_	39	35	29	8,225	34	6,695			
LS002R24N (RT)	_	_	_	26	982	39	6,517			
LS 003R24N (RT)	_	_	_	_	_	41	4,602			
25-10RY (RT)	28	45	40	34	3,613	46	4,317			
TH 33003R2Y (RT)	_	_	37	26	5,525	37	3,928			
MCLEOD R2 (RT)	_	_	_	24	1,200	35	3,671			
NSC RICHER RR2Y (RT)	_	41	39	33	987	37	3,316			
NSC GLADSTONE RR2Y (RT)	_	_	_	34	894	37	3,230			
900Y61 (RT)	_	37	33	23	10,677	38	3,178			

SOYBEAN YIELDS BY	SOYBEAN YIELDS BY VARIETY 2011–2015†									
PS 0035 NR2 (RT)	_	_	_	_	_	42	2,912			
CHADBURN R2 (RT)	_	40	33	21	4,848	35	1,987			
P002T04R (RT)	_	_	_	_	_	30	1,836			
LS 002R23 (RT)	_	_	35	28	12,179	39	1,774			
900Y71 (RT)	26	37	39	25	3,492	40	1,660			
LS 003R22 (RT)	_	40	39	34	3,852	42	1,572			
LS NORTHWESTER (RT)	_	_	_	_	· —	38	1,467			
NSC TILSTON RR2Y (RT)	_	_	_	_	_	40	1,368			
P008T22R2 (RT)	_	_	_	_	_	37	1,174			
OAC ERIN	_	_	_	_	_	35	1,105			
23-11RY (RT)	_	_	_	_	_	41	1,017			
TH 33005R2Y (RT)	_	_	_	26	598	40	940			
NSC ANOLA RR2Y (RT)	_	_	34	27	1,121	37	821			
ASTRO R2 (RT)	_	_	_	_	_	44	786			
S007-Y4 (RT)	_	_	_	_	_	38	780			
GENTLEMAN	24	42	35	21	908	40	777			
90Y71 (RT)	_	_	_	29	799	40	729			
JARI	_	_	_	_	_	36	607			
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		38.3	127,235			

OATS YIELDS BY VARIE	ETY 20						AREA 14
Variety¶							
SOURIS	78	77	94	82	4,453	94	6,477
SUMMIT	80	87	109	94	3,096	121	5,868
FURLONG	62	82	88	61	5,036	85	2,844
TRIACTOR	84	83	114	106	1,325	126	1,694
BIG BROWN	_	_	_	_	_	94	1,182
RONALD	65	52	53	_	_	82	858
AC ASSINIBOIA	52	67	77	37	909	83	711
WEIGHTED AVERAGE YIELD	AND T	OTAL A	CREAGE	§		100.5	21,690

- † Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
- § Weighted Average Yield and Total Acreage include acres not reported in the table.
 ¶ For additional characteristic codes, see the key at the end of the Risk Area tables.
- ‡ On system as of January 5, 2016;
- * Assuming 48 lbs./bu.





The best new herbicide for Clearfield sunflowers. Easily.

Solo ADV
Herbicide

The future looks even brighter for **Clearfield®** sunflower growers now that Solo® ADV herbicide is here. Its convenient new liquid formulation delivers re-cropping flexibility and control of tough grasses and key broadleaf weeds. And for added convenience, there's a built-in adjuvant to speed up tank fill times. For more information, please visit **agsolutions.ca/soloadv** or call **AgSolutions®** Customer Care at 1-877-371-BASF (2273)

BASFWe create chemistry

Always read and follow label directions.

AgSolutions is a registered trade-mark of BASF Corporation; Clearfield, and the unique Clearfield symbol are registered trade-marks of BASF Agrochemical Products B.V.; SOLO is a registered trade-mark of BASF SF all used with permission by BASF Canada Inc. © 2016 BASF Canada Inc.

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA 14									
							2015‡		
Variety¶									
CONLON	52	34	78	62	2,057	78	2,648		
CHAMPION	71	45	98	56	1,875	81	2,114		
CELEBRATION	63	56	78	71	1,456	26	1,602		
TRADITION	28	46	78	_	_	61	1,067		
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	ş		74.5	9,194		

CORN YIELDS BY VARI	CORN YIELDS BY VARIETY 2011–2015†									
Variety¶										
39D95 (BT)(LT)(RT)	85	114	139	92	3,241	128	2,964			
P7632HR (BT)(RT)	_	_	_	104	2,940	138	2,455			
39D97 (BT)(LT)(RT)	91	116	160	103	4,030	134	2,270			
P7632AM (BT)(RT)(LT)	_	_	_	_	_	130	1,829			
P7958AM	_	_	_	_	_	156	1,793			
P7332R (RT)	_	_	_	99	672	144	952			
P7443R (RT)	77	105	137	97	2,058	128	892			
WEIGHTED AVERAGE YIELI	O AND T	OTAL A	CREAGE	§		134.4	16,531			

FLAX YIELDS BY VARIETY 2011–2015† RISK AR									
Variety¶									
WESTLIN 70	_	_	_	_	_	22	620		
WEIGHTED AVERAGE YIELI	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES								

SUNFLOWER YIELDS BY VARIETY 2011–2015† RISK A									
Variety¶									
P63ME70 (0)	_	_	2,502	_	_	1,722	1,414		
JAGUAR DMR (C)	_	_	_	_	_	692	771		
6946 DMR (C)	_	_	_	_	_	1,237	643		
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES							4,913		

FIELD PEA YIELDS BY VARIETY 2011–2015† RISK AREA 14									
							2015‡		
Variety¶							Acres		
AGASSIZ	_	_	_	17	1,083	55	970		
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGES							970		

CANOLA YIELDS BY VA	RISK A	REA 15					
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
1012 RR (RT)	_	31	41	30	4,979	30	11,008
L140P (LT)	_	_	_	36	1,587	31	10,694
L252 (LT)	_	_	_	31	7,132	33	9,016
5440 (LT)	25	25	48	28	12,544	34	7,885
L130 (LT)	25	25	46	28	9,210	34	5,578
2012 CL (ST)	_	25	33	29	877	14	3,467
2020 CL (ST)	_	_	_	_	_	8	2,580
74-44 BL (RT)	_	_	_	_	_	36	1,595
45H76 (ST)	_	_	_	_	_	28	1,524
PV 530 G (RT)	_	_	_	16	1,163	21	1,313
45H29 (RT)	23	31	44	28	4,787	30	1,258
VR 9560 CL (ST)	_	22	45	22	1,783	30	1,103
73-75 RR (RT)	_	26	45	22	5,386	34	989
L120 (LT)	_	23	46	22	2,471	32	753
VT 500 G (RT)	19	23	36	13	3,216	31	665
45H75 CL (ST)	_	_	_	_	_	22	595
1990 (RT)	_	_	41	23	1,714	33	555
43E03RR (RT)	_	_	_	_	_	34	534
WEIGHTED AVERAGE YIEL	D AND T	OTAL A	CREAGE	§		29.1	67,214

WHEAT YIELDS BY VAI	RISK AREA 15						
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres
CARDALE (RS)	_	_	_	48	10,503	46	14,481
CARBERRY (RS)	_	43	59	38	17,344	42	14,168
FALLER (F)	_	54	70	51	12,526	54	7,727
AAC BRANDON (RS)	_	_	_	_	_	43	3,835
PASTEUR (F)	_	_	79	75	2,278	62	3,178
CDC STANLEY (RS)	_	_	62	35	4,510	46	2,836
GLENN (RS)	34	41	58	38	3,719	30	2,499

WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA									
							2015‡		
Variety¶							Acres		
CDC VR MORRIS (RS)	_	_	_	_	_	27	2,015		
AC BARRIE (RS)	34	39	50	24	1,308	35	1,024		
PROSPER (F)	_	_	_	_	_	67	715		
KANE (RS)	32	40	52	22	838	40	714		
CDC PLENTIFUL (RS)	_	_	_	_	_	49	664		
WEIGHTED AVERAGE YIELD	WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§								

SOYBEAN YIELDS BY	SOYBEAN YIELDS BY VARIETY 2011–2015†									
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
23-60RY (RT)	_	_	_	_	_	33	6,595			
BISHOP R2 (RT)	_	_	_	34	2,414	34	5,267			
NSC RESTON RR2Y (RT)	_	_	36	26	1,451	32	5,162			
LS 002R23 (RT)	_	_	33	29	3,870	33	3,874			
VITO R2 (RT)	_	_	_	27	4,688	34	3,821			
900Y61 (RT)	_	34	31	31	4,692	28	3,764			
TH 33003R2Y (RT)	_	_	36	29	8,002	34	2,908			
P008T70R (RT)	_	_	_	_	_	29	2,182			
P002T04R (RT)	_	_	_	_	_	26	1,542			
LS 003R24N (RT)	_	_	_	_	_	37	1,452			
23-10RY (RT)	_	_	35	27	3,433	29	1,053			
91Y61 (RT)	_	_	_	_	_	34	990			
900Y71 (RT)	29	35	_	27	1,955	31	884			
22-60RY (RT)	_	_	_	_	_	33	803			
TH 3303R2Y (RT)	_	_	_	_	_	36	725			
S007-Y4 (RT)	_	_	_	_	_	35	710			
LS002R24N (RT)	_	_	_	_	_	33	651			
WEIGHTED AVERAGE YIEL	32.1	50,333								



Trusted Souris White Milling Oats



SOURIS	OAT DEALERS	
Walt Smith	Seed Depot	825-2000
Agassiz Seed Farm Ltd.	Homewood, MB	745-2868
Bergen Seed Farm	Sanford, MB	736-2278
Boissevain Select Seeds	Boissevain, MB	534-6846
Clearview Acres*	Virden, MB	748-2666
Darcy Miller*	Oakville, MB	267-2363
Durand Seeds Inc.*	Notre Dame, MB	248-2268
Ellis Seeds*	Wawanesa, MB	824-2290
Ens Farms Ltd.*	Winkler, MB	325-4658
Fisher Seeds Ltd.	Dauphin, MB	622-8800
Friesen Seeds Ltd.*	Rosenort, MB	746-8325
Gagnon Seed Service*	Ste. Rose du Lac, MB	447-2118
HB Agro*	Killarney, MB	523-7464
Hulme Agri Products Inc.*	MacGregor, MB	685-2627
James Farms Ltd.	Winnipeg, MB	222-8785
Jeffries Seeds*	Glenboro, MB	827-2102
L&L Farms	Altona, MB	324-5798
MB Seeds*	Lowe Farm, MB	746-2187
Nickel Bros.	Solsgirth, MB	842-3786
Pitura Seed Service*	Domain, MB	736-2849
Pugh Seeds Ltd.*	Portage la Prairie, MB	274-2179
Red River Seeds	Morris, MB	746-4779
Redsper Enterprises	Rivers, MB	328-5346
Riddell Seed Co.	Warren, MB	227-5679
RJP Seeds	Carman, MB	745-3304
Rutherford Farms Ltd.*	Grosse Isle, MB	467-5613
R-Way Ag Ltd.*	St. Claude, MB	379-2582
Sask-Can Parent	St. Joseph, MB	737-3004
Seine River Seeds*	Ste. Anne, MB	355-4495
Shanawan Farms Ltd.	Domain, MB	736-2951
Smith Family Seeds*	Pilot Mound, MB	825-7810
Southern Seed Ltd.*	Minto, MB	776-2333
Swan Valley Seeds*	Swan River, MB	734-2526
T&S Seeds	Gilbert Plains, MB	548-2117
Timchishen Seeds	Arborg, MB	376-5116
Triple "S" Seeds*	Grandview, MB	546-2590
Westman Aerial Spray*	Brandon, MB	763-8998
Wheat City Seeds Ltd.*	Brandon, MB	727-3337
Wilson Seeds Ltd.*	Darlingford, MB	246-2388
Zeghers Seed Farm	Holland, MB	526-2145

Earlier Shorter Heavier

- ✓ MB's favourite Oat since 2011
- ✓ Shortest Oat on the market
- ✓ Top Yielding Variety
- ✓ Earliest 4 days earlier than Summit, 7 earlier than Pinnacle
- ✓ Heaviest oat on the market with smaller seed
- ✓ Accepted by all oat millers
- · Preferred by Emerson Milling & Quaker Oats
- ✓ Excellent Disease package · Resistant to Stem Rust



- Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
- Weighted Average Yield and Total Acreage include acres not reported in the table.
- For additional characteristic codes, see the key at the end of the Risk Area tables.
- ‡ On system as of January 5, 2016;
- Assuming 48 lbs./bu.



OATS YIELDS BY VARIETY 2011–2015† RISK AREA										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
SOURIS	74	73	95	74	8,001	84	12,844			
SUMMIT	69	75	89	76	3,091	97	3,640			
TRIACTOR	89	84	104	85	996	101	1,771			
BIG BROWN	_	_	_	_	_	88	855			
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 82.3 23,98										

BARLEY* YIELDS BY VARIETY 2011–2015† RISK AREA 15										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres			
CHAMPION	49	52	103	60	3,998	57	4,329			
CDC AUSTENSON	_	_	92	50	1,484	48	2,755			
TRADITION	_	51	71	47	1,907	52	1,789			
CONLON	37	48	74	34	614	68	1,631			
CELEBRATION	_	30	_	43	946	59	872			
WEIGHTED AVERAGE YIELD	55.3	13,089								

FLAX YIELDS BY VARIETY 2011–2015† RISK AREA 1									
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
CDC SORREL	_	7	_	_	_	14	2,308		
AAC BRAVO	_	_	_	_	_	14	1,299		
LIGHTNING	12	10	_	21	1,225	22	802		
WEIGHTED AVERAGE YIELD	15.5	5,257							

FIELD PEA YIELDS BY VARIETY 2011–2015† RISK A									
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶	Yield	Yield	Yield	Yield	Acres	Yield	Acres		
AGASSIZ	_	46	56	23	2,359	31	1,873		
CDC MEADOW	_	_	_	26	2,263	45	681		
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 34.8									



WHEAT

- AAC Brandon
- **AAC Elie**
- Cardale
- AAC Penhold
- CDC Plentiful
- Faller
- Prosper
- Elgin ND

NorthStar





OATS

> Summit

Agassiz

YELLOW PEAS

& INOCULANTS

SEED TREATMENTS

> Souris





SOYBEANS

Sanford

> And more...

Richer

> Arnaud

Gladstone

CALL RICK OR KEVIN 204-746-8325

WWW.FRIESENSEEDS.CA

RISK AREA 16

CANOLA YIELDS BY VARIETY 2011–2015† RISK AREA 16										
	2011	2012	2013	2014	2014	2015	2015‡			
Variety¶		Yield	Yield	Yield		Yield				
L130 (LT)	19	18	16	18	7,414	44	6,724			
5440 (LT)	27	22	29	19	2,447	50	4,928			
74-44 BL (RT)	_	_	_	_	_	43	4,065			
2012 CL (ST)	_	21	16	_	_	45	1,711			
1012 RR (RT)	_	_	14	_	_	42	1,318			
1990 (RT)	_	_	_	_	_	42	734			
VT 500 G (RT)	23	19	18	_	_	37	567			
45H76 (ST)	_	_	_	_	_	41	553			
WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§ 44.7 27,603										

WHEAT YIELDS BY VARIETY 2011–2015† RISK AREA 16									
	2011	2012	2013	2014	2014	2015	2015‡		
Variety¶		Yield	Yield	Yield		Yield			
HARVEST (RS)	35	24	27	32	7,947	54	6,423		
CDC UTMOST (RS)	_	29	32	42	5,275	62	4,875		
CDC PLENTIFUL (RS)	_	_	_	_	_	56	1,976		
WEIGHTED AVERAGE YIEL	56.0	14,475							

SOYBEAN YIELDS BY VARIETY 2011–2015† RISK AREA 16								
	2011	2012	2013	2014	2014	2015	2015‡	
Variety¶		Yield	Yield	Yield		Yield	Acres	
P001T34R (RT)	_	_	_	_	_	28	995	
WEIGHTED AVERAGE YIEL	28.1	1,015						

OATS YIELDS BY	Y VARIETY 20	11–201	5†			RISK A	REA 16
	2011	2012	2013	2014	2014	2015	2015‡
Variety¶		Yield	Yield	Yield		Yield	
ROBERT	_	_	_	_	_	20	612
WEIGHTED AVERAG	GE YIELD AND T	OTAL A	CREAGE	§		46.0	1,361

ADDITIONAL CHARACTERISTICS KEY

WHEAT

- Durum (D)
- (ES) Extra Strong
- Feed (F)
- (HWS) Hard White Spring
- (PS) Prairie Spring
- (RS) Red Spring
- (W) Winter

SUNFLOWER

- Confectionary (C)
- (0) Oilseed

CANOLA & SOYBEAN

- Compas (Bromoxynil) Tolerant (BX), Navigator Varieties
- Liberty Link (LL) (Glufosinate Ammonium); Invigor varieties (LT)
- Roundup Ready (Glyphosate Tolerant) (RT)
- Pursuit Smart, Odyssey (Imazethapyr) (~IMI); Clearfield varieties (ST)
- (TT) Triazine Tolerant

CORN

- (BT) Contains Bacillus thuringiensis (Bt) insecticidal protein
- (HX1) Herculex insect protection gene
- (LT) Liberty Link (LL) - (Glufosinate Ammonium); Invigor varieties
- Single bag blend for non-Bt refuge compliance (RA)
- (RIB) Single bag blend for non-Bt refuge compliance
- (RT) Roundup Ready - (Glyphosate Tolerant)
- Pursuit Smart, Odyssey (Imazethapyr) (~IMI); Clearfield varieties (ST)
- Triazine Tolerant (TT)
- (RIB) Refuge in bag seed blend



50

Yields only for those varieties grown on more than 500 acres and by more than 2 growers;

Weighted Average Yield and Total Acreage include acres not reported in the table.

For additional characteristic codes, see the key at the end of the Risk Area tables.

[‡] On system as of January 5, 2016;

Assuming 48 lbs./bu.

DUPONT full page Exprss