## MANITOBA

**WHEAT YIELDS BY VARIETY 1999–2003† — MANITOBA**

| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
|---|---|---|---|---|---|---|---|
| AC BARRIE (RS) | 39 | 42 | 31 | 38 | 1,426,754 | 47 | 1,227,639 |
| AC DOMAIN (RS) | 40 | 44 | 38 | 40 | 432,930 | 46 | 435,945 |
| SUPERB (RS) | — | — | 39 | 46 | 27,682 | 55 | 196,807 |
| CDC FALCON (W) | — | 70 | 61 | 57 | 80,984 | 63 | 126,168 |
| CDC BOUNTY (RS) | — | — | 40 | 38 | 76,917 | 42 | 104,479 |
| AC INTREPID (RS) | 51 | 47 | 39 | 40 | 108,075 | 46 | 96,159 |
| SNOWBIRD (HW) | — | — | 33 | 46 | 5,371 | 51 | 79,967 |
| AC CADILLAC (RS) | 38 | 42 | 32 | 34 | 97,576 | 39 | 59,964 |
| AC MAJESTIC (RS) | 42 | 44 | 32 | 37 | 84,536 | 45 | 56,744 |
| AC CORA (RS) | 32 | 41 | 32 | 34 | 82,429 | 40 | 56,193 |
| MCKENZIE (RS) | 45 | 43 | 33 | 39 | 47,599 | 43 | 53,874 |
| CDC TEAL (RS) | 37 | 39 | 35 | 39 | 65,904 | 42 | 52,898 |
| CDC HARRIER (W) | 55 | 66 | 51 | 46 | 29,523 | 53 | 37,499 |
| ALSEN (F) | — | — | — | — | — | 58 | 35,342 |
| AC SPLENDOR (RS) | 47 | 49 | 41 | 38 | 41,640 | 48 | 31,455 |
| CDC CLAIR (W) | 63 | 64 | 50 | 50 | 41,284 | 60 | 28,602 |
| AC ELSA (RS) | 37 | 41 | 35 | 40 | 15,858 | 43 | 14,714 |
| PRODIGY (RS) | 52 | 39 | 30 | 36 | 17,630 | 36 | 13,318 |
| CDC RAPTOR (W) | — | — | — | 55 | 2,980 | 54 | 10,587 |
| CDC KESTREL (W) | 61 | 60 | 45 | 46 | 18,821 | 53 | 9,401 |
| 5600HR (RS) | — | 45 | 35 | 35 | 16,706 | 46 | 8,420 |
| KATEPWA (RS) | 36 | 33 | 26 | 28 | 6,345 | 34 | 5,356 |
| AC CRYSTAL (PS) | 30 | 56 | 42 | 42 | 6,170 | 45 | 5,240 |
| 5500HR (RS) | — | — | — | 39 | 6,062 | 46 | 5,149 |
| KYLE (D) | 32 | 36 | 27 | 27 | 14,532 | 30 | 5,084 |
| AC TABER (PS) | 38 | 49 | 53 | 41 | 16,322 | 53 | 4,771 |
| FORGE (F) | — | — | — | 39 | 1,337 | 53 | 3,764 |
| ROBLIN (RS) | 34 | 31 | 29 | 31 | 3,859 | 33 | 3,680 |
| RUSS (F) | — | — | 50 | 49 | 4,218 | 58 | 3,634 |
| AC AVONLEA (D) | 40 | 42 | 30 | 35 | 7,423 | 38 | 3,155 |
| LASER (ES) | 48 | 49 | 46 | 31 | 5,998 | 46 | 2,649 |
| OSLO (PS) | 52 | 54 | 62 | 45 | 1,642 | 44 | 2,500 |
| AC MORSE (D) | 37 | 43 | 37 | 39 | 6,220 | 39 | 1,973 |
| IVAN (F) | — | — | — | 55 | 1,511 | 52 | 1,832 |
| GLENLEA (ES) | 41 | 42 | 32 | 34 | 4,360 | 30 | 1,799 |
| NAPOLEON (D) | — | — | — | 37 | 1,069 | 43 | 1,443 |
| 5700PR (PS) | — | — | — | — | — | 42 | 1,427 |
| COLUMBUS (RS) | 21 | 29 | 21 | 18 | 3,976 | 20 | 1,362 |
| GLENAVON (ES) | — | — | 38 | 40 | 1,096 | 46 | 1,194 |
| AC VISTA (PS) | 47 | — | 38 | 55 | 1,284 | 34 | 895 |
| SELKIRK (RS) | 32 | 30 | 22 | 20 | 1,078 | 32 | 694 |
| 5601HR (RS) | — | — | — | — | — | 51 | 680 |
| GUNNER (F) | — | — | 17 | 35 | 1,318 | 47 | 527 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **47.9** | **2,807,260** |

**BARLEY* YIELDS BY VARIETY 1999–2003† — MANITOBA**

| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
|---|---|---|---|---|---|---|---|
| ROBUST | 57 | 63 | 52 | 52 | 258,360 | 67 | 228,452 |
| AC METCALFE | 51 | 64 | 50 | 52 | 154,954 | 64 | 118,316 |
| CDC STRATUS | 61 | 63 | 47 | 55 | 131,099 | 66 | 103,711 |
| CONLON | — | — | — | 64 | 8,768 | 75 | 85,470 |
| EXCEL | 59 | 65 | 59 | 56 | 75,265 | 66 | 55,025 |
| AC ROSSER | 76 | 67 | 54 | 60 | 15,533 | 66 | 17,809 |
| BEDFORD | 60 | 63 | 51 | 57 | 22,567 | 72 | 17,740 |
| LACEY | — | — | — | 61 | 950 | 61 | 17,149 |
| CDC DOLLY | 59 | 69 | 53 | 52 | 22,682 | 53 | 15,125 |
| STANDER | 71 | 58 | 47 | 52 | 23,541 | 69 | 14,623 |
| XENA | — | — | 56 | 49 | 6,522 | 65 | 12,842 |
| B1602 | 60 | 62 | 57 | 65 | 7,126 | 65 | 11,542 |
| AC RANGER | — | — | — | 66 | 1,255 | 65 | 11,096 |
| AC LACOMBE | 48 | 57 | 50 | 55 | 15,336 | 62 | 9,899 |
| CDC SISLER | 45 | 68 | 46 | 48 | 5,706 | 57 | 7,377 |
| CDC MCGWIRE | — | — | — | 50 | 4,987 | 72 | 6,524 |
| CDC BOLD | — | 57 | 55 | 52 | 10,574 | 67 | 5,657 |
| STANDARD | 73 | 55 | 39 | 54 | 8,314 | 67 | 4,715 |
| CDC KENDALL | — | 70 | 59 | 51 | 6,907 | 67 | 4,670 |
| VIVAR | — | — | — | 68 | 2,557 | 85 | 3,728 |
| AC OXBOW | 45 | 51 | 50 | 43 | 6,678 | 51 | 3,235 |
| COMMON | 47 | 45 | 40 | 44 | 2,669 | 62 | 2,950 |
| HARRINGTON | 44 | 54 | 53 | 55 | 4,627 | 58 | 2,432 |
| CHAPAIS | — | — | 70 | 57 | 3,407 | 59 | 1,957 |
| LEGACY | — | — | — | — | — | 64 | 1,605 |
| MERIT | — | 75 | 74 | 45 | 2,150 | 57 | 1,389 |
| BRONCO | 45 | 48 | 41 | 33 | 1,193 | 36 | 1,296 |
| MANLEY | 34 | 51 | 47 | 50 | 1,660 | 47 | 1,278 |
| CDC HELGASON | — | — | — | — | — | 72 | 1,085 |
| VIRDEN | 66 | 66 | 60 | 59 | 1,877 | 62 | 1,015 |
| CDC FREEDOM | — | 59 | 35 | 45 | 2,201 | 54 | 1,001 |
| ARGYLE | 54 | 50 | 48 | 46 | 879 | 54 | 931 |
| NEWDALE | — | — | — | — | — | 89 | 886 |
| SOMERVILLE | — | 67 | 60 | 46 | 1,512 | 48 | 787 |
| CDC GAINER | 56 | 59 | 38 | 48 | 3,337 | 46 | 732 |
| CONDOR | 47 | 49 | 26 | — | — | 48 | 657 |
| CONQUEST | — | 82 | — | — | — | 51 | 606 |
| WESTFORD | — | — | — | 35 | 502 | 78 | 569 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **66.3** | **780,825** |

**OAT YIELDS BY VARIETY 1999–2003† — MANITOBA**

| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
|---|---|---|---|---|---|---|---|
| AC ASSINIBOIA | 103 | 92 | 71 | 74 | 453,360 | 88 | 291,822 |
| RONALD | — | — | 88 | 91 | 18,296 | 101 | 165,918 |
| TRIPLE CROWN | 93 | 93 | 63 | 70 | 192,665 | 79 | 94,041 |
| PINNACLE | — | 90 | 83 | 76 | 57,438 | 81 | 57,443 |
| RIEL | 94 | 84 | 54 | 64 | 43,095 | 88 | 21,250 |
| COMMON | 59 | 63 | 57 | 62 | 13,282 | 63 | 11,437 |
| ROBERT | 67 | 69 | 58 | 55 | 19,895 | 70 | 9,775 |
| AC PREAKNESS | 70 | 74 | 62 | 49 | 10,490 | 59 | 6,274 |
| JERRY | 96 | 77 | 62 | 75 | 9,188 | 100 | 6,249 |
| DUMONT | 40 | 56 | 53 | 40 | 9,837 | 49 | 6,138 |
| DERBY | 67 | 81 | 68 | 52 | 6,532 | 60 | 4,852 |
| CDC BOYER | 73 | 79 | 60 | 53 | 6,204 | 53 | 4,050 |
| AC MEDALLION | 79 | 75 | 58 | 49 | 5,799 | 39 | 2,145 |
| AC AYLMER | — | — | — | — | — | 72 | 885 |
| HARMON | 34 | 47 | 37 | 44 | 579 | 80 | 640 |
| MURRAY | — | — | — | — | — | 62 | 600 |
| AC GWEN | — | — | — | — | — | 80 | 511 |
| ROYAL | — | — | — | — | — | 82 | 501 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **48.6** | **689,017** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | MANITOBA |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 45H21 (RT) | — | — | — | 33 | 46,521 | 35 | 253,760 |
| INVIGOR 2663 (LT) | — | — | 31 | 35 | 212,987 | 37 | 252,741 |
| INVIGOR 2573 (LT) | — | 33 | 30 | 34 | 188,387 | 35 | 248,541 |
| 46A76 (ST) | 45 | 33 | 29 | 31 | 200,548 | 32 | 231,684 |
| 34-55 (RT) | — | 29 | 29 | 31 | 189,115 | 33 | 196,421 |
| INVIGOR 2733 (LT) | — | — | 24 | 34 | 129,112 | 38 | 189,426 |
| 45A55 (RT) | — | 37 | 27 | 28 | 195,763 | 28 | 95,717 |
| 35-85 (RT) | — | — | — | 33 | 10,062 | 32 | 74,777 |
| 289CL (ST) | — | — | — | 39 | 580 | 32 | 74,008 |
| HYLITE 225RR (RT) | — | 29 | 28 | 27 | 15,234 | 28 | 54,362 |
| NEX 720 | — | — | 23 | 31 | 43,654 | 33 | 44,787 |
| 46A65 | 36 | 29 | 27 | 31 | 55,961 | 31 | 41,382 |
| LBD799RR (RT) | — | — | 28 | 30 | 8,673 | 31 | 39,822 |
| HYOLA 505 (RT) | — | — | — | — | — | 33 | 32,034 |
| NEX 705 | — | 33 | 25 | 30 | 33,180 | 33 | 25,429 |
| MILLENNIUM 03 | — | 30 | 23 | 26 | 14,924 | 32 | 21,913 |
| HYOLA 401 | 37 | 28 | 27 | 29 | 44,845 | 35 | 19,919 |
| LBD 612RR (RT) | — | — | — | 29 | 1,884 | 32 | 17,334 |
| IMC 208RR (RT) | — | — | — | — | — | 23 | 16,734 |
| LBD2393LL (LT) | — | — | — | — | — | 27 | 15,669 |
| SW RAZOR (RT) | — | 32 | 27 | 28 | 21,185 | 25 | 15,363 |
| HYOLA 454RR (RT) | — | 31 | 27 | 27 | 11,969 | 29 | 14,597 |
| 46H02 | — | — | — | — | — | 36 | 13,508 |
| SP BANNER (RT) | — | — | — | 34 | 2,545 | 30 | 13,405 |
| EBONY | 36 | 31 | 28 | 33 | 17,330 | 29 | 13,371 |
| INVIGOR 2273 (LT) | 37 | 30 | 28 | 30 | 65,144 | 34 | 11,608 |
| CONQUEST (RT) | 33 | 30 | 26 | 26 | 15,797 | 30 | 10,775 |
| 811RR (RT) | — | — | — | 28 | 5,435 | 29 | 10,365 |
| 1604 (ST) | — | — | — | 33 | 1,041 | 31 | 10,077 |
| SW GLADIATORR (RT) | — | — | — | 31 | 4,569 | 28 | 9,679 |
| HYLITE 243CL (ST) | — | — | 27 | 26 | 19,791 | 30 | 8,559 |
| HYOLA 440 | — | — | — | 31 | 854 | 33 | 7,251 |
| 1812 (RT) | — | — | 29 | 29 | 4,088 | 31 | 6,651 |
| HYOLA 519 (RT) | — | — | — | — | — | 34 | 5,624 |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | MANITOBA |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 2631LL (LT) | 27 | 27 | 20 | 26 | 1,686 | 28 | 5,105 |
| 45H20 (RT) | — | — | 27 | 31 | 2,215 | 29 | 4,854 |
| 45A71 (ST) | 29 | 27 | 23 | 23 | 6,616 | 26 | 4,770 |
| SW RIDER (RT) | 35 | 25 | 30 | 30 | 7,962 | 33 | 4,444 |
| NEX 715 | — | — | 29 | 27 | 10,829 | 27 | 4,174 |
| 45A51 (RT) | 33 | 29 | 26 | 28 | 8,618 | 27 | 3,953 |
| IMC109RR (RT) | — | — | — | — | — | 25 | 3,767 |
| INVIGOR 2153 (LT) | 33 | 30 | 28 | 29 | 38,130 | 31 | 3,663 |
| INVIGOR 2763 (LT) | — | — | — | 33 | 1,956 | 34 | 3,576 |
| RR CHAMPION (RT) | — | — | 28 | 27 | 3,938 | 30 | 3,137 |
| 46A55 | 35 | 29 | 28 | 30 | 3,935 | 27 | 2,760 |
| SP ADMIRABLE RR (RT) | — | — | — | 28 | 4,422 | 28 | 2,616 |
| LBD588RR (RT) | — | — | — | — | — | 34 | 2,575 |
| 35-25 (RT) | — | 33 | 28 | 30 | 12,709 | 29 | 2,475 |
| LBD279 | — | — | 24 | 30 | 1,035 | 29 | 2,427 |
| LBD561RR (RT) | — | 31 | 26 | 28 | 8,092 | 30 | 2,422 |
| SKYHAWK | — | 31 | 26 | 27 | 3,035 | 24 | 2,365 |
| 3235 (RT) | 35 | 30 | 27 | 28 | 9,603 | 21 | 2,353 |
| MILLENIUM 01 | 28 | 28 | 25 | 26 | 1,888 | 38 | 2,268 |
| 1849RR (RT) | — | — | — | — | — | 36 | 2,191 |
| 45A77 (ST) | — | — | 34 | 31 | 202,737 | 26 | 2,142 |
| CANTERRA 1867 (RT) | — | 30 | 29 | 26 | 3,868 | 26 | 2,107 |
| SW FLARE LL (LT) | — | — | 30 | 25 | 3,610 | 25 | 1,970 |
| AC EXCEL | 23 | 20 | 16 | 15 | 3,400 | 18 | 1,760 |
| DKL 30-55 (RT) | — | — | — | 32 | 757 | 35 | 1,757 |
| Q 2 | 31 | 26 | 23 | 22 | 2,513 | 28 | 1,682 |
| 45A02 | 35 | — | — | — | — | 44 | 1,497 |
| LBD644RR (RT) | — | — | — | — | — | 34 | 1,338 |
| DS ROUGHRIDER (RT) | — | — | 23 | 19 | 3,803 | 27 | 1,326 |
| QUANTUM | 31 | 26 | 22 | 22 | 1,384 | 19 | 1,215 |
| EXCEED (LT) | 28 | 22 | 21 | 29 | 1,280 | 25 | 1,163 |
| 3311 | — | 25 | 26 | 27 | 3,323 | 29 | 1,122 |
| 1492 | 33 | 36 | 28 | 24 | 1,012 | 38 | 1,091 |
| SW WARRIOR (RT) | — | — | — | 27 | 5,102 | 27 | 1,086 |
| INVIGOR 2473 (LT) | 38 | 29 | 25 | 33 | 783 | 32 | 1,082 |
| KELSEY (RT) | — | — | 25 | 26 | 1,813 | 30 | 1,044 |
| HYLITE 215CL (ST) | — | — | 24 | 21 | 660 | 29 | 1,038 |
| INNOVATOR (LT) | 29 | 26 | 24 | 26 | 1,666 | 28 | 1,032 |
| 3345 (RT) | 34 | 29 | 25 | 36 | 2,475 | 35 | 1,012 |
| SW ARROW (RT) | 29 | 25 | 23 | 24 | 5,342 | 24 | 964 |
| THUNDER | — | — | — | 6 | 935 | 16 | 935 |
| INVIGOR 2673 (LT) | — | 30 | 29 | 36 | 1,740 | 23 | 846 |
| SP BUCKY (RT) | — | — | — | 23 | 1,196 | 33 | 836 |
| ZODIAC BX (BT) | 31 | 23 | — | — | — | 23 | 801 |
| 45A50 (RT) | 33 | 27 | 25 | — | — | 26 | 775 |
| EAGLE | 29 | 26 | 25 | 30 | 2,578 | 30 | 735 |
| 46A73 (ST) | 34 | 28 | 28 | 24 | 3,240 | 20 | 695 |
| (NQCO2)CNX12 (ST)(HO) | — | — | — | — | — | 33 | 651 |
| 3458 (RT) | — | — | — | — | — | 41 | 642 |
| INVIGOR 2363 (LT) | — | — | — | — | — | 22 | 598 |
| G0118 (RT) | — | — | — | — | — | 37 | 593 |
| 46A74 (ST) | 31 | 31 | 24 | 23 | 1,870 | 17 | 568 |
| FORTUNE RR (RT) | — | — | — | — | — | 37 | 545 |
| 6045 (ST) | — | — | — | — | — | 33 | 508 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **33.1** | **2,223,166** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | MANITOBA |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | 21 | 18 | 22 | 139,782 | 22 | 158,341 |
| TAURUS | — | 21 | 20 | 19 | 50,429 | 19 | 55,714 |
| AC EMERSON | 22 | 16 | 16 | 20 | 36,491 | 23 | 21,074 |
| NORLIN | 20 | 17 | 15 | 18 | 28,208 | 19 | 16,633 |
| CDC NORMANDY | 21 | 19 | 18 | 18 | 19,609 | 18 | 16,242 |
| 2047 | — | — | 19 | 20 | 8,900 | 20 | 15,574 |
| AC MCDUFF | 22 | 20 | 18 | 19 | 16,526 | 21 | 14,457 |
| AC CARNDUFF | 24 | 19 | 17 | 21 | 16,143 | 20 | 9,750 |
| AC WATSON | 21 | 18 | 18 | 20 | 12,010 | 20 | 8,666 |
| FLANDERS | 19 | 19 | 19 | 17 | 18,143 | 18 | 6,559 |
| SOMME | 14 | 17 | 17 | 15 | 7,666 | 16 | 4,545 |
| AC LINORA | 24 | 19 | 16 | 18 | 8,548 | 24 | 4,425 |
| 1084 | 25 | 20 | 17 | 17 | 34,607 | 16 | 4,396 |
| NORMAN | 21 | 18 | 15 | 20 | 5,893 | 22 | 3,266 |
| HANLEY | — | — | — | — | — | 26 | 2,132 |
| OMEGA | 22 | 19 | — | 19 | 905 | 22 | 1,595 |
| LINOTT | 10 | 17 | 15 | 16 | 2,242 | 18 | 1,547 |
| HALA | — | — | — | 18 | 2,001 | 16 | 1,502 |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | MANITOBA |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC VALOUR | — | — | 15 | 16 | 1,334 | 16 | 853 |
| MCGREGOR | 21 | 15 | 15 | 20 | 1,661 | 23 | 787 |
| VIMY | — | 16 | 14 | 18 | 606 | 15 | 771 |
| LIGHTNING | — | — | — | — | — | 27 | 530 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **20.7** | **352,413** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | | MANITOBA |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| SWING | 35 | 49 | 39 | 38 | 18,185 | 39 | 14,022 |
| CDC MOZART | — | — | 36 | 38 | 10,243 | 39 | 12,846 |
| ECLIPSE | — | — | 40 | 40 | 7,347 | 38 | 12,238 |
| CROMA | 42 | 38 | 36 | 27 | 26,166 | 46 | 11,802 |
| DELTA | 38 | 47 | 37 | 33 | 25,905 | 41 | 11,201 |
| ALFETTA | 40 | 47 | 45 | 33 | 29,212 | 48 | 11,089 |
| MAJORET | 37 | 42 | 34 | 36 | 13,386 | 38 | 4,117 |
| TOLEDO | — | — | 33 | 38 | 2,563 | 36 | 4,043 |
| EIFFEL | 41 | 42 | 37 | 33 | 10,500 | 42 | 2,874 |
| SW BRAVO | 50 | 38 | 33 | 35 | 3,047 | 35 | 2,208 |
| DS STALWARTH | — | — | — | 38 | 1,364 | 37 | 1,950 |
| VENTURE | — | — | — | — | — | 44 | 1,909 |
| SW SALUTE | — | — | — | — | — | 48 | 1,882 |
| NO VAR | — | — | 23 | — | — | 41 | 1,790 |
| 4010 | 27 | 25 | 21 | 32 | 1,133 | 41 | 1,333 |
| SWIFT | — | — | — | 24 | 585 | 36 | 1,106 |
| CARNEVAL | 35 | 37 | 31 | 30 | 2,680 | 38 | 1,041 |
| SCUBA | 37 | 36 | 38 | — | — | 40 | 1,009 |
| TOPEKA | — | — | — | — | — | 46 | 842 |
| COMMON | — | — | — | — | — | 36 | 809 |
| DS-ADMIRAL | — | — | — | 36 | 1,122 | 45 | 798 |
| SP 992 | — | — | — | — | — | 31 | 630 |
| COURIER | — | — | — | 23 | 503 | 33 | 587 |
| CDC MONTERO | — | — | — | — | — | 44 | 517 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **40.8** | **107,979** |

## RISK AREA 1

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 1 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 16 | 39 | 32 | 25 | 51,669 | 35 | 45,918 |
| MCKENZIE (RS) | — | 40 | 29 | 29 | 7,607 | 35 | 7,949 |
| AC CADILLAC (RS) | — | 42 | 29 | 28 | 6,654 | 36 | 7,401 |
| CDC FALCON (W) | — | — | — | 40 | 1,633 | 49 | 7,258 |
| CDC BOUNTY (RS) | — | — | — | 28 | 4,025 | 35 | 7,125 |
| AC CORA (RS) | 17 | 33 | 28 | 29 | 7,889 | 29 | 6,144 |
| PRODIGY (RS) | — | 35 | 28 | 25 | 1,773 | 25 | 2,775 |
| CDC CLAIR (W) | 49 | 58 | 38 | 26 | 2,079 | 45 | 2,614 |
| CDC HARRIER (W) | — | — | 42 | 36 | 921 | 46 | 2,435 |
| SNOWBIRD (HW) | — | — | 29 | — | — | 27 | 2,109 |
| AC INTREPID (RS) | — | 39 | 28 | 27 | 2,641 | 33 | 1,995 |
| SUPERB (RS) | — | — | — | — | — | 37 | 1,723 |
| KYLE (D) | 24 | 32 | 22 | 25 | 4,211 | 34 | 1,685 |
| CDC TEAL (RS) | 24 | 34 | 28 | 24 | 1,255 | 29 | 1,521 |
| 5700PR (PS) | — | — | — | — | — | 41 | 1,364 |
| AC DOMAIN (RS) | 17 | 30 | 32 | 25 | 1,377 | 29 | 1,171 |
| CDC RAPTOR (W) | — | — | — | — | — | 46 | 1,053 |
| ALSEN (F) | — | — | — | — | — | 34 | 555 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **35.6** | **105,329** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 1 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 36 | 55 | 49 | 35 | 11,774 | 48 | 8,687 |
| AC METCALFE | — | 62 | 48 | 36 | 14,000 | 47 | 8,676 |
| CDC STRATUS | — | 53 | 57 | 41 | 5,517 | 49 | 5,487 |
| AC ROSSER | — | 63 | 55 | 44 | 3,117 | 44 | 2,924 |
| XENA | — | — | — | 39 | 2,689 | 46 | 2,153 |
| CDC DOLLY | — | 65 | 43 | 52 | 3,327 | 44 | 1,802 |
| LACEY | — | — | — | — | — | 65 | 1,756 |
| CONLON | — | — | — | — | — | 58 | 1,563 |
| CDC SISLER | — | — | 74 | 37 | 1,455 | 47 | 1,320 |
| EXCEL | 40 | 60 | 46 | 33 | 1,135 | 46 | 937 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **48.6** | **38,141** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 1 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 65 | 79 | 72 | 43 | 35,637 | 49 | 21,778 |
| PINNACLE | — | — | — | 46 | 2,533 | 61 | 6,504 |
| AC PREAKNESS | 24 | 72 | 66 | 47 | 2,741 | 53 | 1,797 |
| TRIPLE CROWN | — | — | 51 | 48 | 1,708 | 50 | 1,699 |
| RONALD | — | — | — | — | — | 65 | 1,373 |
| DUMONT | 22 | 53 | 57 | 36 | 2,228 | 44 | 1,299 |
| CDC BOYER | — | 82 | 50 | 49 | 1,340 | 43 | 902 |
| COMMON | — | — | — | — | — | 43 | 825 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **50.8** | **37,126** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 1 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 46A76 (ST) | — | 31 | 26 | 18 | 12,423 | 21 | 10,418 |
| INVIGOR 2573 (LT) | — | — | 23 | 23 | 5,400 | 24 | 8,311 |
| 45A55 (RT) | — | — | — | 20 | 7,644 | 23 | 7,461 |
| 45H21 (RT) | — | — | — | — | — | 24 | 4,876 |
| INVIGOR 2663 (LT) | — | — | 33 | 20 | 2,424 | 23 | 4,629 |
| 34-55 (RT) | — | 28 | 24 | 20 | 3,152 | 22 | 3,711 |
| 35-85 (RT) | — | — | — | — | — | 22 | 3,238 |
| NEX 705 | — | — | 22 | 20 | 1,782 | 13 | 2,513 |
| INVIGOR 2733 (LT) | — | — | — | 23 | 576 | 26 | 2,262 |
| HYLITE 225RR (RT) | — | — | — | — | — | 19 | 1,836 |
| LBD 612RR (RT) | — | — | — | — | — | 22 | 1,744 |
| NEX 720 | — | — | — | 15 | 1,289 | 19 | 1,290 |
| EBONY | 16 | 28 | 19 | 25 | 524 | 18 | 1,125 |
| HYOLA 454RR (RT) | — | — | — | — | — | 17 | 905 |
| 289CL (ST) | — | — | — | — | — | 21 | 845 |
| 45H20 (RT) | — | — | — | — | — | 16 | 715 |
| LBD799RR (RT) | — | — | — | — | — | 19 | 590 |
| LBD2393LL (LT) | — | — | — | — | — | 20 | 527 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **21.5** | **63,660** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 1 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| TAURUS | — | — | 20 | 14 | 7,306 | 14 | 10,001 |
| CDC BETHUNE | — | — | 20 | 17 | 3,990 | 14 | 5,305 |
| SOMME | 9 | 18 | 16 | 12 | 3,106 | 10 | 1,194 |
| CDC NORMANDY | 11 | 19 | 17 | 10 | 2,469 | 9 | 1,083 |
| 1084 | — | 20 | 18 | 13 | 6,187 | 9 | 508 |
| AC WATSON | — | 17 | 16 | 14 | 2,401 | 6 | 505 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **13.0** | **20,288** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 1 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| DELTA | — | 47 | 36 | 28 | 5,703 | 33 | 1,886 |
| CDC MOZART | — | — | — | 35 | 783 | 36 | 1,682 |
| ECLIPSE | — | — | — | — | — | 29 | 1,022 |
| SWING | — | — | — | — | — | 27 | 580 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **32.7** | **7,107** |

## RISK AREA 2

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 23 | 42 | 37 | 35 | 212,607 | 41 | 180,973 |
| CDC BOUNTY (RS) | — | — | 42 | 35 | 21,860 | 40 | 22,462 |
| AC DOMAIN (RS) | 28 | 45 | 38 | 38 | 21,498 | 50 | 21,475 |
| CDC FALCON (W) | — | — | 62 | 46 | 2,390 | 56 | 17,543 |
| SNOWBIRD (HW) | — | — | 42 | 44 | 1,899 | 43 | 15,235 |
| SUPERB (RS) | — | — | — | 41 | 2,952 | 49 | 14,912 |
| CDC HARRIER (W) | — | 65 | 56 | 48 | 4,675 | 52 | 13,586 |
| AC CORA (RS) | 25 | 40 | 35 | 29 | 16,216 | 37 | 10,722 |
| AC CADILLAC (RS) | 37 | 43 | 33 | 28 | 12,496 | 32 | 7,993 |
| MCKENZIE (RS) | 37 | 40 | 36 | 39 | 4,218 | 46 | 5,765 |
| CDC CLAIR (W) | 63 | 59 | 56 | 35 | 3,383 | 49 | 4,216 |
| CDC KESTREL (W) | 61 | 61 | 51 | 34 | 1,934 | 50 | 3,415 |
| CDC RAPTOR (W) | — | — | — | — | — | 48 | 2,318 |
| KYLE (D) | 30 | 36 | 29 | 25 | 9,181 | 31 | 2,166 |
| AC AVONLEA (D) | 38 | 41 | 30 | 37 | 4,520 | 36 | 2,050 |
| AC INTREPID (RS) | 41 | 43 | 38 | 35 | 4,137 | 44 | 1,432 |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC TEAL (RS) | 23 | 36 | 29 | 20 | 1,777 | 26 | 1,384 |
| AC MAJESTIC (RS) | 22 | 42 | 36 | 39 | 2,074 | 42 | 1,321 |
| NAPOLEON (D) | — | — | — | 38 | 759 | 46 | 1,162 |
| COLUMBUS (RS) | 15 | 31 | 21 | 19 | 1,755 | 17 | 865 |
| ALSEN (F) | — | — | — | — | — | 56 | 745 |
| 5500HR (RS) | — | — | — | 28 | 894 | 38 | 613 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **43.0** | **318,203** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 45 | 62 | 59 | 43 | 27,394 | 60 | 21,463 |
| CDC STRATUS | 36 | 73 | 67 | 54 | 18,007 | 68 | 15,172 |
| AC METCALFE | 51 | 69 | 62 | 46 | 15,874 | 58 | 10,409 |
| CONLON | — | — | — | 55 | 1,730 | 72 | 9,414 |
| EXCEL | 48 | 73 | 66 | 49 | 11,808 | 68 | 8,224 |
| LACEY | — | — | — | — | — | 59 | 5,056 |
| BEDFORD | 41 | 66 | 61 | 43 | 1,784 | 60 | 1,608 |
| XENA | — | — | — | 53 | 727 | 65 | 1,603 |
| CDC SISLER | — | — | — | — | — | 44 | 1,166 |
| AC RANGER | — | — | — | — | — | 47 | 799 |
| STANDER | 39 | 70 | — | 38 | 1,028 | 67 | 520 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **63.2** | **80,571** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 74 | 95 | 87 | 54 | 25,101 | 61 | 13,367 |
| PINNACLE | — | — | 101 | 67 | 6,371 | 72 | 7,519 |
| RONALD | — | — | — | 81 | 702 | 70 | 4,357 |
| TRIPLE CROWN | 54 | 92 | 75 | 49 | 5,119 | 59 | 2,065 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **64.8** | **29,560** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2663 (LT) | — | — | 34 | 29 | 37,690 | 30 | 40,049 |
| 45H21 (RT) | — | — | — | 28 | 2,756 | 29 | 20,987 |
| INVIGOR 2573 (LT) | — | 36 | 31 | 30 | 15,870 | 28 | 20,106 |
| 46A76 (ST) | — | 35 | 33 | 26 | 17,385 | 26 | 19,776 |
| 34-55 (RT) | — | 33 | 31 | 24 | 17,121 | 29 | 15,470 |
| 45A55 (RT) | — | — | 31 | 23 | 35,112 | 25 | 14,536 |
| INVIGOR 2733 (LT) | — | — | — | 26 | 7,448 | 31 | 14,324 |
| 35-85 (RT) | — | — | — | 27 | 1,430 | 26 | 13,237 |
| NEX 720 | — | — | — | 26 | 6,082 | 25 | 7,115 |
| LBD799RR (RT) | — | — | — | 23 | 609 | 27 | 5,546 |
| HYOLA 505 (RT) | — | — | — | — | — | 26 | 4,450 |
| 1812 (RT) | — | — | — | 30 | 2,005 | 30 | 3,793 |
| LBD2393LL (LT) | — | — | — | — | — | 26 | 3,161 |
| HYLITE 225RR (RT) | — | — | — | 22 | 3,233 | 27 | 2,765 |
| 811RR (RT) | — | — | — | 22 | 1,051 | 24 | 2,576 |
| SW RAZOR (RT) | — | — | 27 | 23 | 5,230 | 22 | 2,240 |
| SW GLADIATORR (RT) | — | — | — | 27 | 2,229 | 20 | 1,928 |
| MILLENNIUM 03 | — | — | 25 | 12 | 1,265 | 20 | 1,581 |
| HYOLA 454RR (RT) | — | — | — | 20 | 1,525 | 29 | 1,475 |
| 289CL (ST) | — | — | — | — | — | 24 | 1,322 |
| SP BANNER (RT) | — | — | — | — | — | 28 | 1,253 |
| LBD 612RR (RT) | — | — | — | — | — | 27 | 1,215 |
| 46A65 | 31 | 31 | 31 | 18 | 1,537 | 28 | 1,181 |
| SW FLARE LL (LT) | — | — | 33 | 25 | 2,856 | 25 | 1,166 |
| 46H02 | — | — | — | — | — | 32 | 1,102 |
| NEX 705 | — | — | 30 | 27 | 3,273 | 22 | 1,074 |
| EBONY | 32 | 32 | 34 | 21 | 1,812 | 23 | 1,030 |
| CANTERRA 1867 (RT) | — | 33 | 29 | 21 | 573 | 26 | 1,028 |
| INVIGOR 2273 (LT) | 31 | 32 | 32 | 26 | 12,323 | 33 | 965 |
| 35-25 (RT) | — | 35 | 30 | 26 | 3,871 | 23 | 577 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **27.8** | **214,015** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | 22 | 22 | 19 | 11,844 | 18 | 19,406 |
| TAURUS | — | 19 | 20 | 18 | 13,447 | 17 | 8,676 |
| 2047 | — | — | — | 15 | 1,864 | 16 | 2,991 |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC NORMANDY | 19 | 21 | 21 | 12 | 1,811 | 15 | 1,684 |
| AC EMERSON | 17 | 21 | 22 | 15 | 6,340 | 20 | 1,682 |
| AC MCDUFF | 18 | 18 | 23 | — | — | 15 | 1,567 |
| 1084 | — | 21 | 19 | 15 | 7,197 | 15 | 1,215 |
| FLANDERS | 19 | 18 | 18 | 15 | 4,487 | 13 | 1,067 |
| AC CARNDUFF | — | 20 | 20 | 14 | 1,704 | 13 | 612 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **17.2** | **40,924** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 2 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ALFETTA | 40 | 53 | 51 | 33 | 18,929 | 49 | 8,706 |
| ECLIPSE | — | — | 43 | 37 | 4,195 | 39 | 6,121 |
| DELTA | 35 | 49 | 42 | 31 | 9,691 | 44 | 4,285 |
| CROMA | — | — | 56 | 30 | 6,298 | 51 | 3,595 |
| EIFFEL | 35 | 48 | 49 | 29 | 4,217 | 44 | 2,008 |
| CDC MOZART | — | — | — | 38 | 1,450 | 42 | 1,845 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **45.1** | **28,284** |

## RISK AREA 3

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 3 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 25 | 37 | 32 | 34 | 40,025 | 35 | 49,043 |
| CDC BOUNTY (RS) | — | — | — | 37 | 5,108 | 35 | 8,419 |
| AC INTREPID (RS) | — | 42 | 31 | 36 | 7,110 | 39 | 8,195 |
| AC CADILLAC (RS) | 37 | 36 | 31 | 31 | 11,039 | 37 | 7,787 |
| MCKENZIE (RS) | — | 40 | 30 | 36 | 3,776 | 37 | 6,816 |
| CDC HARRIER (W) | — | — | 46 | 35 | 6,543 | 55 | 5,652 |
| AC CORA (RS) | 26 | 38 | 30 | 33 | 7,062 | 35 | 4,797 |
| AC DOMAIN (RS) | 23 | 38 | 33 | 37 | 6,644 | 36 | 4,367 |
| SUPERB (RS) | — | — | — | — | — | 45 | 3,857 |
| CDC TEAL (RS) | 33 | 39 | 31 | 35 | 7,720 | 35 | 3,565 |
| CDC FALCON (W) | — | — | — | 30 | 1,611 | 51 | 2,994 |
| AC ELSA (RS) | 37 | 30 | 40 | 37 | 767 | 42 | 2,409 |
| 5600HR (RS) | — | — | 26 | 32 | 1,335 | 39 | 1,535 |
| 5500HR (RS) | — | — | — | 40 | 1,590 | 42 | 1,487 |
| SNOWBIRD (HW) | — | — | — | — | — | 40 | 1,459 |
| AC MAJESTIC (RS) | — | 38 | 31 | 26 | 1,851 | 29 | 1,426 |
| CDC KESTREL (W) | 49 | 53 | 35 | 35 | 1,972 | 44 | 825 |
| AC SPLENDOR (RS) | — | — | 29 | 30 | 591 | 25 | 683 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **38.1** | **134,351** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 3 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC STRATUS | 39 | 62 | 50 | 48 | 8,323 | 51 | 10,930 |
| AC METCALFE | — | 59 | 47 | 44 | 17,454 | 55 | 8,863 |
| ROBUST | 48 | 60 | 45 | 42 | 10,101 | 52 | 7,069 |
| CDC DOLLY | — | 62 | 49 | 47 | 4,946 | 46 | 5,574 |
| CONLON | — | — | — | — | — | 55 | 3,689 |
| EXCEL | 49 | 61 | 56 | 44 | 7,337 | 48 | 3,069 |
| AC ROSSER | — | 56 | 54 | 56 | 2,154 | 45 | 2,203 |
| XENA | — | — | — | — | — | 50 | 1,453 |
| LACEY | — | — | — | — | — | 57 | 1,142 |
| CDC KENDALL | — | — | 51 | 46 | 834 | 55 | 707 |
| AC RANGER | — | — | — | — | — | 58 | 703 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **51.3** | **48,833** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 3 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| TRIPLE CROWN | 60 | 80 | 65 | 57 | 15,234 | 52 | 8,115 |
| AC ASSINIBOIA | 71 | 75 | 65 | 52 | 7,516 | 40 | 5,387 |
| RONALD | — | — | — | — | — | 48 | 3,267 |
| PINNACLE | — | — | — | 67 | 2,266 | 42 | 2,677 |
| DUMONT | 40 | 59 | 48 | 45 | 2,020 | 47 | 1,711 |
| CDC BOYER | 71 | 80 | 58 | 50 | 1,254 | 49 | 1,471 |
| COMMON | 57 | 53 | 54 | 49 | 1,500 | 42 | 1,223 |
| DERBY | 64 | 114 | 64 | 52 | 746 | 51 | 1,121 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **46.6** | **26,580** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 3 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2573 (LT) | — | — | 26 | 30 | 10,439 | 27 | 10,500 |
| 45H21 (RT) | — | — | — | 37 | 1,695 | 28 | 9,593 |
| 46A76 (ST) | — | 34 | 26 | 27 | 6,795 | 25 | 8,621 |
| HYLITE 225RR (RT) | — | — | 19 | — | — | 22 | 7,448 |
| 34-55 (RT) | — | — | 25 | 29 | 8,367 | 24 | 6,123 |
| 45A55 (RT) | — | — | 25 | 25 | 7,170 | 21 | 4,313 |
| INVIGOR 2733 (LT) | — | — | — | 30 | 1,835 | 30 | 4,213 |
| INVIGOR 2663 (LT) | — | — | 27 | 29 | 2,105 | 29 | 2,473 |
| SW RAZOR (RT) | — | — | — | 29 | 1,739 | 22 | 2,059 |
| LBD799RR (RT) | — | — | — | — | — | 30 | 2,012 |
| NEX 720 | — | — | — | 22 | 2,578 | 23 | 1,756 |
| 289CL (ST) | — | — | — | — | — | 21 | 1,367 |
| SP BANNER (RT) | — | — | — | — | — | 26 | 863 |
| DS ROUGHRIDER (RT) | — | — | 24 | 16 | 2,979 | 22 | 826 |
| RR CHAMPION (RT) | — | — | 24 | — | — | 21 | 811 |
| NEX 705 | — | — | — | 24 | 837 | 19 | 770 |
| 46A65 | 25 | 30 | 21 | 24 | 1,736 | 15 | 761 |
| INVIGOR 2273 (LT) | 32 | 32 | 23 | 30 | 3,113 | 21 | 737 |
| HYOLA 505 (RT) | — | — | — | — | — | 27 | 735 |
| EBONY | 25 | 32 | 27 | 30 | 1,153 | 21 | 708 |
| 35-85 (RT) | — | — | — | — | — | 20 | 656 |
| CONQUEST (RT) | — | 30 | 26 | 21 | 1,495 | 13 | 645 |
| HYOLA 454RR (RT) | — | — | — | — | — | 16 | 618 |
| LBD 612RR (RT) | — | — | — | — | — | 23 | 583 |
| 46H02 | — | — | — | — | — | 28 | 570 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **24.6** | **76,781** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 3 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | — | 22 | 21 | 4,961 | 19 | 8,587 |
| TAURUS | — | — | 22 | 20 | 3,113 | 17 | 4,198 |
| CDC NORMANDY | 16 | 21 | 19 | 17 | 4,039 | 19 | 4,091 |
| NORLIN | 12 | 16 | 15 | 16 | 1,427 | 12 | 1,282 |
| AC WATSON | 19 | 18 | 18 | 22 | 1,594 | 20 | 942 |
| 1084 | — | 24 | 18 | 16 | 5,740 | 16 | 637 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **17.8** | **21,481** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 3 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| SWING | — | 54 | 37 | 37 | 2,359 | 39 | 1,531 |
| DELTA | — | 48 | 34 | 34 | 1,229 | 39 | 1,125 |
| ECLIPSE | — | — | — | 43 | 507 | 40 | 837 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **38.3** | **5,469** |

## RISK AREA 4

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 4 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 28 | 40 | 34 | 36 | 107,744 | 38 | 89,592 |
| AC DOMAIN (RS) | 34 | 42 | 36 | 36 | 21,847 | 42 | 19,469 |
| AC CORA (RS) | 30 | 42 | 33 | 35 | 15,269 | 38 | 11,290 |
| SUPERB (RS) | — | — | — | — | — | 43 | 10,470 |
| CDC FALCON (W) | — | — | 48 | 46 | 6,954 | 53 | 10,001 |
| MCKENZIE (RS) | — | 43 | 34 | 38 | 9,364 | 39 | 9,554 |
| CDC HARRIER (W) | — | 52 | 51 | 48 | 5,761 | 45 | 6,945 |
| AC MAJESTIC (RS) | 30 | 38 | 32 | 32 | 5,007 | 35 | 6,461 |
| CDC BOUNTY (RS) | — | — | — | 38 | 3,797 | 39 | 6,259 |
| SNOWBIRD (HW) | — | — | 39 | — | — | 42 | 4,675 |
| AC CADILLAC (RS) | 28 | 39 | 33 | 35 | 7,416 | 37 | 4,175 |
| CDC CLAIR (W) | 60 | 61 | 49 | 47 | 1,713 | 38 | 2,897 |
| PRODIGY (RS) | — | — | 31 | 34 | 2,571 | 38 | 2,580 |
| FORGE (F) | — | — | — | — | — | 55 | 1,839 |
| AC MORSE (D) | 38 | 42 | 38 | 40 | 4,119 | 39 | 1,556 |
| CDC RAPTOR (W) | — | — | — | — | — | 54 | 1,487 |
| CDC TEAL (RS) | 32 | 38 | 32 | 37 | 1,990 | 41 | 1,082 |
| AC AVONLEA (D) | — | 42 | — | — | — | 37 | 605 |
| AC ELSA (RS) | — | 44 | 33 | — | — | 22 | 556 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **40.0** | **193,877** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 4 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 49 | 62 | 53 | 51 | 23,192 | 50 | 16,251 |
| CDC STRATUS | 35 | 65 | 61 | 59 | 13,176 | 58 | 11,812 |
| AC METCALFE | 31 | 64 | 52 | 50 | 22,087 | 55 | 11,438 |
| CONLON | — | — | — | 57 | 2,523 | 58 | 11,303 |
| LACEY | — | — | — | — | — | 53 | 5,901 |
| XENA | — | — | — | — | — | 85 | 2,539 |
| B1602 | — | — | 64 | 78 | 541 | 67 | 1,592 |
| EXCEL | 51 | 65 | 57 | 47 | 1,958 | 50 | 1,434 |
| MERIT | — | 75 | 73 | 53 | 1,344 | 56 | 1,279 |
| AC ROSSER | — | 57 | 49 | 58 | 701 | 52 | 1,243 |
| BEDFORD | 53 | 45 | 49 | 52 | 1,246 | 46 | 858 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **55.5** | **70,230** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 4 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 75 | 81 | 73 | 58 | 16,463 | 50 | 11,492 |
| RONALD | — | — | — | 75 | 879 | 58 | 6,257 |
| TRIPLE CROWN | 61 | 81 | 66 | 61 | 9,608 | 56 | 5,242 |
| PINNACLE | — | — | — | 76 | 3,003 | 56 | 2,822 |
| ROBERT | 47 | 61 | 58 | 55 | 1,195 | 47 | 713 |
| AC PREAKNESS | 35 | 66 | 67 | 49 | 1,004 | 37 | 546 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **52.7** | **28,752** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 4 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2663 (LT) | — | — | 30 | 33 | 20,148 | 30 | 21,629 |
| INVIGOR 2573 (LT) | — | 35 | 32 | 32 | 15,111 | 27 | 18,026 |
| 45H21 (RT) | — | — | — | 37 | 1,679 | 26 | 13,177 |
| 34-55 (RT) | — | 33 | 27 | 26 | 6,462 | 21 | 8,996 |
| INVIGOR 2733 (LT) | — | — | — | 31 | 2,572 | 28 | 8,417 |
| 46A76 (ST) | — | 34 | 29 | 27 | 9,290 | 21 | 8,272 |
| 45A55 (RT) | — | — | 27 | 27 | 8,821 | 17 | 8,247 |
| SW RAZOR (RT) | — | — | 25 | 30 | 5,648 | 23 | 5,748 |
| HYLITE 225RR (RT) | — | — | 27 | 22 | 1,335 | 24 | 4,399 |
| 35-85 (RT) | — | — | — | — | — | 24 | 4,375 |
| 289CL (ST) | — | — | — | — | — | 18 | 2,907 |
| NEX 720 | — | — | — | 33 | 2,441 | 23 | 2,444 |
| 46A65 | 30 | 29 | 24 | 29 | 3,422 | 16 | 2,292 |
| IMC 208RR (RT) | — | — | — | — | — | 17 | 1,818 |
| NEX 705 | — | — | 27 | 29 | 1,263 | 21 | 1,365 |
| HYOLA 505 (RT) | — | — | — | — | — | 30 | 1,362 |
| SKYHAWK | — | — | — | — | — | 23 | 1,036 |
| RR CHAMPION (RT) | — | — | — | — | — | 37 | 699 |
| LBD799RR (RT) | — | — | — | 27 | 579 | 23 | 659 |
| SW GLADIATORR (RT) | — | — | — | — | — | 15 | 654 |
| 3235 (RT) | 28 | 31 | 26 | 20 | 714 | 10 | 590 |
| SP BANNER (RT) | — | — | — | — | — | 19 | 573 |
| LBD2393LL (LT) | — | — | — | — | — | 26 | 571 |
| 2631LL (LT) | 29 | 26 | 19 | — | — | 19 | 563 |
| 46H02 | — | — | — | — | — | 23 | 536 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **24.5** | **127,924** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 4 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | — | 21 | 22 | 14,386 | 17 | 13,884 |
| TAURUS | — | — | 20 | 20 | 2,698 | 17 | 2,457 |
| AC MCDUFF | 16 | 18 | 22 | 20 | 2,140 | 16 | 1,785 |
| 2047 | — | — | — | 29 | 711 | 13 | 1,521 |
| FLANDERS | 14 | 18 | 20 | 15 | 2,705 | 14 | 741 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **15.9** | **22,763** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 4 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC MOZART | — | — | — | 40 | 3,044 | 35 | 6,023 |
| SWING | — | — | 46 | 29 | 2,719 | 28 | 1,741 |
| MAJORET | 29 | 40 | 39 | 35 | 2,434 | 32 | 935 |
| ECLIPSE | — | — | — | — | — | 32 | 792 |
| ALFETTA | — | 54 | 36 | 38 | 3,028 | 46 | 547 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **34.3** | **12,031** |

## RISK AREA 5

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 5 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 40 | 45 | 38 | 40 | 132,587 | 47 | 98,653 |
| AC DOMAIN (RS) | 42 | 47 | 40 | 42 | 78,535 | 51 | 87,844 |
| CDC BOUNTY (RS) | — | — | 44 | 41 | 11,887 | 43 | 18,225 |
| CDC FALCON (W) | — | — | 63 | 63 | 8,916 | 70 | 15,710 |
| SUPERB (RS) | — | — | — | 51 | 3,636 | 55 | 15,209 |
| AC MAJESTIC (RS) | 45 | 47 | 40 | 39 | 17,492 | 45 | 12,419 |
| AC CADILLAC (RS) | 37 | 44 | 37 | 35 | 17,734 | 40 | 11,822 |
| AC INTREPID (RS) | — | 50 | 44 | 46 | 6,086 | 59 | 5,496 |
| MCKENZIE (RS) | 51 | 44 | 35 | 40 | 3,365 | 38 | 5,376 |
| AC CORA (RS) | 39 | 41 | 36 | 38 | 5,577 | 45 | 4,834 |
| CDC CLAIR (W) | 63 | 64 | 55 | 49 | 4,763 | 58 | 3,540 |
| CDC RAPTOR (W) | — | — | — | 56 | 1,138 | 57 | 3,317 |
| SNOWBIRD (HW) | — | — | 43 | — | — | 51 | 2,602 |
| CDC HARRIER (W) | — | 68 | 55 | 56 | 2,435 | 63 | 1,896 |
| 5600HR (RS) | — | — | 40 | 34 | 1,183 | 52 | 1,421 |
| ROBLIN (RS) | 28 | — | — | — | — | 27 | 1,100 |
| ALSEN (F) | — | — | — | — | — | 50 | 855 |
| 5601HR (RS) | — | — | — | — | — | 52 | 525 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **49.4** | **292,659** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 5 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 61 | 71 | 64 | 59 | 38,010 | 71 | 36,534 |
| CONLON | — | — | — | 79 | 2,289 | 77 | 20,364 |
| AC METCALFE | 55 | 75 | 61 | 61 | 16,962 | 75 | 13,604 |
| BEDFORD | 64 | 70 | 64 | 65 | 9,076 | 73 | 5,622 |
| EXCEL | 66 | 75 | 69 | 64 | 7,482 | 73 | 3,841 |
| CDC STRATUS | 61 | 66 | 59 | 57 | 3,702 | 78 | 3,163 |
| VIVAR | — | — | — | 72 | 1,311 | 86 | 1,429 |
| LACEY | — | — | — | — | — | 61 | 711 |
| CDC GAINER | — | 55 | 43 | 31 | 727 | 42 | 585 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **73.4** | **90,157** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 5 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 88 | 92 | 84 | 69 | 29,420 | 81 | 18,294 |
| RONALD | — | — | — | 97 | 1,308 | 81 | 10,461 |
| TRIPLE CROWN | 97 | 97 | 80 | 74 | 7,608 | 91 | 1,866 |
| PINNACLE | — | — | — | 69 | 2,803 | 97 | 880 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **80.1** | **34,311** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 5 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 45H21 (RT) | — | — | — | 37 | 8,677 | 38 | 43,379 |
| 34-55 (RT) | — | 36 | 35 | 35 | 38,175 | 37 | 31,438 |
| 35-85 (RT) | — | — | — | 39 | 3,057 | 38 | 24,571 |
| INVIGOR 2663 (LT) | — | — | 37 | 38 | 16,743 | 37 | 22,599 |
| INVIGOR 2573 (LT) | — | 36 | 36 | 38 | 18,324 | 36 | 21,004 |
| 45A55 (RT) | — | 38 | 32 | 32 | 39,178 | 33 | 20,876 |
| 46A76 (ST) | 48 | 37 | 37 | 36 | 21,590 | 37 | 19,254 |
| INVIGOR 2733 (LT) | — | — | — | 38 | 10,155 | 36 | 15,671 |
| NEX 720 | — | — | — | 34 | 10,818 | 39 | 8,285 |
| 46A65 | 41 | 36 | 36 | 36 | 11,391 | 34 | 6,738 |
| 289CL (ST) | — | — | — | — | — | 30 | 5,271 |
| LBD2393LL (LT) | — | — | — | — | — | 25 | 2,850 |
| MILLENNIUM 03 | — | — | 33 | 22 | 610 | 39 | 2,811 |
| HYLITE 225RR (RT) | — | — | — | 34 | 570 | 27 | 2,489 |
| HYOLA 505 (RT) | — | — | — | — | — | 33 | 2,430 |
| HYOLA 454RR (RT) | — | — | — | — | — | 23 | 1,732 |
| LBD799RR (RT) | — | — | — | 31 | 1,185 | 36 | 1,620 |
| IMC 208RR (RT) | — | — | — | — | — | 23 | 1,299 |
| HYOLA 519 (RT) | — | — | — | — | — | 33 | 1,199 |
| 811RR (RT) | — | — | — | 30 | 1,371 | 33 | 1,137 |
| EBONY | 43 | 37 | 43 | 39 | 2,127 | 38 | 1,107 |
| 46H02 | — | — | — | — | — | 38 | 1,090 |
| HYOLA 440 | — | — | — | — | — | 34 | 1,079 |
| INVIGOR 2273 (LT) | 41 | 36 | 33 | 37 | 4,757 | 32 | 935 |
| 35-25 (RT) | — | — | 36 | 31 | 568 | 37 | 902 |
| SW RAZOR (RT) | — | 35 | 35 | — | — | 35 | 698 |
| LBD 612RR (RT) | — | — | — | — | — | 31 | 600 |
| INVIGOR 2153 (LT) | 38 | 35 | — | — | — | 36 | 584 |
| 3458 (RT) | — | — | — | — | — | 40 | 537 |
| 1812 (RT) | — | — | — | — | — | 32 | 534 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **35.9** | **255,535** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 5 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | 23 | 23 | 21 | 25,331 | 22 | 23,630 |
| AC MCDUFF | 23 | 22 | 22 | 19 | 6,682 | 23 | 4,018 |
| AC EMERSON | 23 | 18 | 22 | 21 | 4,829 | 25 | 2,097 |
| TAURUS | — | — | 23 | 18 | 2,675 | 16 | 1,720 |
| AC WATSON | 23 | 25 | 24 | 24 | 1,027 | 24 | 1,502 |
| 2047 | — | — | 21 | 21 | 2,083 | 25 | 1,344 |
| AC LINORA | 26 | 21 | 26 | 19 | 2,348 | 27 | 968 |
| CDC NORMANDY | 22 | 19 | 21 | 18 | 2,040 | 20 | 825 |
| FLANDERS | 23 | 20 | 21 | 19 | 2,228 | 23 | 603 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **22.3** | **38,740** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 5 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CROMA | — | 51 | 42 | 29 | 4,211 | 41 | 1,599 |
| SW BRAVO | — | — | 47 | 34 | 780 | 27 | 524 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **40.5** | **2,874** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

## RISK AREA 6

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 6 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 28 | 40 | 34 | 40 | 108,522 | 40 | 94,517 |
| AC DOMAIN (RS) | 31 | 40 | 34 | 39 | 42,874 | 42 | 38,898 |
| SUPERB (RS) | — | — | — | 42 | 3,523 | 49 | 31,021 |
| AC MAJESTIC (RS) | 24 | 39 | 35 | 36 | 29,282 | 41 | 18,396 |
| AC INTREPID (RS) | — | 45 | 37 | 44 | 12,230 | 46 | 12,908 |
| CDC TEAL (RS) | 33 | 37 | 34 | 41 | 12,043 | 44 | 10,677 |
| CDC FALCON (W) | — | — | — | 56 | 7,871 | 54 | 9,420 |
| CDC BOUNTY (RS) | — | — | — | 43 | 5,538 | 46 | 8,518 |
| AC CADILLAC (RS) | 34 | 39 | 33 | 37 | 16,135 | 44 | 8,479 |
| AC CORA (RS) | 29 | 43 | 35 | 38 | 13,527 | 43 | 5,720 |
| CDC HARRIER (W) | — | — | 51 | 55 | 4,138 | 60 | 4,003 |
| MCKENZIE (RS) | 26 | 45 | 36 | 44 | 4,741 | 46 | 3,117 |
| AC TABER (PS) | 29 | 46 | 40 | 45 | 4,172 | 49 | 2,887 |
| PRODIGY (RS) | — | 34 | 33 | 48 | 1,394 | 45 | 2,476 |
| AC SPLENDOR (RS) | 25 | 38 | 35 | 39 | 3,256 | 43 | 2,161 |
| AC ELSA (RS) | 33 | 44 | 38 | 42 | 2,281 | 47 | 1,848 |
| ALSEN (F) | — | — | — | — | — | 42 | 1,716 |
| RUSS (F) | — | — | 50 | 52 | 1,418 | 52 | 1,684 |
| SNOWBIRD (HW) | — | — | — | — | — | 48 | 1,530 |
| CDC CLAIR (W) | 65 | 59 | 50 | 54 | 2,196 | 65 | 1,103 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **43.7** | **265,108** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 6 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC METCALFE | 36 | 59 | 51 | 58 | 21,746 | 63 | 24,216 |
| ROBUST | 47 | 59 | 51 | 57 | 20,854 | 60 | 17,210 |
| EXCEL | 50 | 60 | 54 | 58 | 7,442 | 64 | 8,584 |
| CDC STRATUS | 46 | 69 | 54 | 58 | 11,980 | 62 | 7,106 |
| AC ROSSER | — | 78 | 66 | 80 | 4,501 | 77 | 5,585 |
| B1602 | — | 62 | 58 | 69 | 4,139 | 67 | 5,021 |
| CONLON | — | — | — | 64 | 515 | 67 | 2,809 |
| XENA | — | — | — | — | — | 67 | 2,709 |
| AC RANGER | — | — | — | — | — | 64 | 2,120 |
| CDC KENDALL | — | — | 59 | 55 | 3,873 | 66 | 1,813 |
| AC LACOMBE | 45 | 59 | 46 | 65 | 2,036 | 53 | 1,714 |
| CDC DOLLY | 75 | 73 | 60 | 54 | 3,070 | 61 | 1,128 |
| LACEY | — | — | — | — | — | 70 | 974 |
| BEDFORD | 36 | 57 | 56 | — | — | 52 | 717 |
| CDC MCGWIRE | — | — | — | — | — | 54 | 620 |
| LEGACY | — | — | — | — | — | 51 | 515 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **62.7** | **86,726** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 6 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| TRIPLE CROWN | 67 | 89 | 85 | 81 | 27,709 | 78 | 21,348 |
| AC ASSINIBOIA | 77 | 95 | 91 | 80 | 8,953 | 66 | 6,805 |
| RONALD | — | — | — | — | — | 72 | 5,382 |
| PINNACLE | — | — | — | 82 | 3,371 | 76 | 4,505 |
| COMMON | 57 | 63 | 46 | 75 | 1,113 | 58 | 860 |
| ROBERT | 58 | 77 | 58 | 71 | 2,231 | 66 | 803 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **74.0** | **41,097** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 6 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2663 (LT) | — | — | 30 | 36 | 35,213 | 33 | 38,501 |
| 46A76 (ST) | — | 34 | 30 | 32 | 36,485 | 29 | 37,216 |
| INVIGOR 2573 (LT) | — | 35 | 32 | 36 | 14,557 | 32 | 23,517 |
| 45H21 (RT) | — | — | — | 35 | 1,218 | 33 | 19,043 |
| 34-55 (RT) | — | 33 | 29 | 34 | 17,060 | 30 | 18,694 |
| INVIGOR 2733 (LT) | — | — | — | 36 | 10,186 | 31 | 14,126 |
| 289CL (ST) | — | — | — | — | — | 30 | 10,479 |
| HYLITE 225RR (RT) | — | — | 25 | 30 | 2,252 | 28 | 9,862 |
| 35-85 (RT) | — | — | — | 40 | 1,075 | 27 | 6,983 |
| LBD799RR (RT) | — | — | — | 33 | 948 | 28 | 4,200 |
| IMC 208RR (RT) | — | — | — | — | — | 20 | 3,071 |
| SP BANNER (RT) | — | — | — | 38 | 597 | 29 | 3,071 |
| 45A55 (RT) | — | — | 21 | 31 | 8,244 | 26 | 2,966 |
| 46A65 | 29 | 30 | 24 | 29 | 3,633 | 27 | 2,837 |
| NEX 705 | — | 36 | 26 | 31 | 3,144 | 28 | 2,585 |
| LBD2393LL (LT) | — | — | — | — | — | 27 | 2,530 |
| NEX 720 | — | — | — | 37 | 565 | 26 | 2,390 |
| HYOLA 505 (RT) | — | — | — | — | — | 32 | 2,347 |
| LBD 612RR (RT) | — | — | — | — | — | 27 | 2,266 |
| SW RAZOR (RT) | — | 23 | 28 | 38 | 1,572 | 27 | 1,459 |
| SW GLADIATORR (RT) | — | — | — | — | — | 25 | 1,348 |
| HYLITE 243CL (ST) | — | — | 24 | 26 | 5,124 | 28 | 1,210 |
| LBD561RR (RT) | — | — | — | 37 | 1,157 | 32 | 1,205 |
| 45A71 (ST) | 27 | 26 | 22 | 31 | 2,364 | 28 | 1,156 |
| NEX 715 | — | — | — | 29 | 2,394 | 28 | 1,139 |
| HYOLA 401 | 27 | 31 | 28 | 29 | 4,894 | 29 | 1,063 |
| 1604 (ST) | — | — | — | — | — | 24 | 1,012 |
| SP ADMIRABLE RR (RT) | — | — | — | 31 | 1,134 | 27 | 989 |
| HYOLA 454RR (RT) | — | — | 29 | 30 | 1,163 | 27 | 856 |
| 45H20 (RT) | — | — | — | — | — | 30 | 805 |
| LBD279 | — | — | — | — | — | 27 | 766 |
| AC EXCEL | 9 | — | — | 16 | 1,058 | 16 | 700 |
| MILLENNIUM 03 | — | — | 23 | 27 | 1,317 | 23 | 626 |
| SW WARRIOR (RT) | — | — | — | 32 | 1,119 | 25 | 604 |
| CONQUEST (RT) | — | 29 | 25 | 26 | 733 | 25 | 578 |
| HYOLA 519 (RT) | — | — | — | — | — | 27 | 554 |
| 811RR (RT) | — | — | — | — | — | 31 | 551 |
| INVIGOR 2273 (LT) | 29 | 31 | 27 | 32 | 3,885 | 34 | 542 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **29.9** | **231,877** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 6 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | — | 22 | 22 | 21,660 | 21 | 23,177 |
| TAURUS | — | — | 23 | 23 | 4,110 | 21 | 8,552 |
| CDC NORMANDY | 16 | 19 | 20 | 22 | 4,632 | 18 | 5,280 |
| AC CARNDUFF | — | — | 22 | 23 | 5,150 | 20 | 3,748 |
| NORLIN | 16 | 18 | 19 | 21 | 4,487 | 21 | 2,598 |
| FLANDERS | 14 | 18 | 21 | 19 | 2,802 | 18 | 1,669 |
| AC WATSON | — | 16 | 22 | 19 | 1,351 | 22 | 1,651 |
| CDC VALOUR | — | — | 15 | 19 | 676 | 16 | 785 |
| AC MCDUFF | 6 | 21 | 24 | 17 | 1,628 | 21 | 681 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **20.4** | **50,483** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 6 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| SWING | 42 | 47 | 38 | 41 | 7,716 | 42 | 6,996 |
| ECLIPSE | — | — | — | 45 | 776 | 42 | 2,175 |
| CDC MOZART | — | — | — | 43 | 2,525 | 43 | 1,780 |
| DS STALWARTH | — | — | — | — | — | 39 | 1,453 |
| TOLEDO | — | — | 29 | 37 | 865 | 28 | 1,256 |
| DELTA | 43 | 44 | 35 | 40 | 2,289 | 47 | 1,043 |
| ALFETTA | — | — | 39 | 35 | 2,164 | 44 | 825 |
| SW SALUTE | — | — | — | — | — | 49 | 640 |
| EIFFEL | 31 | 45 | 34 | 37 | 3,727 | 34 | 596 |
| TOPEKA | — | — | — | — | — | 51 | 516 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **41.3** | **20,105** |

## RISK AREA 7

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 37 | 39 | 38 | 42 | 46,403 | 42 | 42,455 |
| AC DOMAIN (RS) | 37 | 39 | 40 | 42 | 27,612 | 43 | 26,792 |
| CDC TEAL (RS) | 41 | 40 | 39 | 42 | 13,692 | 45 | 12,333 |
| AC INTREPID (RS) | — | 45 | 41 | 44 | 12,108 | 46 | 10,767 |
| SUPERB (RS) | — | — | — | 55 | 1,247 | 56 | 10,321 |
| SNOWBIRD (HW) | — | — | — | — | — | 50 | 7,047 |
| CDC FALCON (W) | — | — | 63 | 63 | 5,045 | 54 | 3,236 |
| CDC BOUNTY (RS) | — | — | — | 41 | 2,072 | 45 | 3,130 |
| MCKENZIE (RS) | 25 | 36 | 34 | 40 | 1,837 | 40 | 1,742 |
| AC ELSA (RS) | 42 | 40 | 35 | 32 | 2,581 | 33 | 1,445 |
| AC CADILLAC (RS) | 41 | 39 | 36 | 35 | 3,042 | 35 | 1,204 |
| 5500HR (RS) | — | — | — | 45 | 1,006 | 47 | 1,014 |
| AC CRYSTAL (PS) | 28 | 59 | — | 44 | 898 | 42 | 796 |
| AC MAJESTIC (RS) | — | 42 | — | 46 | 540 | 37 | 705 |
| AC SPLENDOR (RS) | 42 | 39 | 35 | 37 | 2,530 | 39 | 698 |
| CDC CLAIR (W) | 67 | 63 | 60 | 56 | 1,660 | 44 | 535 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **44.8** | **124,366** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC METCALFE | 51 | 56 | 58 | 58 | 12,483 | 65 | 13,875 |
| EXCEL | 59 | 64 | 60 | 66 | 11,590 | 69 | 8,078 |
| CDC STRATUS | 44 | — | 60 | 60 | 4,661 | 68 | 5,197 |
| AC RANGER | — | — | — | 67 | 741 | 72 | 3,734 |
| CDC DOLLY | 53 | 63 | 59 | 56 | 5,182 | 55 | 3,702 |
| ROBUST | 58 | 60 | 59 | 60 | 4,290 | 66 | 3,230 |
| AC LACOMBE | 57 | 57 | 57 | 57 | 1,832 | 55 | 1,702 |
| HARRINGTON | 47 | 61 | 58 | 63 | 2,088 | 62 | 1,018 |
| CDC SISLER | — | — | — | 62 | 525 | 63 | 864 |
| CDC BOLD | — | — | 66 | 58 | 1,227 | 73 | 857 |
| CDC KENDALL | — | — | 65 | — | — | 82 | 815 |
| XENA | — | — | — | — | — | 62 | 784 |
| CONLON | — | — | — | — | — | 60 | 591 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **65.4** | **45,787** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| TRIPLE CROWN | 77 | 85 | 84 | 90 | 9,209 | 78 | 6,801 |
| AC ASSINIBOIA | 95 | 85 | 89 | 71 | 3,055 | 69 | 2,460 |
| RONALD | — | — | — | — | — | 73 | 2,103 |
| PINNACLE | — | — | — | 87 | 2,516 | 84 | 1,765 |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BOYER | 81 | 88 | 78 | 79 | 1,664 | 73 | 843 |
| DERBY | 48 | 75 | — | 69 | 1,365 | 63 | 543 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **74.8** | **15,872** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 46A76 (ST) | — | 33 | 30 | 35 | 22,653 | 30 | 26,749 |
| 45H21 (RT) | — | — | — | 37 | 2,681 | 36 | 10,401 |
| 34-55 (RT) | — | — | 30 | 34 | 7,341 | 31 | 8,770 |
| INVIGOR 2573 (LT) | — | — | 33 | 39 | 3,530 | 33 | 7,774 |
| INVIGOR 2733 (LT) | — | — | — | 39 | 4,170 | 35 | 6,371 |
| 289CL (ST) | — | — | — | — | — | 32 | 5,304 |
| INVIGOR 2663 (LT) | — | — | 33 | 40 | 3,485 | 34 | 4,312 |
| HYLITE 225RR (RT) | — | — | — | 32 | 507 | 26 | 4,160 |
| 35-85 (RT) | — | — | — | 31 | 598 | 26 | 3,527 |
| NEX 705 | — | — | 28 | 37 | 2,544 | 33 | 2,978 |
| MILLENNIUM 03 | — | 28 | 24 | 34 | 2,465 | 30 | 2,351 |
| 45A55 (RT) | — | — | 27 | 32 | 10,139 | 27 | 1,631 |
| HYOLA 454RR (RT) | — | — | — | 34 | 526 | 31 | 1,593 |
| NEX 720 | — | — | — | — | — | 28 | 1,439 |
| LBD799RR (RT) | — | — | — | — | — | 29 | 1,177 |
| HYLITE 243CL (ST) | — | — | 31 | 30 | 1,381 | 22 | 1,099 |
| HYOLA 505 (RT) | — | — | — | — | — | 27 | 1,073 |
| SP BANNER (RT) | — | — | — | — | — | 29 | 894 |
| IMC 208RR (RT) | — | — | — | — | — | 26 | 784 |
| NEX 715 | — | — | — | 36 | 1,342 | 29 | 763 |
| 2631LL (LT) | — | — | — | — | — | 30 | 745 |
| CONQUEST (RT) | — | 31 | 24 | 33 | 938 | 29 | 665 |
| LBD561RR (RT) | — | — | — | 30 | 1,629 | 28 | 627 |
| 811RR (RT) | — | — | — | — | — | 27 | 591 |
| HYOLA 519 (RT) | — | — | — | — | — | 32 | 549 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **30.9** | **102,746** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| TAURUS | — | — | 27 | 27 | 2,141 | 24 | 4,385 |
| CDC BETHUNE | — | — | 25 | 26 | 2,001 | 22 | 3,601 |
| NORLIN | 17 | 16 | 23 | 20 | 909 | 19 | 1,274 |
| AC CARNDUFF | — | — | — | 17 | 1,738 | 24 | 915 |
| HALA | — | — | — | — | — | 16 | 741 |
| 2047 | — | — | — | — | — | 17 | 580 |
| FLANDERS | 20 | 19 | 17 | — | — | 21 | 574 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **21.8** | **14,003** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 7 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| SWING | 29 | 46 | 37 | 40 | 4,288 | 39 | 2,699 |
| TOLEDO | — | — | — | 40 | 1,528 | 40 | 2,377 |
| DELTA | 32 | 43 | 37 | 39 | 1,819 | 39 | 1,658 |
| MAJORET | 39 | 39 | 34 | 41 | 2,617 | 39 | 1,562 |
| CROMA | — | — | 44 | 33 | 1,361 | 46 | 1,313 |
| NO VAR | — | — | — | — | — | 40 | 1,265 |
| ECLIPSE | — | — | — | 46 | 769 | 32 | 553 |
| CDC MONTERO | — | — | — | — | — | 44 | 517 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **41.0** | **14,741** |

## RISK AREA 8

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 8 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC DOMAIN (RS) | 49 | 50 | 43 | 35 | 72,966 | 45 | 73,618 |
| AC INTREPID (RS) | — | 52 | 46 | 38 | 21,409 | 50 | 23,944 |
| AC SPLENDOR (RS) | 52 | 51 | 44 | 41 | 23,721 | 52 | 18,432 |
| SUPERB (RS) | — | — | — | 44 | 1,157 | 54 | 9,572 |
| AC BARRIE (RS) | 48 | 44 | 44 | 31 | 10,304 | 44 | 8,017 |
| CDC BOUNTY (RS) | — | — | — | 32 | 2,806 | 56 | 5,635 |
| CDC TEAL (RS) | 46 | 46 | 43 | 36 | 9,305 | 49 | 4,536 |
| AC CRYSTAL (PS) | 61 | 62 | 54 | 40 | 3,807 | 53 | 2,346 |
| KATEPWA (RS) | 37 | 35 | 33 | 30 | 2,063 | 39 | 2,263 |
| LASER (ES) | 55 | 53 | 49 | 31 | 5,108 | 47 | 2,164 |
| AC TABER (PS) | 64 | 62 | 62 | 38 | 10,851 | 61 | 1,811 |
| MCKENZIE (RS) | 54 | 52 | 44 | 42 | 1,496 | 52 | 941 |
| CDC HARRIER (W) | — | — | 46 | 38 | 1,683 | 50 | 897 |
| CDC RAPTOR (W) | — | — | — | — | — | 51 | 656 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **47.8** | **157,676** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 8 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 69 | 73 | 68 | 47 | 12,384 | 71 | 13,420 |
| CDC BOLD | — | — | 79 | 50 | 2,767 | 66 | 2,845 |
| EXCEL | 79 | 75 | 67 | 47 | 1,757 | 70 | 1,013 |
| AC LACOMBE | 66 | 58 | 59 | 40 | 1,407 | 71 | 653 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **71.2** | **20,681** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 8 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| TRIPLE CROWN | — | 81 | 88 | 49 | 6,316 | 79 | 3,826 |
| RONALD | — | — | — | — | — | 82 | 1,564 |
| DUMONT | 68 | 76 | 56 | 38 | 1,299 | 55 | 899 |
| CDC BOYER | 86 | 76 | 34 | 31 | 1,249 | 54 | 577 |
| AC PREAKNESS | 76 | 71 | 82 | 39 | 735 | 65 | 531 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **75.8** | **9,496** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 8 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2573 (LT) | — | 41 | 36 | 33 | 20,677 | 44 | 26,695 |
| INVIGOR 2733 (LT) | — | — | — | 32 | 16,048 | 42 | 25,250 |
| 46A76 (ST) | — | 36 | 33 | 29 | 14,688 | 37 | 21,387 |
| 45H21 (RT) | — | — | — | 32 | 3,661 | 41 | 20,287 |
| 34-55 (RT) | — | 41 | 34 | 30 | 5,519 | 39 | 9,904 |
| LBD799RR (RT) | — | — | — | — | — | 34 | 8,485 |
| 289CL (ST) | — | — | — | — | — | 39 | 6,787 |
| CONQUEST (RT) | — | 35 | 34 | 33 | 2,978 | 34 | 5,047 |
| INVIGOR 2663 (LT) | — | — | — | — | — | 43 | 3,286 |
| HYLITE 225RR (RT) | — | — | 29 | 30 | 1,038 | 40 | 3,066 |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 8 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| SW RIDER (RT) | — | 36 | 35 | 28 | 1,732 | 35 | 1,850 |
| HYLITE 243CL (ST) | — | — | 30 | 33 | 1,334 | 41 | 1,409 |
| LBD 612RR (RT) | — | — | — | — | — | 24 | 1,327 |
| HYOLA 454RR (RT) | — | 34 | 36 | 27 | 1,644 | 41 | 1,111 |
| 2631LL (LT) | — | — | — | — | — | 28 | 916 |
| LBD2393LL (LT) | — | — | — | — | — | 30 | 875 |
| 46H02 | — | — | — | — | — | 38 | 868 |
| 811RR (RT) | — | — | — | — | — | 40 | 830 |
| 1849RR (RT) | — | — | — | — | — | 37 | 819 |
| 1812 (RT) | — | — | — | — | — | 40 | 767 |
| INVIGOR 2273 (LT) | 37 | 36 | 37 | 32 | 1,777 | 50 | 730 |
| MILLENNIUM 03 | — | — | 22 | — | — | 40 | 702 |
| KELSEY (RT) | — | — | 29 | — | — | 32 | 575 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **39.6** | **149,020** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 8 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CROMA | — | 52 | 45 | 10 | 2,393 | 38 | 526 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **41.3** | **858** |

## RISK AREA 9

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 9 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC DOMAIN (RS) | 41 | 41 | 39 | 41 | 87,777 | 39 | 87,776 |
| AC BARRIE (RS) | 39 | 41 | 34 | 38 | 67,834 | 45 | 66,550 |
| AC INTREPID (RS) | 53 | 44 | 41 | 39 | 35,868 | 42 | 27,730 |
| CDC TEAL (RS) | 41 | 40 | 39 | 42 | 16,136 | 42 | 16,947 |
| CDC BOUNTY (RS) | — | — | 46 | 41 | 12,161 | 43 | 14,877 |
| SUPERB (RS) | — | — | — | 46 | 1,403 | 51 | 14,073 |
| AC ELSA (RS) | 44 | 43 | 37 | 41 | 7,494 | 43 | 7,591 |
| SNOWBIRD (HW) | — | — | — | — | — | 48 | 7,162 |
| AC SPLENDOR (RS) | 53 | 48 | 37 | 32 | 7,867 | 39 | 5,627 |
| PRODIGY (RS) | — | — | 40 | 41 | 5,190 | 37 | 4,120 |
| CDC FALCON (W) | — | — | — | 45 | 3,373 | 48 | 3,245 |
| 5600HR (RS) | — | — | 38 | 38 | 2,350 | 48 | 2,745 |
| AC CADILLAC (RS) | 46 | 47 | 41 | 41 | 5,432 | 39 | 2,521 |
| OSLO (PS) | 72 | 55 | 63 | 45 | 1,642 | 44 | 2,415 |
| 5500HR (RS) | — | — | — | 40 | 790 | 50 | 1,895 |
| AC VISTA (PS) | — | — | — | 58 | 1,132 | 34 | 895 |
| AC CRYSTAL (PS) | 37 | 48 | 34 | 45 | 540 | 37 | 674 |
| GLENLEA (ES) | 44 | 43 | 41 | 40 | 1,493 | 34 | 552 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **42.7** | **273,855** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 9 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 61 | 66 | 59 | 55 | 29,275 | 65 | 21,787 |
| AC METCALFE | — | 69 | 66 | 65 | 7,596 | 61 | 10,559 |
| CDC STRATUS | 49 | 60 | 67 | 63 | 8,465 | 55 | 10,434 |
| EXCEL | 68 | 68 | 62 | 60 | 12,327 | 62 | 8,536 |
| STANDER | 62 | 68 | 64 | 54 | 5,845 | 57 | 4,118 |
| AC LACOMBE | 60 | 59 | 64 | 66 | 2,498 | 65 | 3,357 |
| AC OXBOW | 62 | 56 | 60 | 43 | 2,790 | 58 | 1,731 |
| CHAPAIS | — | — | — | 56 | 1,740 | 63 | 1,640 |
| B1602 | 53 | 63 | 60 | 56 | 1,157 | 69 | 1,575 |
| STANDARD | 65 | 64 | 57 | 62 | 2,240 | 56 | 1,531 |
| BEDFORD | 47 | 59 | 44 | 46 | 1,041 | 72 | 1,431 |
| CONLON | — | — | — | — | — | 68 | 866 |
| CDC DOLLY | — | — | 69 | 43 | 1,599 | 59 | 858 |
| CDC BOLD | — | — | 58 | 59 | 738 | 69 | 803 |
| CDC SISLER | 42 | — | — | — | — | 69 | 723 |
| COMMON | — | 55 | — | — | — | 62 | 722 |
| VIRDEN | 67 | 74 | 63 | 58 | 1,626 | 62 | 553 |
| LACEY | — | — | — | — | — | 79 | 520 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **61.9** | **75,028** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 9 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| TRIPLE CROWN | 101 | 88 | 82 | 55 | 35,967 | 60 | 18,664 |
| AC ASSINIBOIA | 89 | 88 | 79 | 67 | 15,246 | 75 | 9,395 |
| RONALD | — | — | — | 66 | 1,093 | 77 | 4,498 |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 9 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| COMMON | 76 | 68 | 61 | 54 | 2,482 | 68 | 3,331 |
| PINNACLE | — | — | — | 73 | 2,321 | 71 | 2,975 |
| DERBY | 74 | 73 | 70 | 48 | 3,648 | 60 | 2,648 |
| ROBERT | 77 | 69 | 61 | 48 | 5,541 | 61 | 2,219 |
| AC PREAKNESS | 94 | 77 | 54 | 58 | 1,578 | 57 | 810 |
| RIEL | 53 | 86 | — | 25 | 777 | 85 | 613 |
| MURRAY | — | — | — | — | — | 62 | 600 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **65.9** | **47,079** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 9 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2573 (LT) | — | 35 | 32 | 32 | 30,404 | 32 | 47,847 |
| 45H21 (RT) | — | — | — | 29 | 3,657 | 32 | 23,520 |
| 34-55 (RT) | — | 33 | 30 | 30 | 22,382 | 30 | 22,864 |
| INVIGOR 2733 (LT) | — | — | — | 32 | 22,736 | 32 | 20,505 |
| 46A76 (ST) | — | 35 | 29 | 31 | 17,045 | 29 | 19,369 |
| 289CL (ST) | — | — | — | — | — | 25 | 10,446 |
| INVIGOR 2663 (LT) | — | — | 36 | 39 | 6,874 | 36 | 8,696 |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 9 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| LBD799RR (RT) | — | — | — | 28 | 1,554 | 27 | 6,475 |
| 46A65 | 34 | 30 | 31 | 27 | 7,137 | 27 | 6,196 |
| 45A55 (RT) | — | — | 25 | 27 | 16,424 | 27 | 4,644 |
| HYOLA 505 (RT) | — | — | — | — | — | 28 | 4,062 |
| IMC109RR (RT) | — | — | — | — | — | 25 | 3,365 |
| INVIGOR 2273 (LT) | 36 | 31 | 31 | 29 | 8,675 | 28 | 3,282 |
| 811RR (RT) | — | — | — | — | — | 28 | 3,213 |
| LBD2393LL (LT) | — | — | — | — | — | 20 | 2,510 |
| HYOLA 454RR (RT) | — | 32 | 31 | 30 | 1,139 | 27 | 2,327 |
| SW RAZOR (RT) | — | — | — | 27 | 3,499 | 29 | 2,129 |
| HYOLA 401 | 34 | 30 | 32 | 27 | 3,873 | 29 | 1,997 |
| CONQUEST (RT) | — | 30 | 29 | 27 | 1,140 | 29 | 1,885 |
| 2631LL (LT) | 32 | — | — | — | — | 36 | 1,875 |
| HYLITE 225RR (RT) | — | — | 31 | — | — | 22 | 1,785 |
| SW RIDER (RT) | — | — | 30 | 29 | 4,019 | 29 | 1,776 |
| MILLENNIUM 03 | — | — | 25 | 23 | 2,748 | 26 | 1,715 |
| 1604 (ST) | — | — | — | — | — | 27 | 1,698 |
| 35-85 (RT) | — | — | — | — | — | 29 | 1,551 |
| EBONY | 40 | 33 | 35 | 36 | 3,891 | 29 | 1,511 |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 9 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| NEX 715 | — | — | — | 24 | 3,355 | 27 | 1,452 |
| 45A51 (RT) | 30 | 30 | 27 | 23 | 507 | 24 | 1,375 |
| INVIGOR 2153 (LT) | 33 | 29 | 27 | 28 | 10,609 | 28 | 1,326 |
| HYLITE 243CL (ST) | — | — | 30 | 27 | 2,444 | 26 | 1,287 |
| NEX 705 | — | — | 29 | 23 | 2,843 | 29 | 1,249 |
| LBD 612RR (RT) | — | — | — | — | — | 26 | 1,148 |
| 1812 (RT) | — | — | — | 31 | 728 | 31 | 911 |
| Q 2 | 35 | 28 | — | 29 | 791 | 35 | 707 |
| 45H20 (RT) | — | — | — | 29 | 691 | 17 | 664 |
| 45A71 (ST) | 31 | 30 | 30 | — | — | 19 | 568 |
| HYOLA 519 (RT) | — | — | — | — | — | 30 | 545 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **29.6** | **229,051** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 9 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | — | 20 | 22 | 6,135 | 16 | 5,112 |
| 2047 | — | — | — | — | — | 19 | 2,942 |
| TAURUS | — | 27 | 25 | 20 | 3,037 | 15 | 2,251 |
| AC EMERSON | 18 | 20 | 21 | 18 | 1,770 | 21 | 2,174 |
| SOMME | 17 | 16 | 20 | 21 | 1,137 | 20 | 2,098 |
| NORLIN | 16 | 17 | 19 | — | — | 17 | 1,129 |
| LINOTT | 10 | 17 | 15 | 16 | 2,096 | 19 | 1,052 |
| CDC NORMANDY | 21 | 19 | 20 | 17 | 1,284 | 17 | 685 |
| AC WATSON | 21 | 20 | — | 21 | 673 | 16 | 526 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **17.6** | **19,391** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 9 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CROMA | — | — | — | 36 | 1,317 | 37 | 810 |
| DELTA | 45 | 54 | 41 | 39 | 2,545 | 35 | 722 |
| ECLIPSE | — | — | — | — | — | 47 | 540 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **33.0** | **4,985** |

## RISK AREA 10

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 10 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 38 | 46 | 28 | 42 | 37,636 | 54 | 35,533 |
| CDC FALCON (W) | — | — | 66 | 47 | 5,702 | 63 | 3,231 |
| AC DOMAIN (RS) | 34 | 40 | 23 | 34 | 1,984 | 53 | 3,010 |
| AC CORA (RS) | 27 | 41 | 28 | 33 | 2,290 | 45 | 1,918 |
| SUPERB (RS) | — | — | — | — | — | 52 | 1,765 |
| SNOWBIRD (HW) | — | — | 38 | — | — | 57 | 1,715 |
| MCKENZIE (RS) | — | 55 | 37 | — | — | 67 | 653 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **54.2** | **49,385** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 10 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 57 | 66 | 42 | 53 | 8,392 | 73 | 8,451 |
| EXCEL | 56 | 63 | 24 | 48 | 3,757 | 57 | 2,424 |
| CDC STRATUS | 48 | 71 | 23 | 57 | 2,396 | 78 | 1,949 |
| B1602 | — | — | — | 58 | 659 | 52 | 1,145 |
| CONLON | — | — | — | — | — | 74 | 992 |
| AC ROSSER | — | 65 | 51 | — | — | 84 | 690 |
| AC RANGER | — | — | — | — | — | 64 | 686 |
| AC METCALFE | — | — | 29 | 45 | 1,134 | 76 | 622 |
| BEDFORD | 41 | 74 | 25 | 43 | 1,066 | 77 | 603 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **69.4** | **19,305** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 10 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 86 | 85 | 61 | 75 | 24,652 | 81 | 15,565 |
| RONALD | — | — | — | — | — | 95 | 10,288 |
| PINNACLE | — | — | 102 | 75 | 7,050 | 90 | 6,048 |
| RIEL | 64 | 88 | 59 | 88 | 3,651 | 92 | 1,955 |
| ROBERT | 44 | 57 | 43 | 44 | 817 | 74 | 615 |
| TRIPLE CROWN | 101 | 86 | 53 | 61 | 6,610 | 69 | 583 |
| COMMON | — | — | — | — | — | 65 | 530 |
| JERRY | 88 | 88 | 52 | 66 | 1,509 | 97 | 520 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **85.9** | **36,419** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 10 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2663 (LT) | — | — | 30 | 38 | 11,892 | 39 | 14,389 |
| 45H21 (RT) | — | — | — | 33 | 679 | 38 | 6,252 |
| 34-55 (RT) | — | 27 | 24 | 34 | 4,719 | 33 | 5,141 |
| INVIGOR 2733 (LT) | — | — | — | 38 | 2,194 | 40 | 4,111 |
| 45A55 (RT) | — | — | 18 | 31 | 2,215 | 30 | 2,798 |
| INVIGOR 2573 (LT) | — | 31 | 27 | 32 | 2,081 | 36 | 2,761 |
| 289CL (ST) | — | — | — | — | — | 35 | 1,963 |
| 46A76 (ST) | — | 34 | 23 | 34 | 1,044 | 31 | 1,359 |
| HYLITE 225RR (RT) | — | — | — | 32 | 769 | 24 | 1,009 |
| 35-85 (RT) | — | — | — | — | — | 38 | 823 |
| HYOLA 401 | 37 | 37 | 27 | — | — | 38 | 727 |
| NEX 720 | — | — | — | 30 | 1,061 | 36 | 700 |
| LBD 612RR (RT) | — | — | — | — | — | 28 | 691 |
| HYOLA 505 (RT) | — | — | — | — | — | 35 | 551 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **35.6** | **48,526** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 10 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | — | 11 | 16 | 578 | 14 | 884 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **15.2** | **2,189** |

## RISK AREA 11

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 11 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 46 | 48 | 29 | 42 | 113,339 | 56 | 100,407 |
| SUPERB (RS) | — | — | — | 51 | 4,449 | 66 | 22,371 |
| SNOWBIRD (HW) | — | — | 35 | — | — | 59 | 9,321 |
| CDC FALCON (W) | — | — | — | 65 | 11,643 | 64 | 9,283 |
| ALSEN (F) | — | — | — | — | — | 61 | 7,362 |
| AC DOMAIN (RS) | 43 | 46 | 28 | 41 | 10,203 | 58 | 6,536 |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 11 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC CORA (RS) | 40 | 43 | 26 | 38 | 6,044 | 48 | 5,630 |
| CDC BOUNTY (RS) | — | — | — | 34 | 1,669 | 45 | 2,274 |
| AC MAJESTIC (RS) | 46 | 49 | 25 | 40 | 5,247 | 55 | 1,758 |
| MCKENZIE (RS) | 55 | 44 | 27 | 39 | 1,262 | 56 | 1,627 |
| AC INTREPID (RS) | — | 58 | 32 | 39 | 1,453 | 58 | 847 |
| KATEPWA (RS) | 38 | 34 | 21 | 29 | 1,016 | 31 | 793 |
| CDC CLAIR (W) | 64 | 69 | 54 | 54 | 1,345 | 55 | 730 |
| AC CADILLAC (RS) | — | 49 | 24 | 29 | 711 | 44 | 573 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **57.6** | **172,961** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 11 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 66 | 65 | 44 | 59 | 19,133 | 76 | 22,993 |
| CONLON | — | — | — | — | — | 87 | 10,561 |
| CDC STRATUS | 72 | 72 | 41 | 59 | 15,388 | 87 | 10,072 |
| AC METCALFE | — | 63 | 36 | 53 | 7,496 | 79 | 3,574 |
| EXCEL | 66 | 66 | 48 | 47 | 3,621 | 67 | 3,135 |
| CDC MCGWIRE | — | — | — | 63 | 914 | 86 | 1,639 |
| AC RANGER | — | — | — | — | — | 82 | 1,490 |
| BEDFORD | 66 | 64 | 43 | 64 | 2,634 | 84 | 1,446 |
| AC LACOMBE | 50 | 41 | 30 | 50 | 1,110 | 94 | 953 |
| STANDER | 73 | 66 | 40 | 54 | 774 | 71 | 688 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **80.7** | **59,823** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 11 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 103 | 96 | 76 | 85 | 38,557 | 101 | 30,084 |
| RONALD | — | — | — | 123 | 989 | 100 | 12,188 |
| PINNACLE | — | — | 73 | 81 | 3,867 | 98 | 3,383 |
| RIEL | 91 | 94 | 58 | 72 | 3,291 | 69 | 1,790 |
| TRIPLE CROWN | 116 | 104 | 67 | 65 | 5,008 | 92 | 1,087 |
| ROBERT | 72 | 75 | 51 | 70 | 1,393 | 58 | 601 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **97.9** | **50,275** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 11 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2663 (LT) | — | — | 33 | 37 | 29,101 | 43 | 34,070 |
| 34-55 (RT) | — | 30 | 27 | 33 | 15,537 | 40 | 20,274 |
| INVIGOR 2733 (LT) | — | — | — | 37 | 3,938 | 41 | 12,732 |
| INVIGOR 2573 (LT) | — | 39 | 28 | 34 | 13,132 | 40 | 11,969 |
| 45H21 (RT) | — | — | — | 35 | 4,076 | 40 | 10,388 |
| 46A76 (ST) | — | 33 | 29 | 28 | 10,067 | 36 | 9,779 |
| 45A55 (RT) | — | — | 30 | 30 | 6,841 | 34 | 6,526 |
| NEX 720 | — | — | 33 | 28 | 2,418 | 37 | 4,516 |
| HYLITE 225RR (RT) | — | — | — | 33 | 1,420 | 37 | 4,211 |
| 289CL (ST) | — | — | — | — | — | 32 | 3,612 |
| LBD799RR (RT) | — | — | — | — | — | 34 | 3,497 |
| 35-85 (RT) | — | — | — | — | — | 37 | 2,701 |
| SP BANNER (RT) | — | — | — | 33 | 930 | 37 | 2,613 |
| MILLENNIUM 03 | — | — | 28 | 27 | 635 | 35 | 2,333 |
| HYOLA 505 (RT) | — | — | — | — | — | 40 | 2,218 |
| 46A65 | 38 | 26 | 26 | 34 | 2,066 | 37 | 2,191 |
| LBD 612RR (RT) | — | — | — | — | — | 39 | 2,105 |
| HYOLA 401 | 37 | 32 | 26 | 33 | 1,795 | 38 | 2,065 |
| NEX 705 | — | — | 25 | 30 | 2,590 | 40 | 1,871 |
| 1604 (ST) | — | — | — | — | — | 32 | 1,815 |
| EBONY | 37 | 34 | — | 35 | 1,677 | 25 | 1,493 |
| SW GLADIATORR (RT) | — | — | — | 32 | 766 | 41 | 1,083 |
| HYLITE 243CL (ST) | — | — | — | 24 | 966 | 37 | 990 |
| HYOLA 519 (RT) | — | — | — | — | — | 41 | 932 |
| INVIGOR 2273 (LT) | 38 | 31 | 25 | 30 | 5,972 | 44 | 750 |
| 46H02 | — | — | — | — | — | 33 | 663 |
| SP ADMIRABLE RR (RT) | — | — | — | 29 | 780 | 31 | 660 |
| LBD2393LL (LT) | — | — | — | — | — | 43 | 650 |
| 811RR (RT) | — | — | — | — | — | 32 | 636 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **38.9** | **156,357** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 11 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | 19 | 20 | 21 | 5,698 | 26 | 4,522 |
| TAURUS | — | — | 18 | 19 | 2,627 | 27 | 2,937 |
| NORLIN | 22 | 18 | 16 | 19 | 1,835 | 23 | 1,236 |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 11 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC MCDUFF | 20 | 23 | 18 | — | — | 28 | 972 |
| 2047 | — | — | — | 16 | 883 | 24 | 609 |
| AC EMERSON | 22 | 17 | 16 | 23 | 694 | 19 | 592 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **25.0** | **12,438** |

## RISK AREA 12

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 49 | 42 | 27 | 39 | 419,198 | 57 | 345,848 |
| SUPERB (RS) | — | — | — | 46 | 6,850 | 60 | 48,873 |
| AC DOMAIN (RS) | 47 | 44 | 35 | 44 | 37,016 | 57 | 43,673 |
| CDC FALCON (W) | — | — | 50 | 64 | 19,396 | 74 | 38,659 |
| SNOWBIRD (HW) | — | — | 24 | 48 | 1,744 | 58 | 24,402 |
| ALSEN (F) | — | — | — | — | — | 61 | 17,366 |
| AC MAJESTIC (RS) | 47 | 44 | 26 | 40 | 18,167 | 58 | 13,133 |
| CDC CLAIR (W) | 70 | 70 | 51 | 56 | 18,360 | 75 | 10,355 |
| CDC BOUNTY (RS) | — | — | 31 | 41 | 5,566 | 53 | 6,635 |
| MCKENZIE (RS) | 39 | 49 | 27 | 47 | 3,934 | 54 | 3,770 |
| CDC KESTREL (W) | 69 | 67 | 36 | 55 | 6,039 | 57 | 3,143 |
| AC CORA (RS) | 45 | 42 | 27 | 39 | 5,007 | 58 | 3,077 |
| AC INTREPID (RS) | — | 48 | 38 | 44 | 2,007 | 60 | 2,105 |
| CDC HARRIER (W) | — | 69 | 52 | 54 | 1,830 | 78 | 1,640 |
| IVAN (F) | — | — | — | 56 | 1,396 | 51 | 1,207 |
| AC CADILLAC (RS) | — | 42 | 23 | 39 | 2,267 | 41 | 958 |
| KATEPWA (RS) | 42 | 28 | 19 | — | — | 38 | 886 |
| CDC RAPTOR (W) | — | — | — | — | — | 76 | 567 |
| 5600HR (RS) | — | — | 32 | 47 | 1,902 | 50 | 555 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **58.8** | **568,613** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 74 | 65 | 41 | 56 | 30,822 | 76 | 29,106 |
| CONLON | — | — | — | 63 | 1,048 | 83 | 17,219 |
| CDC STRATUS | 78 | 64 | 35 | 55 | 23,971 | 81 | 14,593 |
| AC METCALFE | 80 | 66 | 33 | 54 | 15,334 | 81 | 11,198 |
| STANDER | 81 | 59 | 35 | 53 | 6,619 | 78 | 4,031 |
| BEDFORD | 81 | 59 | 28 | 56 | 2,770 | 80 | 3,846 |
| STANDARD | 83 | 57 | 28 | 60 | 3,736 | 81 | 2,520 |
| CDC MCGWIRE | — | — | — | 40 | 2,156 | 78 | 2,004 |
| EXCEL | 77 | 73 | 50 | 72 | 1,617 | 85 | 1,434 |
| VIVAR | — | — | — | 62 | 945 | 96 | 1,181 |
| LACEY | — | — | — | — | — | 99 | 516 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **80.1** | **88,717** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 112 | 97 | 65 | 82 | 207,757 | 105 | 130,646 |
| RONALD | — | — | — | 95 | 10,737 | 115 | 91,369 |
| TRIPLE CROWN | 109 | 101 | 52 | 82 | 56,475 | 118 | 20,708 |
| RIEL | 105 | 87 | 54 | 67 | 26,727 | 102 | 12,944 |
| PINNACLE | — | — | 76 | 85 | 15,239 | 106 | 11,996 |
| JERRY | 105 | 75 | 62 | 84 | 5,813 | 111 | 4,481 |
| COMMON | — | — | — | 93 | 2,408 | 100 | 1,590 |
| ROBERT | 94 | 78 | 68 | 76 | 1,482 | 112 | 726 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **109.0** | **275,805** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 45H21 (RT) | — | — | — | 31 | 13,322 | 37 | 52,642 |
| INVIGOR 2663 (LT) | — | — | 25 | 37 | 38,182 | 44 | 47,512 |
| INVIGOR 2733 (LT) | — | — | 22 | 33 | 36,356 | 44 | 47,339 |
| 34-55 (RT) | — | 23 | 24 | 31 | 39,691 | 36 | 35,268 |
| 46A76 (ST) | — | 27 | 20 | 33 | 22,692 | 39 | 33,281 |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2573 (LT) | — | 29 | 24 | 36 | 24,490 | 42 | 31,938 |
| 289CL (ST) | — | — | — | — | — | 35 | 16,545 |
| NEX 720 | — | — | 19 | 33 | 15,844 | 39 | 14,201 |
| 45A55 (RT) | — | — | 21 | 28 | 25,456 | 33 | 14,123 |
| 46A65 | 38 | 25 | 21 | 31 | 18,694 | 34 | 13,603 |
| 35-85 (RT) | — | — | — | 34 | 1,926 | 37 | 12,996 |
| HYOLA 505 (RT) | — | — | — | — | — | 39 | 10,822 |
| HYLITE 225RR (RT) | — | — | 17 | 28 | 3,294 | 33 | 10,194 |
| NEX 705 | — | — | 22 | 34 | 12,035 | 42 | 10,067 |
| HYOLA 401 | 38 | 24 | 22 | 31 | 15,154 | 38 | 7,642 |
| MILLENNIUM 03 | — | — | 21 | 26 | 2,134 | 34 | 7,196 |
| IMC 208RR (RT) | — | — | — | — | — | 25 | 6,809 |
| LBD799RR (RT) | — | — | 29 | 31 | 2,105 | 35 | 5,402 |
| 46H02 | — | — | — | — | — | 41 | 5,220 |
| EBONY | 38 | 24 | 22 | 34 | 3,973 | 34 | 5,131 |
| LBD 612RR (RT) | — | — | — | 30 | 869 | 42 | 4,721 |
| 1604 (ST) | — | — | — | — | — | 33 | 4,168 |
| HYOLA 440 | — | — | — | 32 | 598 | 35 | 3,384 |
| HYOLA 454RR (RT) | — | — | 18 | 27 | 2,456 | 34 | 3,370 |
| INVIGOR 2273 (LT) | 40 | 24 | 25 | 33 | 9,711 | 40 | 2,060 |
| INVIGOR 2763 (LT) | — | — | — | — | — | 34 | 1,714 |
| 46A55 | — | 26 | 25 | 26 | 875 | 27 | 1,642 |
| LBD588RR (RT) | — | — | — | — | — | 36 | 1,476 |
| LBD2393LL (LT) | — | — | — | — | — | 38 | 1,112 |
| MILLENIUM 01 | 31 | — | 25 | — | — | 40 | 817 |
| HYOLA 519 (RT) | — | — | — | — | — | 38 | 784 |
| HYLITE 243CL (ST) | — | — | 22 | 28 | 4,684 | 32 | 739 |
| HYLITE 215CL (ST) | — | — | — | — | — | 34 | 688 |
| LBD279 | — | — | — | — | — | 40 | 596 |
| 3311 | — | 20 | 23 | 28 | 2,119 | 33 | 575 |
| 45A51 (RT) | 35 | 27 | 22 | — | — | 35 | 507 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **38.4** | **428,392** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CDC BETHUNE | — | 20 | 12 | 23 | 39,288 | 27 | 47,227 |
| AC EMERSON | 24 | 14 | 12 | 23 | 16,023 | 26 | 9,450 |
| TAURUS | — | — | 14 | 22 | 7,627 | 23 | 8,901 |
| AC MCDUFF | 26 | 20 | 13 | 22 | 5,232 | 23 | 3,701 |
| AC CARNDUFF | 31 | 15 | 12 | 24 | 4,597 | 20 | 3,673 |
| NORLIN | 23 | 16 | 11 | 18 | 8,347 | 24 | 3,076 |
| AC LINORA | 25 | 17 | 11 | 21 | 2,592 | 28 | 2,272 |
| 2047 | — | — | — | 20 | 999 | 23 | 2,205 |
| NORMAN | 23 | 19 | 12 | 21 | 2,736 | 26 | 1,707 |
| CDC NORMANDY | 25 | 16 | 9 | 24 | 1,825 | 24 | 1,675 |
| FLANDERS | 24 | 18 | 10 | 19 | 3,974 | 23 | 1,368 |
| AC WATSON | 23 | 16 | 12 | 26 | 1,530 | 24 | 913 |
| HANLEY | — | — | — | — | — | 28 | 738 |
| 1084 | — | 17 | 10 | 19 | 1,429 | 16 | 668 |
| OMEGA | — | — | — | 22 | 770 | 24 | 594 |
| MCGREGOR | 22 | 13 | 10 | 23 | 987 | 25 | 507 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **25.2** | **89,469** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 12 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| CROMA | — | 27 | 23 | 23 | 6,519 | 52 | 1,650 |
| 4010 | 28 | 17 | 20 | 33 | 646 | 40 | 535 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **47.7** | **3,631** |

## RISK AREA 14

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 14 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 47 | 36 | 25 | 34 | 39,566 | 52 | 30,260 |
| AC DOMAIN (RS) | 42 | 38 | 26 | 35 | 9,350 | 54 | 9,011 |
| SUPERB (RS) | — | — | — | 46 | 709 | 54 | 8,184 |
| CDC FALCON (W) | — | — | — | 61 | 2,761 | 67 | 5,103 |
| MCKENZIE (RS) | — | 41 | 27 | 46 | 3,696 | 57 | 4,735 |
| AC CADILLAC (RS) | — | 34 | 22 | 35 | 7,565 | 47 | 4,328 |
| ALSEN (F) | — | — | — | — | — | 60 | 3,039 |
| CDC CLAIR (W) | 28 | 45 | 41 | 51 | 2,605 | 65 | 1,907 |
| SNOWBIRD (HW) | — | — | — | — | — | 54 | 1,564 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **54.3** | **73,156** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 65 | 50 | 34 | 38 | 10,287 | 69 | 10,060 |
| CONLON | — | — | — | — | — | 86 | 3,869 |
| CDC STRATUS | 77 | 50 | 41 | 40 | 10,915 | 70 | 3,578 |
| STANDER | 73 | 45 | 36 | 45 | 4,223 | 77 | 2,444 |
| EXCEL | 65 | 31 | 38 | 60 | 869 | 85 | 1,431 |
| BEDFORD | 74 | 46 | 36 | 43 | 1,286 | 78 | 1,002 |
| CDC MCGWIRE | — | — | — | — | — | 72 | 784 |
| STANDARD | 77 | 30 | — | 15 | 682 | 45 | 507 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **73.6** | **24,645** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC ASSINIBOIA | 95 | 70 | 67 | 78 | 32,453 | 90 | 23,725 |
| RONALD | — | — | — | 95 | 847 | 96 | 10,756 |
| RIEL | 71 | 60 | 41 | 38 | 4,889 | 54 | 2,442 |
| PINNACLE | — | — | — | 71 | 3,238 | 79 | 2,348 |
| ROBERT | 82 | 45 | 51 | 45 | 1,022 | 96 | 1,662 |
| TRIPLE CROWN | 78 | 62 | 46 | 69 | 3,487 | 64 | 1,485 |
| COMMON | — | 40 | — | 32 | 809 | 56 | 691 |
| DUMONT | — | — | — | — | — | 75 | 558 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **86.9** | **44,902** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| INVIGOR 2573 (LT) | — | 21 | 23 | 36 | 8,426 | 42 | 12,142 |
| 46A76 (ST) | — | 24 | 24 | 32 | 5,375 | 38 | 8,338 |
| INVIGOR 2733 (LT) | — | — | — | 39 | 5,949 | 42 | 6,607 |
| 45H21 (RT) | — | — | — | — | — | 40 | 5,348 |
| INVIGOR 2663 (LT) | — | — | 27 | 35 | 3,256 | 44 | 4,185 |
| 45A55 (RT) | — | — | — | 30 | 3,925 | 35 | 4,127 |
| 289CL (ST) | — | — | — | — | — | 39 | 3,160 |
| 46A65 | 36 | 22 | 21 | 29 | 1,644 | 28 | 3,022 |
| 34-55 (RT) | — | 18 | 25 | 27 | 1,495 | 39 | 2,297 |
| HYOLA 401 | 38 | 15 | 21 | 27 | 4,283 | 37 | 1,921 |
| SP BANNER (RT) | — | — | — | — | — | 35 | 1,540 |
| 46H02 | — | — | — | — | — | 41 | 1,237 |
| IMC 208RR (RT) | — | — | — | — | — | 27 | 1,066 |
| HYLITE 225RR (RT) | — | — | — | — | — | 22 | 1,032 |
| HYOLA 440 | — | — | — | — | — | 34 | 1,003 |
| MILLENNIUM 03 | — | — | — | — | — | 32 | 677 |
| CONQUEST (RT) | — | 19 | 18 | 29 | 531 | 30 | 658 |
| INVIGOR 2273 (LT) | 38 | 21 | 13 | 32 | 2,843 | 45 | 656 |
| LBD 612RR (RT) | — | — | — | — | — | 31 | 623 |
| SP BUCKY (RT) | — | — | — | 21 | 1,002 | 35 | 616 |
| EXCEED (LT) | 23 | 10 | 17 | 26 | 644 | 21 | 613 |
| LBD2393LL (LT) | — | — | — | — | — | 28 | 518 |
| EBONY | 33 | — | — | — | — | 33 | 516 |
| NEX 705 | — | — | — | 29 | 576 | 39 | 512 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **37.7** | **66,895** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 14 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 2047 | — | — | — | — | — | 24 | 2,272 |
| CDC BETHUNE | — | — | 6 | 16 | 1,390 | 20 | 1,891 |
| AC EMERSON | 20 | 12 | 10 | 15 | 2,814 | 20 | 1,842 |
| NORLIN | 18 | 8 | 4 | 11 | 573 | 22 | 822 |
| TAURUS | — | — | — | 20 | 1,219 | 24 | 731 |
| AC WATSON | — | — | — | 14 | 632 | 19 | 585 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **21.8** | **9,249** |

## RISK AREA 15

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 15 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC BARRIE (RS) | 43 | 40 | 27 | 38 | 38,860 | 41 | 39,338 |
| SUPERB (RS) | — | — | — | — | — | 52 | 3,806 |
| AC DOMAIN (RS) | 39 | 38 | 27 | 38 | 3,731 | 37 | 3,534 |
| AC CADILLAC (RS) | — | 44 | 25 | 37 | 6,872 | 37 | 2,723 |
| ALSEN (F) | — | — | — | — | — | 46 | 1,882 |
| MCKENZIE (RS) | 49 | 45 | 30 | 37 | 1,418 | 40 | 1,611 |
| SNOWBIRD (HW) | — | — | — | — | — | 42 | 986 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **41.2** | **56,056** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 15 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| ROBUST | 59 | 59 | 41 | 57 | 10,876 | 64 | 11,658 |
| CDC STRATUS | 56 | 54 | 40 | 55 | 4,438 | 63 | 3,928 |
| AC ROSSER | — | 58 | 46 | 58 | 1,156 | 80 | 3,463 |
| CONLON | — | — | — | — | — | 72 | 1,738 |
| EXCEL | 80 | 66 | 50 | 72 | 1,355 | 83 | 1,515 |
| CDC SISLER | — | — | 49 | 68 | 1,538 | 62 | 1,283 |
| XENA | — | — | — | — | — | 63 | 1,218 |
| STANDER | 61 | 53 | 48 | 63 | 849 | 68 | 868 |
| AC RANGER | — | — | — | — | — | 38 | 684 |
| COMMON | — | — | 42 | — | — | 53 | 588 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **66.3** | **28,405** |

| OAT YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 15 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| PINNACLE | — | — | — | 89 | 2,500 | 76 | 3,639 |
| AC ASSINIBOIA | 74 | 84 | 69 | 68 | 7,183 | 68 | 2,360 |
| RONALD | — | — | — | — | — | 91 | 2,015 |
| COMMON | — | — | 51 | 54 | 803 | 59 | 866 |
| TRIPLE CROWN | — | 86 | 76 | 67 | 2,477 | 61 | 552 |
| AC PREAKNESS | — | — | — | 65 | 789 | 57 | 525 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **70.3** | **11,110** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | | RISK AREA 15 |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 45H21 (RT) | — | — | — | 43 | 1,496 | 35 | 11,824 |
| 34-55 (RT) | — | 25 | 25 | 34 | 1,959 | 36 | 6,851 |
| INVIGOR 2573 (LT) | — | — | 29 | 35 | 5,464 | 35 | 5,307 |
| INVIGOR 2733 (LT) | — | — | — | 38 | 4,834 | 38 | 5,090 |
| 46A76 (ST) | — | 29 | 23 | 26 | 2,556 | 31 | 4,388 |
| SW GLADIATORR (RT) | — | — | — | — | — | 30 | 4,120 |
| INVIGOR 2663 (LT) | — | — | 24 | 41 | 4,742 | 38 | 3,668 |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 45A55 (RT) | — | — | — | 34 | 7,552 | 28 | 3,015 |
| HYOLA 401 | 32 | 24 | 22 | 30 | 6,063 | 33 | 2,165 |
| 289CL (ST) | — | — | — | — | — | 35 | 1,867 |
| SP BANNER (RT) | — | — | — | — | — | 32 | 1,185 |
| 46H02 | — | — | — | — | — | 38 | 933 |
| 45A51 (RT) | 33 | 19 | 21 | 31 | 797 | 31 | 605 |
| 46A65 | 35 | 24 | 26 | 29 | 1,740 | 36 | 594 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **34.1** | **54,827** |

| FLAX YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| NORLIN | 18 | 16 | 17 | 20 | 4,023 | 17 | 3,540 |
| AC EMERSON | 18 | — | 17 | 19 | 1,888 | 20 | 2,612 |
| AC WATSON | — | — | — | 19 | 581 | 14 | 1,004 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **18.5** | **9,038** |

| FIELD PEAS YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 15 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| VENTURE | — | — | — | — | — | 43 | 1,598 |
| SWIFT | — | — | — | 24 | 585 | 30 | 721 |
| CARNEVAL | 37 | 29 | 26 | 40 | 638 | 42 | 616 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **39.1** | **3,933** |

## RISK AREA 16

| WHEAT YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 16 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| AC DOMAIN (RS) | 46 | 46 | 46 | 38 | 9,516 | 54 | 8,771 |
| AC SPLENDOR (RS) | — | 47 | 50 | 39 | 2,680 | 57 | 2,479 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **54.2** | **12,978** |

| BARLEY* YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 16 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| EXCEL | 76 | 77 | 76 | 58 | 1,210 | 87 | 1,370 |
| AC METCALFE | — | — | — | — | — | 84 | 956 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **86.3** | **3,776** |

| ARGENTINE CANOLA YIELDS BY VARIETY 1999–2003† | | | | | | RISK AREA 16 | |
|---|---|---|---|---|---|---|---|
| Variety | 1999 Yield | 2000 Yield | 2001 Yield | 2002 Yield | 2002 Acres | 2003 Yield | 2004‡ Acres |
| 46A76 (ST) | — | 36 | 36 | — | — | 40 | 3,477 |
| INVIGOR 2663 (LT) | — | — | — | — | — | 43 | 2,743 |
| INVIGOR 2733 (LT) | — | — | — | — | — | 41 | 2,408 |
| 289CL (ST) | — | — | — | — | — | 43 | 2,133 |
| 45H21 (RT) | — | — | — | — | — | 39 | 2,043 |
| HYLITE 243CL (ST) | — | — | 35 | 29 | 593 | 38 | 676 |
| INVIGOR 2573 (LT) | — | — | — | — | — | 40 | 644 |
| 34-55 (RT) | — | — | — | — | — | 39 | 620 |
| **WEIGHTED AVERAGE YIELD AND TOTAL ACREAGE§** | | | | | | **39.7** | **17,561** |

† Yields only for those varieties grown on more than 500 acres and by more than 2 growers;
§ Weighted Average Yield and Total Acreage include acres not reported in the table.
‡ On system as of January 14, 2004;
* Assuming 48 lbs./bu.